ComX Computers
Product Specification Sheet

1250G-2USB-1

Honeywell 1250G 1D USB single line Laser Scanner

Product Overview

Honeywell 1250G 1D USB single line Laser Scanner, 3m cable including stand, Black, 1D decode capability, Flex neck, Presentation stand (STND-15F03-009-4), USB Type-A 3m coiled cable (CBL-500-300-C00)



Specifications

Overview:

Extend your scanning range with the Voyager: 1250g single-line laser barcode scanner. It aggressively reads linear barcodes up to 58.4 cm (23 in) away, making the job more comfortable and productive for your team. And the scanner is quick to switch to hands-free scanning with the included stand.

- Automatic Interface Detection: Supports all popular interfaces in one device, replacing the time consuming process of scanning programming bar codes with automatic interface detection and configuration.
- Extended Depth of Field: Scans out-of-reach items with ease and allows users to scan 13 mil bar codes from as far away as 17.6 inches (447 mm).
- Remote MasterMindTM Ready: Reduces total cost of ownership by providing a turnkey remote device management solution that easily manages and tracks usage of installed devices.
- Ergonomic Design: Fits comfortably in most hands, reducing user fatigue in scan-intensive applications.
- Superior Out-of-Box Experience: Simpli es set up with quick and easy stand assembly: automatic in-stand detection and configuration: increases throughput with true object detection.
- CodeGate: Technology: Enables users to ensure that the desired bar code is scanned before transmitting data, making the scanner ideal for use in menu scanning applications.

The Voyager 1250g single-line laser scanner combines the Voyager series: proven performance with extended depth of field to make scanning out-of-reach items a breeze.The ability to read barcodes up to 58.4 cm (23 in) away will make the job much more comfortable for your workers - : for example, when your cashiers reach to scan larger items left in shopping carts, and your inventory takers scan products stored high atop shelves.The 1250g scanner is easy to use and efficient, so your team can be at its best. It:s optimized to scan linear barcodes fast - : even poorly printed and damaged codes. That:s important because it minimizes the need for manual data entry. And that leads to increased productivity and fewer errors.Speaking of productivity, the 1250g scanner:s stand lets you take advantage of hands-free scanning for those applications that benefit from being able to use both hands.We:ve also made installation quick and plug-and-play easy. Simply plug the device:s cable into your host system and the 1250g scanner will automatically configure itself to the appropriate interface. No programming barcodes to scan. No hassle.

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	1250G-2USB-1
Features	
Form Factor	Gun Shape
Features	Extended Depth of Field
	Ergonomic Design
	Automatic Interface Detection
Dimensions	
Overall Dimensions	2.3 x 6.6 x 2.9 in
	6 x 16.8 x 7.4 cm
Scanning Specifications	
Pitch	60
Scanning Range	Standard range SR
Scan Pattern	Single Scan Line
Decode Capability	1D
Depth of Field	0 - 17.6 in
Brightness	0 - 75000 lux
Print Contrast	20
Skew	60
Network	
Bluetooth	No
Bluetooth Specifications	N/A
Hardware	
Host System Interface	KBW
	RS-485
	RS-232
	USB
	RS-232C
Engine Type	1D Laser
Wireless	No
Electrical	
Standby Power	0.43
Input Voltage	5 V DC
Operating Power	0.7 W

Environmental	
Operating Temperature	32 - 104 degreesF
	0 - 40 degreesC
Operating Humidity	5 - 95 %
Storage Temperature Range	- 20 - 60 degreesC
	- 4 - 140 degreesF
Standards & Approvals	
Protection Ratings	IP40
Drop Specifications	30 1.5 m 5 ft drops to concrete
Others	
Power Connector Type	Corded

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/1250G-2USB-1-Honeywell-1250G-1D-USB-single-line-Laser-Scanner-p-295061.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-22 05:33:12.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.