
1300G HONEYWELL COMBO

Honeywell Hyperion 1300G-2 1D General Purpose Handheld Scanner - 3 Pack

Product Overview

Honeywell Hyperion 1300G-2 1D general purpose Handheld Linear Imager - 3 Pack, USB, Black, No moving parts, USB Type-A 3m straight cable (CBL-500-300-S00)







Specifications

Overview Summary:

The Honeywell Hyperion 1300G-2 barcode scanner is a top choice for high-demand environments requiring quick, efficient, and reliable scanning. Perfect for retail, logistics, or industrial applications, this handheld scanner offers exceptional durability with no moving parts, making it a cost-effective and long-lasting solution. With the ability to read barcodes from a distance of up to 18 inches, it ensures seamless operation, even in demanding conditions. Its ergonomic design ensures comfort for operators, even during extended scanning sessions. Whether you're handling inventory, checkout, or warehouse management, the Hyperion 1300G-2 is built to boost productivity and reduce downtime. Buy now to streamline your scanning tasks.

Performance tier: High-Performance

Uses: Retail, logistics, industrial scanning, inventory management, warehouse operations

Overview:

Honeywell Hyperion 1300G-2 1D Handheld Barcode Scanner - 3 Pack, USB, Black
The Honeywell Hyperion 1300G-2 linear-imaging barcode scanner is designed for high-performance scanning in light industrial settings. With a tough, no-moving-parts design and an ergonomic, user-friendly form, it combines durability, speed, and versatility to enhance productivity across a wide range of applications.

Product Description:

This barcode scanner is ideal for businesses requiring reliable, everyday scanning of 1D and GS1 DataBar barcodes. Built for intensive use, the Hyperion 1300G-2 delivers aggressive scanning performance, handling both standard barcodes and high-density ones with ease. Its rugged, impact-resistant design ensures minimal downtime and maintenance costs, while its ergonomic shape guarantees comfort during long hours of scanning.

The scanner's ability to read barcodes from a distance of up to 18 inches and its wide compatibility with various interfaces make it a flexible solution for diverse environments. Whether in retail, light industrial, or logistics applications, the Hyperion 1300G-2 ensures smooth and fast operation.

Features:

Key Benefits of the Honeywell Hyperion 1300G-2 Barcode Scanner

- Efficient and Fast ScanningDesigned for scan-intensive tasks, this scanner offers quick and aggressive barcode scanning. It easily handles standard 1D barcodes and GS1 DataBar symbols, ensuring high throughput in any workflow.
- Wide Barcode CompatibilityThe Hyperion 1300G-2 reads barcodes from 45.7 cm (18 in) away, even for 13 mil barcodes. It also reads high-density barcodes as small as 3 mil, offering excellent versatility across various industries.
- Rugged and DurableWith no moving parts and built-in impact-resistant bumpers, the 1300G-2 is engineered to withstand harsh conditions. This tough design helps lower maintenance costs and ensures years of hassle-free operation.
- Ergonomically Designed for ComfortThe gun-shaped, handheld form factor is optimized for prolonged use, providing comfort for operators during long scanning shifts.
- Automatic Interface DetectionThe scanner automatically detects and supports various interfaces, eliminating the need to scan through programming barcodes and making setup easier and faster.

Why Choose the Honeywell Hyperion 1300G-2
The Honeywell Hyperion 1300G-2 barcode scanner is built to provide superior performance, durability, and convenience. It supports a range of applications, from light industrial to retail, and is designed to withstand the demands of daily use. With a user-friendly interface, fast scanning, and rugged construction, this scanner is a reliable choice for businesses looking to streamline their barcode scanning processes.

Specifications:

© 2025 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	1300G HONEYWELL COMBO
MECHANICAL	
Dimensions (LxWxH)	150 mm x 112 mm x 79 mm (5.9 in x 4.4 in x 3.1 in)
Weight	160 g (5.6 oz)
ELECTRICAL	

Input Voltage	5V +/- 5%
Operating Power	1.41000mW, 200 mA (typical) @ 5V W (275 mA @ 5 V)
Standby Power	625mw, 125 mA (typical) @ 5V
Host System Interfaces	USB
Auxiliary Ports	N/A
ENVIRONMENTAL	
Operating Temperature	0degreesC to 50degreesC (32degreesF to 122degreesF)
Storage Temperature	-40degreesC to 60degreesC (-40degreesF to 140degreesF)
Humidity	0 to 95% non-condensing
Drop/Tumble	Designed to withstand 50 drops on concrete from 1.5m
Environmental Sealing	IP41
Light Levels	0 - 70,000 lux (direct sunlight)
SCAN PERFORMANCE	
Scan Pattern	Single line
Motion Tolerance	51 cm (20 in) per second
Scan Rate	Up to 270 scans per second
Print Contrast	20% minimum reflectance difference
Pitch, Skew	65degrees, 65degrees
Decode Capabilities	Reads standard 1D and GS1 DataBar symbologies

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/1300G-HONEYWELL-COMBO-Honeywell-Hyperion-1300G-2-1D-General-Purpose-Handheld-Scanner-p-330387.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-22 06:45:58.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.