ComX Computers
Product Specification Sheet


1FH48AS

HP EliteDisplay E243m 23.8" Anti-glare BrightView IPS Full HD 1920x1080 resolution LED Backlit Monitor, VGA, HDMI, DP

Product Overview

HP EliteDisplay E243m 23.8" Anti-glare BrightView IPS Full HD 1920x1080 resolution LED Backlit Monitor, 16:9 Aspect Ratio, 5ms Response, 250 cd/m2 brigtness, 1000:1 static Contrast ratio, Tilt, Swivel, 100mm Vesa Mount, 1x VGA, 1x Display port 1.2, 1x HDMI 1.4, 3x USB 3.0 (one upstream / two downstream)











Specifications

Overview:

HP EliteDisplay E243m 60.45 cm (23.8") Monitor(1FH48AA)
Connect and collaborate in complete comfort on the HP EliteDisplay E243m 60.45 cm (23.8") Monitor, which is Skype for Business certified for optimal video and audio experiences between displays and has a 3-sided micro-edge bezel for seamless multi-display tiling and 4-way adjustable ergonomics.

Advanced communication tools at the touch of a button
Meet online with colleagues across the hall and around the world on a Skype for Business certified display with an HD webcam, expertly-tuned Audio by Bang & Olufsen, microphone, and collaboration keys to control calls without an onscreen menu.

Work comfortably
Find your most comfortable, productive position with adjustable tilt, height, swivel, and up to 150 mm height adjustment settings. Use pivot rotation to customize portrait or landscape views when using multiple displays.

Break the boundaries
Expand your productivity with uninterrupted views of one screen or many with a 3-sided micro-edge bezel that supports virtually seamless arrays. Get crisp visuals from any angle on the 1920 x 1080 Full HD resolution, 60.45 cm (23.8") diagonal IPS screen.

Features:

Customizable collaboration

- Personalize your setup by combining your display with an HP accessory designed for UCC, including wired and wireless headsets, a speaker phone, and keyboards with dedicated collaboration keys.

Adaptable for a single-footprint setup

- Mount your compatible HP Desktop Mini PC or select Thin Client or Chromebox directly on the column stand using the optional HP B300 PC Mounting Bracket.

Experience simple, convenient connectivity

- Connect to your most frequently-used displays and devices with a range of integrated ports right at the display.

Be responsible

- Reduce power consumption and help lower costs with a low halogen, ENERGY STAR certified, EPEAT Gold registered

display that meets TCO Certified Edge with 85% Post-Consumer Recycled plastics.

Divide and conquer

- Design the screen for how you work with HP Display Assistant software, which enables screen partitioning and helps deter theft by dimming a display that's disconnected without approval.

Click or call for support

- Rest assured that your IT investment is supported by a three-year standard limited warranty. To extend your protection, select an optional HP Care service.

Specifications:

© 2017 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	1FH48AS
Display specifications	
Display size (diagonal)	60.45 cm (23.8")
Panel active area	52.7 x 29.64 cm
Aspect ratio	16:9
Native resolution	FHD (1920 x 1080 @ 60 Hz)
Resolutions supported	1920 x 1080
	1680 x 1050
	1600 x 900
	1440 x 900
	1280 x 1024
	1280 x 800
	1280 x 720
	1024 x 768
	800 x 600
	720 x 400
	640 x 480
Pixel pitch	0.2745 mm
Brightness	250 cd/m²
Contrast ratio	1000:1 static
	10000000:1 dynamic
View angle	178 degrees horizontal
	178 degrees vertical
Response time	5 ms on/off

Tilt and swivel angle	Tilt: -5 to +23 degrees
	Swivel: +/-45 degrees
	Pivot rotation: 90 degrees
	Height: 150 mm
Display features	Anti-glare
	BrightView Panel
	In plane switching
	Language selection
	LED Backlights
	On-screen controls
	Plug and Play
	Anti-static
	Low Haze
	Pivot rotation
Physical security	Security lock-ready (lock is sold separately)
VESA mount	100 mm
Connectivity	
Input connector	1 DisplayPort 1.2 (with HDCP support)
	1 VGA
	1 HDMI 1.4 (with HDCP support)
Ports	3 USB 3.0 (one upstream, two downstream)
Dimensions and weight	
Weight	6.6 kg
	(With stand)
Product dimensions without stand (W x D x H)	53.88 x 4.63 x 34.72 cm
	(Without stand)
Dimensions With Stand (W x D x H)	53.88 x 21.4 x 51.37 cm
Power and operating requirements	
Power supply	Input voltage: 100 to 240 VAC
Power consumption	45 W (maximum)
	30 W (typical)
	0.5 W (standby)
Power consumption (on-mode)	18 W
Power consumption	26 kWh
Power consumption (standby)	0.5 W
Power consumption (off-mode)	0.3 W
Operating temperature range	5 to 35 degreesC

Operating humidity range	20 to 80% RH
Energy efficiency class	A+
Environmental	Arsenic-free display glass
	Mercury-free display backlights
	Low halogen
Energy Efficiency	
Energy efficiency class	A+
Display size (diagonal)	60.45 cm (23.8")
Power consumption (on-mode)	18 W
Power consumption	26 kWh
Power consumption (standby)	0.5 W
Power consumption (off-mode)	0.3 W
Resolution (native)	FHD (1920 x 1080 @ 60 Hz)
Certification and compliance	

Certifications and compliances	Australian-New Zealand MEPS
	BSMI
	CB
	CCC
	CE
	CECP
	CEL
	CSA
	cTUVus
	FCC
	ICES
	ISC
	ISO 9241-307
	KC
	KCC
	NOM
	PSB
	RCM
	SEPA
	S-mark
	SmartWay Transport Partnership - NA only
	TUV-GS
	TUV-LBL
	TUV-S
	VCCI
	Vietnam MEPS
	WEEE
What's included	
What's in the box	Monitor
	AC power cable
	USB cable (Type A male to Type B male)
	VGA cable
	CD (includes User Guide, warranty, drivers)
	Quick Setup Poster
	HP Display Assistant
	DisplayPort 1.2 cable

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/1FH48AS-HP-EliteDisplay-E243m-23-8-Anti-glare-BrightView-IPS-Full-HD-1920x1080-resolution-p-173906.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-14 03:45:43.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.