ComX Computers
Product Specification Sheet

210-ADUH

Dell Ultrasharp U2414H 23.8" LED Full HD Monitor

Product Overview

Dell Ultrasharp U2414H 60.47cm (23.8") LED FHD (1920 x 1080), 16:9 HDMI, Mini DP, 4 x USB (4 at the back, 1 with battery charging), 1x USB 3.0 port (Upstream), VESA











Specifications

Features:

The world's thinnest border for magnificent viewing.
See your work in vivid Full HD detail with a 23.8" monitor that features the world's thinnest border for nearly seamless viewing across multiple screens.

- World's thinnest border: Create a multiple screen arrangement with near-continual imagery between multi- monitors via the DisplayPort 1.2(MST) connectivity port.
- Convenient connectivity: Bring your compatible mobile phones and tablets to life on a large screen with 2 HDMI(MHL) ports. Connect to projectors or other compatible devices through DisplayPort and mini-DisplayPort connectivity.
- Fast charging: A high-current USB 3.0 supplies twice the power for charging and powering compatible USB devices.

The world's thinnest display border
See your work in its best light on the DellTM UltraSharp 24 Monitor - U2414H. Its upscale design features an amazingly thin 6.05mm border around a 23.8" Full HD display that delivers impeccable images. With this incredible clarity across an ultra-wide 178-degree viewing angle comes the ability to pivot left-and right up to 90 degrees, so you can create a multiple screen arrangement with near-continual imagery between two or more monitors.

- Full HD resolution and ultra-wide viewing angle for crisp, clear viewing quality at virtually any angle
- Carefully color calibrated at the factory, the DellTM UltraSharp 24 Monitor - U2414H features more than 96-percent sRGB color space for impressive color from the moment you set it up
- Great detail with a broad range of 16.77 million colors covering 96% sRGB

Easy adjustability and viewing
In addition to 90-degree clockwise or counter-clockwise pivoting capability for use in side-by-side or top-to-top applications, the Dell UltraSharp 24 Monitor - U2414H offers generous height, tilt and swivel adjustments. Find the perfect position with 6.5-degree forward or 22-degree backward tilt adjustments and a height adjustability range of 130mm. An ultra-wide 178-degree viewing angle enables clear and easy sharing of your screen with multiple onlookers.

Bring your mobile devices to life on a large screen
Brilliance goes beyond the screen with easy connectivity to your favorite digital devices and fast USB charging capability. A mobile high-definition link (MHL) port allows you to view high-definition content directly from your compatible smart phone or tablet. Three USB 3.0 ports enable fast data transfers while one high-current USB 3.0 port supplies twice the power for charging and powering compatible USB devices. You can also connect your Dell UltraSharp 24 Monitor - U2414H to peripherals that require HDMI, DisplayPort or mini-DisplayPort connectivity.

Eco-conscious design
The Dell UltraSharp 24 Monitor - U2414H meets the latest regulatory and environmental standards .

- ENERGY STAR®
- EPEAT® Gold
- TCO Certified Displays

Specifications:

© 2016 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	210-ADUH

Display	
Diagonally Viewable Size	60.47 cm
	23.8" (31.5-inch wide viewable image size)
Aspect Ratio	Widescreen (16:9)
Panel Type, Surface	In-plane switching, anti glare with hard coat 3H
Optimal resolution	1920 x 1080 at 60Hz
Contrast Ratio	1000: 1 (typical)
	2 Million:1 (Max) (Dynamic Contrast Ratio)
Brightness	250 cd/m2 (typical)
Response Time	8 ms (gray to gray)
Viewing Angle	(178 degrees vertical / 178 degrees horizontal)
Color Support	Color Gamut6 (typical): 85% (CIE1976), sRGB 96% (average Delta E of>4)
	16.77 Million colors
Pixel Pitch	0.274 mm
Backlight Technology	LED
Display Type	Widescreen Flat Panel Display
Display Screen Coating	Antiglare with hard-coating 3H
Electrical	
Voltage Required	100 to 240 VAC / 50 or 60 Hz +/- 3Hz / 1.5 A (typical)
Power Consumption (Operational)	16 (typical) / 74W (maximum)
Power Consumption Stand by / Sleep	Less than 0.5W
Size and Weight	
Dimensions with stand (H x W x D)	19.12" ~ 14.00" (355.8mm ~ 485.8 mm) x 21.23" (539.1 mm) x 7.28" (185.0 mm)
Dimensions without stand (H x W x D)	(321.1 mm) 12.64" x (539.1 mm) 21.23" x (45.6 mm) 1.80"
Preset Display Area(H X V)	527.04 mm x 296.46 mm
	20.75" x 11.67"
Weight (panel only - for VESA mount)	3.61 kg (7.95 lb)
Weight (with packaging)	8.00 kg (17.62 lb)
Environmental	
Temperature Range Operating	0 degrees to 40 degreesC (32 degrees to 104 degreesF)
Temperature Range Non-operating	Storage : -20 degrees to 60 degrees (-4 degrees to 140 degrees F)
	Shipping : -20 degrees to 60 degrees (-4 degrees to 140 degrees F)
Humidity Range Operating	10% to 80% (non-condensing)
Humidity Range Non-operating	Storage : 5% to 90% (non-condensing)
	Shipping : 5% to 90% (non-condensing)

Altitude Operating	5,000 m (16, 400 ft) max
Altitude Non-operating	12,192 m (40, 000 ft) max

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/210-ADUH-Dell-Ultrasharp-U2414H-23-8-LED-Full-HD-Monitor-p-149339.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-18 19:48:28.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.