210-BVJR

Dell 210-BVJR Pro P 24 P2426 24" WUXGA 1920x1200 IPS Monitor, HDMI, DP


Product Overview

Dell 210-BVJR Pro P 24 P2426 24" WUXGA 1920x1200 IPS Monitor, 8ms GTG response time, 16:10 Aspect Ratio, 178 degree viewing angle, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 1920x1200 at 100 Hz maximum Resolution, 16.7 million colours, 1500:1 Native contrast ratio, 300 nits brightness, 99% sRGB Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 2x USB Type-A 5Gbps downstream Ports, 1x USB Type-B 5Gbps upstream Port, 1x USB Type-A 5Gbps downstream Port, 1x USB-C 5Gbps downstream Port with Power charging up to 15 W, 100x100 VESA Mount Standard











Specifications

Overview Summary:

The Dell Pro P2426 24-inch WUXGA monitor delivers sharp visuals, smooth 100Hz performance and excellent colour accuracy for business, office and home productivity. Its IPS panel with 16:10 aspect ratio provides extra vertical screen space, while USB-C, HDMI and DisplayPort connectivity make it easy to connect modern devices and accessories.

Designed for long working hours, this Dell monitor includes advanced eye comfort technology, low blue light support and a fully adjustable ergonomic stand with tilt, swivel, pivot and height adjustment. Whether you are upgrading your office setup or building a professional workstation, the Dell P2426 is a reliable choice. Buy now and shop online in South Africa for a premium productivity display.

Performance tier: Mid-range professional productivity monitor

Uses: Office work, business productivity, remote work, multitasking, content viewing, coding, spreadsheets, professional workstations

Overview:

Dell Pro P2426 24 Inch WUXGA IPS Monitor for Modern Productivity
The Dell Pro P2426 is a professional 24-inch monitor built for business users, multitasking environments, and everyday productivity. Its WUXGA 1920 x 1200 resolution and 16:10 aspect ratio provide more vertical screen space compared to standard Full HD displays, making it ideal for spreadsheets, documents, creative workflows, and web browsing. Combined with a smooth 100Hz refresh rate, IPS technology, and extensive connectivity, this display delivers a comfortable and efficient workspace for both office and home users.

Description:

The Dell Pro P2426 monitor combines sharp WUXGA clarity, wide viewing angles, ergonomic adjustability, and modern connectivity into a productivity-focused display solution. Designed for professionals who spend long hours at their desks, it includes TÜV-certified eye comfort technology, low blue light reduction, and a highly adjustable stand for improved comfort throughout the day. With HDMI, DisplayPort, USB-C charging, and multiple USB ports, the P2426 makes connecting laptops, peripherals, and accessories simple and convenient.

Features:

Built for Comfortable Everyday Work

Designed with long-term comfort in mind, the Dell Pro P2426 includes TÜV 4-star eye comfort certification and hardware-based low blue light technology that reduces harmful blue light emissions without compromising colour accuracy. The 100Hz refresh rate also improves visual smoothness, reducing flicker and making scrolling and motion appear more fluid during daily tasks.

The IPS panel ensures consistent colour and image quality from wide viewing angles up to 178 degrees, making collaboration and multi-user viewing more practical in office environments.

Clear Visuals with Excellent Colour Accuracy
This Dell 24-inch IPS monitor delivers vibrant and accurate visuals with support for 99% sRGB colour coverage and up to 16.7 million colours. The 1500:1 native contrast ratio enhances image depth with darker blacks and brighter whites, improving overall clarity for business applications, presentations, and multimedia content.

Key display highlights include:

- 24-inch IPS display
- WUXGA 1920 x 1200 resolution
- 16:10 aspect ratio for extra vertical workspace
- 100Hz refresh rate
- 300 nits brightness
- 8ms GTG response time
- 178 degree viewing angles
- 99% sRGB colour gamut
- 1500:1 contrast ratio

Flexible Connectivity for Modern Setups
The Dell P2426 is equipped with multiple connectivity options to simplify workstation management and peripheral integration. Convenient front-facing quick-access ports make connecting devices easier, while the USB-C downstream port supports charging up to 15W.

Connectivity options include:

- 1 x HDMI 1.4
- 1 x DisplayPort 1.4
- 1 x USB Type-B upstream port
- 3 x USB Type-A 5Gbps downstream ports
- 1 x USB-C 5Gbps downstream port with 15W charging
- VESA 100 x 100 mount compatibility

The intuitive on-screen display also helps users quickly identify port locations for faster setup and easier cable management.

Designed for Productivity and Ergonomic Comfort
The ultra-thin bezel design helps maximise screen space while maintaining a modern professional appearance. The fully adjustable stand allows users to customise the monitor position for better ergonomics during extended work sessions.

Adjustment options include:

- Height adjustment up to 150mm
- Tilt from -5 degrees to +21 degrees
- Swivel up to 45 degrees
- Pivot up to 90 degrees

Whether used in portrait mode for coding and document editing or landscape mode for spreadsheets and presentations, the Dell Pro P2426 adapts easily to different workflows.

Enhanced Workspace Management
Dell integrates smart management tools into the P2426 to improve productivity and simplify IT administration. Dell Display and Peripheral Manager allows users to organise applications across screen partitions while restoring saved layouts automatically.

Business users and IT teams also benefit from cloud-based device management through Dell Device Management Console, enabling streamlined firmware updates and simplified deployment across multiple systems.

Environmentally Conscious Design
The Dell Pro P2426 is engineered with sustainability in mind using recycled materials throughout its construction. The monitor incorporates recycled plastics, aluminium, steel, and glass while also meeting recognised environmental certifications.

Environmental credentials include:

- ENERGY STAR certified
- EPEAT Gold registered with Climate+
- TCO Certified and TCO Certified Edge
- Packaging made from recycled or renewable materials

Dimensions and Physical Details
The Dell Pro P2426 offers a compact footprint suitable for professional desks and multi-monitor environments.

Physical dimensions and weight:

- Width: 531.80 mm
- Height without stand adjustment: 343.70 mm
- Depth: 50.03 mm
- Stand depth: 181.75 mm
- Weight with stand and cables: 4.89 kg
- Weight without stand: 3.07 kg

The included package contains a power cable, DisplayPort cable, and USB Type-A to Type-B cable for quick installation.

Dell Pro P2426 Part Number and Model Information
The Dell Pro P2426 monitor is available under Part Number / SKU: MNDE210-BVJR and Dell Part Number 210-BVJR. This model is designed for professionals seeking a reliable 24-inch business monitor with excellent ergonomics, modern connectivity, and strong colour performance.

Specifications:

© 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	210-BVJR
Technical Information	
Number of Screens	1
Screen Size Class	24"
Viewable Screen Size	24.1"
Screen Mode	WUXGA

Panel Technology	In-plane Switching (IPS) Technology
Response Time Details	5 ms GTG (Fast)
	8 ms GTG
Aspect Ratio	16:10
Pixel Pitch	0.27000 mm x 0.27000 mm
Horizontal Viewing Angle	178degrees
Vertical Viewing Angle	178degrees
Mount Type	Panel Mount
HDCP Supported	Yes
Maximum Adjustable Height	150 mm
Tilt Angle	-5degrees to 21degrees
Swivel Angle	-45degrees to 45degrees
Pivot Angle	+/-90degrees
Features	Anti-glare
	sRGB
	Eye Comfort Technology
	Low Blue Light
	Flicker-free
	Cable Lock Slot
	Security Lock
	Arsenic-free Glass
	Mercury-free
	PVC Free
	BFR Free
Adjustable Stand	Yes
Stand Adjustments	Swivel
	Height
	Pivot
	Tilt
Stand Included	Yes
Pivot	Yes
Glass Hardness	3H
Surface Treatment	Anti-glare
Flicker Free	Yes
Video	
Maximum Resolution	1920 x 1200 at 100 Hz
Standard Refresh Rate	100 Hz

Colour Supported	16.7 Million Colours
Colour Depth	8-bit (6-bit + FRC)
Native Contrast Ratio	1500:1
Brightness	300 cd/m2
Colour Gamut	99% sRGB (CIE 1931)
	99% BT.709 (CIE 1931)
Pixel Per Inch (PPI)	94
Interfaces/Ports	
Interface/Port Details	1 HDMI port/s (HDCP 1.4) (Supports up to 1920 x 1200,100 Hz as specified in HDMI 1.4)
	1 DisplayPort 1.4 (HDCP 1.4) port/s
	2 USB Type-A 5Gbps downstream port/s
	1 USB Type-B 5Gbps upstream port/s
	1 USB Type-A 5Gbps downstream port/s
	1 USB-C 5Gbps downstream port/s, Power Charging up to 15 W
Built-in Devices	
Built-in Devices	USB Hub
Environmental Conditions	
Operating Temperature Range	0degreesC to 40degreesC
Non-operating Temperature Range	-20degreesC to 60degreesC
Operating Humidity Range	10% to 80% (Non-condensing)
Non-operating Humidity Range	5% to 90% (Non-condensing)
Maximum Operating Altitude	5 km
Maximum Non-operating Altitude	12.19 km
Power Description	
Input Voltage Range	100V AC to 240V AC
Operating Power Consumption	13.6 W
Standby Power Consumption	0.3 W
Off-Mode Power Consumption	0.3 W
Energy Efficiency Class	D
Frequency	50 Hz
	60 Hz
Maximum Power Consumption	68 W
Voltage Current	1.50 A
Input Voltage Range/Current Details	100 VAC to 240 VAC/50 Hz or 60 Hz +/- 3 Hz/1.5 A
Physical Characteristics	
VESA Mount Compatible	Yes
VESA Mount Standard	100 x 100

Colour Family	Gray
Product Colour	Dark Gray
Height	343.70 mm
Width	531.8 mm
Depth	50 mm
Height with Stand	511.20 mm
Width with Stand	531.80 mm
Depth with Stand	181.75 mm
Compressed Height with Stand	364 mm
Extended Height with Stand	511.20 mm
Bezel Width (Top)	6.70 mm
Bezel Width (Bottom)	13 mm
Bezel Width (Left)	6.70 mm
Bezel Width (Right)	6.70 mm
Stand Height	410.80 mm
Stand Width	249.80 mm
Stand Depth	181.75 mm
Weight (with Packaging) with Stand	6.74 kg
Weight with Stand & Cables (Approximate)	4.89 kg
Miscellaneous	
Package Contents	Monitor
	Stand
	QR card
	Safety, Environmental, and Regulatory Information
Certifications & Standards	Arsenic-Free glass and Mercury-Free for the panel only
	BFR/PVC free monitor (excluding external cables)
	California CEC
	Meets NFPA 99 leakage current requirements.
	Product Safety, EMC and Environmental Datasheets
	Dell Regulatory Compliance Home Page
	Dell and the Environment
	GS Mark
Platform Supported	Windows
Energy Star	Yes
Country of Origin	China/Vietnam
TAA Compliant	Yes

TCO Certified	Yes
Eye Comfort Certification	Yes
Eye Comfort Rating	4 Star
Dell Display and Peripheral Manager Compatibility	Yes
Remote Asset Management	Dell Display and Peripheral Manager (DDPM)
Cable Type Included	Power cable
	1 x DisplayPort-DisplayPort cable - 1.80 m
	1 x HDMI cable - 1.80 m (for selected countries only)
	1 x USB Type-A to Type-B upstream cable - 1.80 m
Environmentally Friendly	Yes
Environmental Certification	Electronic Product Environmental Assessment Tool Gold (EPEAT Gold)
	TCO Certified 10.0
	TCO Certified Edge
	China Environmental United Certification Center (CEC)
	Electronic Product Environmental Assessment Tool Climate+ (EPEAT Climate+)
Energy Efficiency Certification	ENERGY STAR 8.0
Energy Efficiency Compliance	Energy-related Products Directive Lot 5 (ErP Lot 5)
	Korea Minimum Energy Performance Standards (MEPS)
Environmental Compliance	Restriction of Hazardous Substances (RoHS)
	Waste Electrical and Electronic Equipment Directive (WEEE)
	China Restriction of Hazardous Substances (China RoHS)
	Eurasian Economic Union Restriction of Hazardous Substances (EAEU RoHS)
	Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/210-BVJR-Dell-210-BVJR-Pro-P-24-P2426-24-WUXGA-1920x1200-IPS-Monitor-HDMI-DP-p-337888.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-13 23:21:36.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing

decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.