

3G653A

HP LaserJet Pro 3003dw A4 Mono Laser Printer, Duplex, LAN, USB

Product Overview

HP 3G653A LaserJet Pro 3003dw A4 Mono Laser Printer, Up to 33 ppm print Speed Black, Automatic Duplex printing, Up to 1200 x 1200 dpi print quality Black, 1x Hi-Speed USB, 1x 10/100 Mbps Ethernet LAN, Apple AirPrint, Mopria Certified, 1 Main Tray - 250 sheets or 10 envelopes, 150-sheet Output Tray



Specifications

Overview:

HP LaserJet Pro 3003dn Printer (3G653A)

This printer is built for powerful productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.

- Functions: Print
- Print speed: Black (normal, A4): Up to 33 ppm; Black (Duplex, A4): Up to 20ipm
- Print quality black (best): Up to 1200 x 1200 dpi

Features:

Powerful productivity

Compact, fast and reliable with speeds up to 35 ppm, auto jam recovery and self-healing Wi-Fi to keep your printer going. HP Smart app enabled so you can easily print from mobile devices.

ComX Computers

Product Specification Sheet

Seamless management

Manage your printers with the powerful Web Jetadmin to easily add and update devices, solutions, and policies

HP Wolf Pro Security

Advance your security with legendary HP Wolf Pro Security-instantly embedded and preconfigured out of the box.

Sustainable printing

HP LaserJet Pro printers operate efficiently, so you can achieve more while using less.

Small workteam solution

Support your small workteams with this laser printer, designed for up to 7 users.

Fast print and duplex speeds

Print more efficiently. You can save time, paper, and costs with duplex speeds at 35ppm.

HP Smart

Get productivity in the palm of your hand. Print and save time with Shortcuts from HP Smart.

HP Web Jetadmin

Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite of features.

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	3G653A
Functions	Print
Print speed black (ISO, letter)	Up to 35 ppm
Print speed black (ISO, A4)	Up to 33 ppm
First page out black (letter, ready)	As fast as 6.6 sec
First page out black (A4, ready)	As fast as 7.0 sec
Duplex printing	Automatic (standard)
Duty cycle (monthly, letter)	Up to 50,000Up to 50,000
Duty cycle (monthly, A4)	Up to 50,000
Recommended monthly page volume	350 to 2500 pages
Print quality black (best)	Up to 1200 x 1200 dpi
Print languages	PCL5c, PCL6, PS, PCLmS, PDF, URF, PWG, PCLm
Print technology	Laser
Connectivity, standard	Hi-Speed USB device (compatible with USB 2.0 specifications), 10/100Mbps Ethernet.
Mobile printing capability	HP Smart App, Apple AirPrint, Mopria Certified
Network capabilities	10/100Mbps Ethernet.
Wireless capability	No
Minimum System Requirements for Macintosh	Apple macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey, 2 GB HD, Internet required

ComX Computers

Product Specification Sheet

Minimum System Requirements	Microsoft Windows 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft Internet Explorer or Edge.
Processor speed	800 MHz
Maximum Memory	256 MB
Memory	256 MB
Compatible Operating Systems	Microsoft Windows 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey, 2 GB HD, Internet required, Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) (Not supporting Windows XP (64-bit) and Windows Vista (64-bit), Windows 8, 8.1. Full solution software available only for Windows 7 SP1 and newer, For Windows Server 2008 R2 64-bit, 2012 64-bit, 2012 R2 64-bit, 2016 64-bit only print driver is installed. Linux systems use in-OS HPLIP software.)
Paper handling input, standard	1 main tray, 250 sheets or 10 envelopes
Paper handling output, standard	150-sheet output tray
Media types	Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards
Media sizes supported	A4, A5, A5-R, A6, B5(JIS), B6(JIS), Oficio (216x340), 16K (195 x 270 mm), 16K (195 x 270 mm), 16K (197 x 273 mm), L 9x13 cm, 10x15cm, Japanese Postcard, Double Japan Postcard Rotated, Japanese Envelope Chou #3, Japanese Envelope Chou #4, Envelope B5, Envelope C5, Envelope C6, Envelope DL
Media sizes, custom	Width 76 to 216 mm, Length 127 to 356mm
Power consumption	484 watts (active printing), 2.93 watts (ready), 1.06 watts (sleep), 0.06 watts (Manual off), 0.06 watts (Auto Off/Manual On), 0.9 watts (Auto Off/Wake on LAN)
Power	110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz/50 Hz, 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz
Operating humidity range	10 to 80% RH
Recommended operating humidity range	30 to 70% RH
Operating temperature range	15 to 32.5 degreesC
Operating temperature range	59 to 90.5 degreesF
Blue Angel compliant	Yes, Blue Angel DE-UZ 219-only ensured when using Original HP supplies
Ecolabels	EPEAT Silver registered
Energy star certified	No
Safety	IEC 60950-1:2005 +A1:2009+A2:2013, IEC/EN 62368-1:2014, CAN/CSA C22.2 No. 62368-1, 3rd Edition, UL62368-1, 3rd Edition, IEC 60825-1 3rd Edition (Class 1 Laser Product), EN 62479:2010 / IEC 62479:2010, Compliance of IEC 60950-1 standard considers all country deviations according to the most recent IEC EE CB Bulletin, Complies with FDA performance standards for laser products except for conformance with IEC 60825-1 Ed.3, as described in Laser Notice No. 56, dated May 8, 2019
Security management	Password-protected network embedded Web server, enable/disable Network ports, SNMPv1 community password change, 802.1x authentication
Security	Optional Smart Security, HP Security Manager, HP Secure Print and Insights
Minimum dimensions (W x D x H)	367.0 x 398.2 x 216.2 mm (Refer to dimensions below)
Maximum dimensions (W x D x H)	367.0 x 758.8 x 366.1 mm (Refer to dimensions below)

ComX Computers

Product Specification Sheet

Weight	7.5 Kg (with Starter cartridge)
What's in the box	HP LaserJet Pro 3003dn Printer, HP Black LaserJet Toner Introductory Cartridge (yield ~1000 pages), Setup Guide, Reference Guide, Regulatory Flyer, Warranty Guide, Power cord
Number of print cartridges	1 (black)
Replacement cartridges	HP 145A Original Black LaserJet Toner Cartridge (~1,700 yield) W1450A, HP 145X Original Black LaserJet Toner Cartridge (~3,800 yield) W1450X (Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/3G653A-HP-LaserJet-Pro-3003dw-A4-Mono-Laser-Printer-Duplex-LAN-USB-p-316067.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-30 19:13:29.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.