ComX Computers
Product Specification Sheet

45530406

OKI C911dn A3 Colour Laser Printer, 1200x1200 dpi, USB, LAN, Duplex

Product Overview

OKI 45530406 C911dn A3 Colour Laser Printer, A4: 50 ppm Colour and Mono, A3: 28 ppm Colour and Mono, Print Quality 1200 x 1200 dpi with ProQ4800 Technology, Languages - PCL 6 / PCL 5c / Postscript level 3 / Direct PDF Printing v1.6, USB 2.0, 10/100/1000 Base-TX Ethernet, 300 Multi-purpose sheets tray, 530 sheet tray 1 (Max paper input 2950 sheets), 320gsm paper weight, 2GB RAM, Standard Duplex Printing, Auto Colour Balance, Auto Registration, Auto Media Detect, 25000 pages/month Recommended, Duty Cycle per month





Specifications

Overview:

C900 Series - C911
The versatile C911 A3 colour printer delivers high-definition colour print quality and performance with speeds of up to 50ppm. Ideal for office printing and graphic arts, advanced multimedia handling enables flexible printing on gloss, film, transfer and waterproof paper.

High performance
Combines sharp, 1200 x 1200dpi print quality with fast print speeds of up to 50ppm

Flexible paper handling
Print day-to-day letterheads or thicker, high-quality graphic arts materials up to 360gsm

Creative results
Super-fast colour and graphic-quality output for a wide range of business needs

Maximum uptime
Reliable digital LED printing technology, rapidly replaceable consumables

Features:

Easy-to-use and serving a broad range of office and creative needs, the versatile C911 combines high paper capacity and fast print speeds with increased media flexibility, ensuring minimal user intervention, uninterrupted working and increased productivity. Up to five paper trays contain a maximum input of 2,950 pages.

High performance - Combines sharp, 1200 x 1200dpi print quality with fast print speeds of up to 50ppm
Well-suited to medium-to-large office workgroups, the super-fast colour, high graphic quality C911 is ideal for a wide range of creative and day-to-day office requirements, bringing designs to life with vibrant, sharp high-quality multi-media printing

- Fast print speed - up to 50ppm colour/mono A4, 28ppm colour/mono A3
- ProQ2400 Multi-level technology, 1200 x 1200dpi resolution
- Memory (RAM) 2GB

Flexible paper handling - Print day-to-day letterheads or thicker, high-quality graphic arts materials up to 360gsm
Printing on a high maximum paper weight of up to 360gsm (320gsm duplex), the C911 combines added media flexibility with unrivalled paper handling, ensuring great results across a wide range of print requirements

- Auto Media Detect function
- Wide paper handling from A6 to SRA3 and banner lengths up to 1.3m
- Print on paper stock up to 360gsm single sided and 320gsm duplex

Creative results - Super-fast colour and graphic-quality output for a wide range of business needs
From letterheads and business stationary to glossy brochures, leaflets and flyers, the C911 provides fast, high definition colour multi-media printing on paper, film or a range of other media, delivering consistent, high-quality results every time

- Four (CMYK) colour A3 printer
- Duplex printing as standard
- Suitable for gloss paper, film, vinyl, transfer and waterproof paper

Maximum uptime - Reliable digital LED printing technology, rapidly replaceable consumables
Ideal for business, the C911 combines high paper capacity ultra-reliable digital LED printing technology and advanced media flexibility, ensuring minimal user intervention, uninterrupted working and increased productivity. Easily accessible, rapidly replaceable consumables also help to maximise uptime.

- Up to 5 paper trays, maximum input of 2,950 pages
- 2GB RAM and 1.2GHz processor for rapid throughput
- High-quality OKI consumables

Specifications:

© 2017 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	45530406
Printing Technology	Digital 4 LED Full-color Electrophotographic Printing Method
Print Resolution	1200 x 1200 dpi (2 levels)
	1200 x 600 dpi (16 levels)
	600 x 600 dpi (2 levels)
	Physical dot pitch: 1200 dpi
Warm-up Time	Approx. 50.0 seconds from power-on
	Approx. 35.0 seconds from power save
First Print Out Time	Color: Approx. 8.0 seconds
	Mono: Approx. 8.0 seconds

Print Speed	A4(Landscape) 50 ppm color, 50 ppm mono
	A3 28 ppm color, 28 ppm mono
Interface	1000BASE-T/100BASE-TX/10BASE-T, USB 2.0 (High Speed)
Protocol	TCP/IP, EtherTalk
Printer Language	Adobe PostScript 3, PCL 5c emulation, PCL 6 (XL) emulation, XPS emulation, PDF v1.7 emulation, IBM ProPrinter emulation, Epson FX Emulation
Supported OS	Windows 10, Windows 10 x64, Windows 8.1, Windows 8.1 x64, Windows 8, Windows 8 x64, Windows 7, Windows 7 x64, Windows Vista, Windows Vista x64, Windows XP, Windows XP x64, Windows Server 2012 R2, Windows Server 2012, Windows Server 2008 R2, Windows Server 2008, Windows Server 2008 x64, OS X 10.10, OS X 10.9, OS X 10.7, Mac OS X 10.6, Mac OS X 10.5, Linux
Memory (Std./Max.)	2GB/2GB
Hard Disk Drive	(Optional) 160 GB
Font	Adobe PostScript 136 fonts, PCL emulation 87 scalable fonts, 4 bitmap fonts
Paper Size	SRA3, SRA4, A3+, A3, A4, A5, A6, B5, B4, Tabloid extra (12" x 18"), Tabloid (11" x 17"), Legal 13, Legal 13.5, Legal 14, Letter, Executive, Index Card (3" x 5") (75 x 125mm), Statement, Envelopes, Postcard, Return postcard, Banner, B6 Half, B6, 8K, 16K, Custom Size: Width 64-330 mm x Length 89-1321 mm
Paper Weight	Tray 1 : 52 - 320 gsm
	(Optional)Additional Tray : 52 - 320 gsm
	Multi-purpose tray : 52 - 360 gsm
Input Capacity	Tray 1 : 530 sheets
	(Optional)Additional Tray : 530 sheets
	Multi-purpose tray : 300 sheets
Output Capacity	Face Down : Max. 610 sheets
	Face Up : Max. 300 sheets
Dimensions(WxDxH)	699 x 625 x 640 mm
Weight(includes supplies)	Approx. 96.5 kg
Weight(not includes supplies)	Approx. 82.0 kg
Operating Environment	Operating: 10 - 32 degreesC, 20 - 80 %RH
	Storage: 0 - 43 degreesC, 10 - 90 %RH
	No condensation
Power Source	Single phase 230 VAC +/-10%, 50/60 Hz +/-2%
Power Consumption	Operating: Max. 1,600W / Ave. 1,100W
	Idle: 40W
	Power Save: 30.0W
	Deep Sleep: 4.0W
	Auto-Off: 0.4W
Safety & Environment Regulation	Energy Star, EMC-Directive, CE Mark, GS Mark, CCC Mark

Noise Level	Operating :Approx. 57 dBA
	Idle: < 34 dBA
	Power Save: < 30 dBA or Background level
Duty Cycle	Recommended: 25,000 pages/month
	Maximum: 300,000 pages/month
In the Box	Manuals, Starter toner cartridge x 4, Image Drum x 4, Power cable, DVD-ROM

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/45530406-OKI-C911dn-A3-Colour-Laser-Printer-1200x1200-dpi-USB-LAN-Duplex-p-165344.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-22 06:24:39.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.