ComX Computers
Product Specification Sheet

45530506

OKI C931N A3 Colour Laser Printer

Product Overview

OKI C931n - A4: 50 ppm Colour and Mono ,A3: 28 ppm Colour and Mono, Print Quality 1200 x 1200 dpi with ProQ2400 Technology, Languages; PCL 6, PCL 5c, Postscript level 3, Direct PDF Printing v1.6, Conectivity; USB 2.0, 10/100 Base-TX Ethernet, 300 Multi-purpose sheets tray, 530 sheet tray 1 (Max paper input 2,950 sheets) 300 sheet face up and 610 sheet face down out-put tray, 360gsm paper weight, 2GB RAM MAX 2G, Standard Duplex Printing, Auto Colour Balance, Auto Registration



Specifications

Overview:

A3 colour print quality that is brilliant by design

C931_OverviewOKI has taken digital printing to a new level with the C931, a printer designed for the graphic arts market that offers outstanding print quality, high print speeds, low total cost of ownership and unrivalled media flexibility.

The C931 is the perfect partner for creative agencies and design teams where producing concepts that are as close to the proposed final design is essential for client approval. The C931 can also be used as an office printer for day to day printing, eliminating the need for two separate printers for your office and creative requirements

Media flexibility to beat all others

The C931 will change the way you think about print on demand. The features below demonstrate why this outstanding device re-invents digital printing for the creative and graphics industries:

- Paper handling capability from A6 to SRA3 and banner lengths up to 1.3m
- Print on paper stock up to 360gsm single sided and 320gsm duplex
- Print on a wide range of media including gloss paper, film, transfer paper, waterproof paper and more
- 530 sheet tray as standard with up to five trays maximum (2, 950 sheets)
- Robust 300 sheet multipurpose tray for added flexibility

In-house printing just got smarter

The C931 offers designers, graphics studios, point-of-sale manufacturers and a range of other graphics based businesses a new flexibility in their printing, proofing and production, enabling them to print in-house what they need, when they need it.

With the C931, the opportunities are endless.

- Short-run packaging and concepts
- Brochures
- Stationery
- Creative invitations
- Menus
- and much more!

Breathe new life into all your printing with a printer that removes the design barriers presented by traditional colour printing.

Features:

Quality you can stake your reputation on

Exceptional quality

Thanks to microfine High Definition toner and ProQ2400 Multi-level output quality with 1200 x 1200dpi print resolution, the C931 prints sharper, crisper documents.

Flexible media handling

Print on paper sizes from A6 to SRA3, up to 360gsm and create eye-catching banners up to 1321mm. Whilst the standard 830-sheet paper capacity can be extended up to 2,950 sheets.

Impressive print speeds

Prints the first page in 8 seconds and races throughout the rest at speeds of up to 50ppm for A4. The 2GB RAM memory combined with the 1.2GHz processor reduces job processing times of complex jobs.

Maximum uptime

The C931 uses ultra-reliable digital LED printing technology and a simple, flat paper path for longer trouble-free printing. Easily accessible, rapidly replaceable consumables also help to maximise uptime.

Ease of use and versatility

An Auto Media Detect function keeps productivity high by automatically detecting the media, and calibrating to keep the quality of output consistent from the first page to the last.

Adding extra performance

You can increase the performance and productivity of your OKI product with the following accessories

Specifications:

© 2014 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	45530506
Printer	
Print Speed	A4: 50ppm colour/mono; A3: 28ppm colour/mono
Time to first print (TTFP)	8 seconds colour/mono
Warm up time	50 seconds or less from power on
Processor speed	1.2GHz
Interface and Software	
Connectivity	Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T
Printer language	PCL5c, PCL6 (PCL XL), Adobe PostScript 3 with direct PDF Printing (v1.7), XPS, SIDM
Network & protocols	All major network protocols supported via ethernet card with internal web server for printer and network card set-up and management. TCP/IP: IPv4/v6, ICMP, ICMPv6, IGMP, IGMPv2, LPR, Port9100, IPP, IPPS, FTP, FTP over SSL, HTTP, HTTPS, TELNET, IPP, Auto IP, LLTD, BOOTP, DHCP, SNMPv1/v3, SNMP Trap, DNS, DDNS, UPnP, Bonjour, WINS, SSL/TLS, SMTP, SMTP over SSL, POP3, SNTP, JCDP, FLDP, ODNSP, WSDPrint, WSD-Discovery, Web JetAdmin, NetBIOS over TCP, Ether Talk
OS Compatibility	Windows Vista (32-bit & 64-bit) / XP (32-bit & 64-bit) / Server 2003 (32-bit & 64-bit) / Server 2008 (32-bit & 64-bit) / Server 2008 R2 (64-bit) / Windows 7 (32-bit & 64-bit) / Server 2012 (64-bit) / Windows 8 (32-bit & 64-bit): Mac OS9 / OS X 10.3.9 - 10.9
Advanced networking and security	IPv6, 802.1x authentication, SMTP Server Authentication, SNMPv3, SSL3/TLS encryption, HTTPS encryption, Protocol On/Off, Protocol Port No. Change, MAC filtering, IP filtering, IP Sec, EAP-PEAP, EAP-TLS, Secure Erase, Secure Print, Secure Print Job Encryption, Storage Devices entire Encryption, Storage(HDD) Initialize (format)
Utilities	Print Job Accounting, Print Job Accounting Enterprise, Print Job Accounting Client, PrintSuperVision.net, Template Manager, Color Correct, Color Swatch, Configuration Tool, PS Gamma Adjuster, Profile Assistant (Mac Only), PDF Direct Print, EFI Fiery XF Server Option (External color management server)
Print quality	
Resolution	ProQ2400 Multi-level technology, 1200 x 1200dpi
Enhancements	Auto Colour Balance, Auto Registration, Auto Media Detect
Typefaces	
Printer fonts	87 scalable PCL fonts, Lineprinter/OCR-A/OCR-B/USPSZIP bitmap fonts, 10 TrueType fonts, 136 Adobe PostScript Type 1 fonts
Barcodes	UPC-A, UPC-E, EAN/JAN-8, EAN/JAN-13, Interleaved 2of5, Code39, Code128, EAN/UCC-128, CODABAR, ZIP+4 POSTNET: PDF417/QR code 2D barcodes
Paper Handling	
Paper capacity	Tray 1: 530 sheets of 80gsm; Multi-purchase tray: 300 sheets of 80gsm

Paper capacity optional tray	Tray 2: 530 sheets of 80gsm; Tray 3: 530 sheets of 80gsm; High Capacity Feeder: 1,590 sheets of 80gsm
Maximum paper capacity	2,950 sheets of 80gsm
Paper sizes	Tray 1/2/3: A3, SRA3 (up to 330 x 457mm), SRA4, A4, A5, A6, B4, B5, B6; Multi-purpose tray: A3, SRA3, SRA4, A4, A5, A6, B4, B5, B6 Custom size: Width 64 - 330mm Length 89 - 1, 321mm; High Capacity Feeder: A3, SRA3 (up to 328 x 457mm), SRA4, A4, A5, A6, B4, B5, B6
Paper weight	Tray 1/2/3: 52 to 320gsm; Multi-purpose tray: 52 to 360gsm; Duplex: 64 to 320gsm; High Capacity Feeder: 52 to 320gsm
Duplex	Standard
Paper output	610 sheets of 80gsm face down tray, 300 of 80gsm sheets face up tray
Operator panel	
LCD panel	10.9cm Colour Graphic LCD (480x272 dots)
General Features	
Memory (RAM)	2GB
Memory (Hard Disk Drive)	Optional: 160GB
Operating temperature/ humidity	10 degreesC to 32 degreesC (17 degreesC to 27 degreesC recommended) / 20% to 80% RH (50% to 70% RH recommended)
Storage temperature/ humidity	-10 degreesC to 43 degreesC, 10% to 90%RH
Power supply	Single phase 230V AC +/-10%, frequency 50/60Hz +/- 2%
Power consumption	Typical: 1100W; Max: 1600W; Idle: 40W (average); Power Save:
Noise level	Operating: 57dB(A); Standby: 34dB(A) or less; Power save: Inaudible
Dimensions (HxWxD)	640 x 699 x 625mm
Weight	97.6kg

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/45530506-OKI-C931N-A3-Colour-Laser-Printer-p-100846.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-18 08:12:26.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.