

5152B003AA

Canon i-SENSYS LBP6670DN Mono Laser Printer

Product Overview

Canon i-SENSYS LBP6670DN Mono Laser Printer, 33ppm, 6 seconds First Print Out Time, 1200 x 1200dpi print resolution, 512MB built-in memory, Intuitive Operation Panel, PCL5e/6 and optional Adobe PostScript support, Gigabit Ethernet, Energy efficient, Duplex printing, Easy toner cartridge replacement.



Specifications

Overview:

Powerful print performance from a robust, compact device. Seamlessly integrate this highly productive, duplex printing, mono laser printer into virtually any environment thanks to its extensive network connectivity, PCL and optional PostScript support.

Features:

Be more productive

Ideal for maximising productivity within busy workgroups, the stylish i-SENSYS LBP6670dn is compact enough to sit on the desktop. Users have the convenience of a mono laser printer close-by that delivers professional quality documents quickly - at a speedy 33 pages per minute. There's no time lost waiting for documents either, with a fast First Print Out Time of just 6 seconds or less.

High quality laser printing

Give your business documents extra impact with crisp, black text and clear, bold graphics. With a print resolution up to 1200 x 1200 dpi the i-SENSYS LBP6670dn ensures the highest quality finish for all of your work. With 512MB of memory as standard, the printer is equipped to meet the demands of network printing, as well as printing large, complex documents and graphics in fine detail.

Easy to use

Simple to use, even for inexperienced users, the printer has an intuitive 5-line LCD display that makes it easy to setup and navigate between settings.

Seamless network integration

i-SENSYS LBP6670dn makes it quick and easy to share printing across the network. It has Gigabit Ethernet connectivity built-in, to handle demanding workloads quickly, without affecting network performance. It also supports the industry standard PCL5e/6 and optional Adobe® PostScript printing, for seamless integration into your existing print workflows.

Save energy and cut costs

Cut paper costs and reduce wastage with automatic double-sided printing. A range of energy-saving features also helps you reduce running expenses. i-SENSYS LBP6670dn is Energy Star certified, consuming just 1.0 watts in sleep mode. With a low Typical Energy Consumption (TEC) figure of 1.3 kWh it is one of the most efficient printers in its class.

Trouble-free maintenance

For maximum uptime with minimum maintenance the printer has a cost-effective All-in-One cartridge - containing toner, drum and cleaning units. The cartridge is easily replaced in seconds, leaving no mess. Use an Authentic Canon Laser Cartridge and you can be sure of continuous high quality output.

Specifications:

PRINTER ENGINE	
Print Speed	33 ppm mono (A4)
Printing Method	Monochrome laser beam printing
Print Quality	Up to 1200 x 1200 dpi
Print Resolution	Up to 600 x 600 dpi
Warm-up Time	Approx. 28 seconds or less from power on
First Page Out Time	Approx. 7 seconds
Duty Cycle	Max. 50, 000 pages per month
Print Margins	5 mm-top, bottom, left and right
MEDIA HANDLING	
Paper Input (Standard)	250-sheet cassette
	50-sheet multi-purpose tray
Paper Input (Option)	500-sheet cassette
Paper Output	150-sheet face down, 1 sheet face up
Media Types	Plain paper, Heavy Paper, Transparency
	Label, Index card, Envelope, Post card
Media Sizes	Cassette (Standard and optional)
	A4, B5, A5, A6, LGL, LTR, EXECUTIVE, 16K
	Custom sizes (Width:105.0 to 215.9mm Length: 148.0 to 355.6mm)
	Multi-purpose tray:
	A4, B5, A5, A6, LGL, LTR, EXECUTIVE, 16K, Envelop COM-10, Monarch, DL, C5, B5(ISO), Index Card
	Custom sizes (Width: 76.2 to 215.9mm Length: 127.0 to 355.6mm)
Media Weights	Cassette (Standard and optional): 60 to 120 g/m ¹
	Multi-purpose tray: 60 to 163 g/m ¹
Double Sided Printing	Automatic (Only A4/LTR/LGL)
GENERAL FEATURES	
Power Requirements	220-240V (+/-10%) 50/60Hz (+/-2Hz)

ComX Computers

Product Specification Sheet

Power Consumption	Maximum: Approx. 1140 W or less
	Active: Approx. 560 W
	Standby: Approx. 14 W
	Sleep: Approx. 14 W (Panel sleep), Approx. 1 W (Deep sleep)
	Typical Electricity Consumption (TEC): 1.3kWh/week
Noise Level	Sound power:
	Active: 7.06 B or less
	Standby: Inaudible
	Sound pressure:
	Active: 54.2 dB(A) or less
	Standby: Inaudible
Dimensions (W x D x H)	400 mm x 376 mm x 289 mm (With Panel)
Weight	Approx. 12.4 kg
Operating Environment	Temperature: 10 to 30°C
	Humidity 20 to 80% RH (no condensation)
Control Panel	5 line LCD display
	8 LED indicators
	10 Operation keys
CONTROLLER	
Memory	512 MB
Printer Languages	UFRII (Ultra Fast Rendering), PCL5e, PCL6, Adobe PostScript Level 3 (optional)
Fonts	45 PCL fonts, 136 PS fonts (optional)
Interface and Connectivity	USB 2.0 High-Speed, 10BASE-T/100BASE-TX/1000BASE-T
Operating Systems Compatibility	Windows 2000/ XP(32bit/64bit)/ Vista(32bit/64bit)/ 7(32bit/64bit)/ Server 2003(32bit/64bit)/ Server 2008 R2(64bit)/ Server 2008(32bit/64bit)/
	Mac OS10.4.9 - 10.7.x/ Linux/ Citrix
CONSUMABLES	
All-in-One Cartridges	Standard: Cartridge 719 (2, 100 pages)
	High yield: Cartridge 719 H (6, 400 pages)
ACCESSORIES / OPTIONS	
Items	PAPER FEEDER PF-44 (500-sheet cassette)
	PS Printing Kit -AQ1 (Adobe PostScript 3 ROM module)
	Barcode Printing Kit - F1 (Barcode ROM module)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/5152B003AA-Canon-i-SENSYS-LBP6670DN-Mono-Laser-Printer-p-82916.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-29 16:16:27.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.