

5158C023AA

Canon i-SENSYS MF650 MF657cdw 4-in-1 A4 Colour Laser Printer, Print, Copy, Scan, Fax, USB, Wifi, LAN, Duplex

Product Overview

Canon i-SENSYS MF650 MF657cdw 4-in-1 A4 Colour Laser Printer, Print, Copy, Scan, Fax, Up to 21 ppm print speed, Colour Laser beam printing, Up to 1200x1200 dpi print Resolution, Secure print, AirPrint, Mopria Certified, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600x600 dpi Optical Scan Resolution, 250-sheet Cassette paper Input (Standard), 1-sheet manual feed slot, 50-sheet ADF, 251 sheets Maximum paper Input capacity, 100-sheet paper Output, Automatic Double sided printing, USB 2.0 Hi-Speed, Gigabit LAN, Wireless 802.11b/g/n



Specifications

Overview:

Canon i-SENSYS MF650 Series

Durable A4 colour multi-function printers connected to the cloud for streamlined printing and scanning.

- 18-21ppmA4 print speeds
- Cloudprint and scan connectivity
- SecurePIN print and Verify System at Startup
- 12.7cmcolour touchscreen

Maximise print and scan productivity with connected colour printers

Extensive connectivity to the cloud and mobile enables easy document access from anywhere, while streamlined workflows make efficient work of everyday tasks.

Features:

Access files from the cloud

Out-of-the-box cloud connectivity is compatible with Google Drive, DropBox, and OneDrive, making it quick and easy to print and scan directly to and from the cloud.

Print from your smartphone

Mobile connectivity with the Canon PRINT Business app, AirPrint (Apple)and Mopria (Android) means you can print from your phone, wherever you are.

Automate everyday tasks

Customise your workflows with the Application Library, which enables one-touch tasks such as printing stored forms, scanning to email, and copying documents.

Protect sensitive documents

Robust security features include Secure PIN to restrict jobs being automatically released and Verify System at Startup to protect your device from hacking and virus threats.

Increase efficiency

Fast printing, time-saving single-pass double-sided scanning, and a large colour touchscreen facilitate efficient print and scan workflows.

Download Content

Find out more about how the Canon i-SENSYS MF650 Series can streamline your business workflows.

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	5158C023AA
General Specifications	
Machine Type	Colour Laser All-In-One
Available Functions	Print, Copy, Scan and Fax
Print Specifications	
Print Speed	Single sided: Up to 21 ppm (A4)
	Up to 38 ppm(A5-Landscape)
	Double sided: Up to 12.7 ipm (A4)
Printing Method	Colour laser beam printing
Print Resolution	Up to 1200 x 1200 dpi
Warm-up Time	Approx. 13 seconds or less from power on
First-Print-Out Time	Colour approx.: 10.5 seconds or less
	Mono approx.: 10.4 seconds or less
Printer Languages	UFR II, PCL 5c, PCL6, Adobe PostScript3
Fonts	93 PCL fonts
	136 PostScript fonts
Print Margins	5 mm-top, bottom, left and right
	10 mm-top, bottom, left and right (Envelope)
Toner Saver Mode	Yes
Advanced Printing Features	Secure Print
	Print from USB memory key (JPEG/TIFF/PDF)
	Print from Cloud (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG)
	Barcode Print
	iOS: AirPrint, Canon PRINT Business app
	Android, Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

ComX Computers

Product Specification Sheet

Copy Specifications	
Copy Speed	Single sided (A4): Up to 21 ppm
	Double sided (A4): Up to 12.7 ppm
First-Copy-Out Time	ADF (A4):
	Colour Approx. 13.4 seconds or less
	Mono Approx. 11.4 seconds or less
	Platen (A4):
	Colour Approx. 14.5 seconds or less
	Mono Approx. 12.3 seconds or less
Copy Resolution	Up to 600 x 600 dpi
Copy Modes	Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image, Text
Double Sided Copying	2-sided to 2-sided (Automatic)
Multiple Copies	Up to 999 copies
Reduction / Enlargement	25-400% in 1% increments
Other Features	Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy
Scan Specifications	
Standard Type	Colour
Scan Resolution	Optical: Up to 600 x 600 dpi
	Enhanced: Up to 9600 x 9600 dpi
Scan Speed	Single sided mono: 27ipm (300x600dpi)
	Single sided colour: 14ipm (300x600dpi)
	Double sided mono: 47ipm (300x600dpi)
	Double sided colour: 27ipm (300x600dpi)
Colour Scanning Depth	24 bit/24 bit (input/output)
Greyscales	256 levels
Compatibility	TWAIN, WIA, ICA
Maximum Scan Width	216mm
Scan to E-mail	TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF4/PDF (Digital signature)
Scan to PC	TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF4/PDF (Digital signature)
Scan to USB Memory Key	TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF4/PDF (Digital signature)
Scan to FTP	TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF4/PDF (Digital signature)
Scan to Cloud	TIFF/JPEG/PDF/PNG
iFAX	ITU-T.37
Fax Specifications	
Modem Speed	33.6 Kbps (Up to 3 seconds/page)
Receive Mode	Fax only, Fax/Tel Auto Switch, Answer Mode, Manual

ComX Computers

Product Specification Sheet

Fax Resolution	Standard: 200 x 100 dpi
	Fine: 200 x 200 dpi
	Super fine: 200 x 400 dpi
	Ultra fine: 400 x 400 dpi
Fax Memory	Up to 512 pages
Speed Dials	Up to 281dials
Group Dials/Destinations	Max. 299 dials / Max. 299 destinations
Sequential Broadcast	Max. 310 destinations
Memory Backup	Permanent fax memory backup (Backup with flash memory)
Double Sided Faxing	Yes (Transmit and Receive)
Other Features	Sender's Name (TTI), Direct Send, TX Report, Sequential Broadcasting
Media Handling	
Scanner Type	Platen, 2-sided ADF (single pass)
Paper Input (Standard)	250-sheet cassette
	1-sheet manual feed slot
	50-sheet ADF
Maximum Paper Input Capacity	251 sheets
Paper Output	100-sheet
Media Types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Label, Post card, Envelope
Media Sizes	Cassette:
	A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 216 x 355.6 mm.
	Multi-purpose tray:
	A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 216 x 355.6 mm.
	ADF:
	A4, A5, B5, Legal, Letter, Statement, Custom sizes: Min. 128 x 139.7 mm Max 215.9 x 355.6 mm
Media Weights	Cassette: 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper)
	Multi-purpose tray: 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper)
	ADF: 50 to 105 g/m ²
Double Sided Printing	Automatic
	Cassette:
	A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K Custom size - Min. 182 x 257 mm Max. 216 x 355.6 mm
	60 to 200 g/m ²

ComX Computers

Product Specification Sheet

Interface & Software	
Interface Type	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
Operating System Compatibility	Windows 11 / Windows 10 / Windows 8.1 / Server 2022
	Mac OS X version 10.11 & up
	Linux
Network Protocol	Print:
	TCP/IP (LPD/Port9100/IPP/IPPS/WSD)
	Scan:
	Push Scan: File: FTP (TCP/IP), SMB3.0 (TCP/IP)
	E-mail/I-Fax: SMTP (send), POP3 (receive)
	Pull Scan: TCP/IP
	Management:
	SNMPv1, SNMPv3 (IPv4, IPv6)
	Security: TLS1.3, IPsec, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)
	Security (wireless):
	Infrastructure Mode:
	WEP (64/128 bit), WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES)
	Access Point Mode:
	WPA2-PSK (AES)
Software and Printer Management	MF Scan Utility
	Remote User Interface (RUI)
	Department ID Management
	Toner Status Tool
	iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.
	Application Library
General Features	
Recommended Monthly Print Volume	250 - 2,500 pages per month
Duty Cycle	Max. 30,000 pages per month
Processor Speed	800MHz x 2
Memory	1GB
Control Panel	12.7 cm LCD Colour Touch Screen
Dimensions with Trays (W x D x H)	451 mm x 460 mm x 360 mm
Installation Space (W x D x H)	783 mm x 1,211 mm 789 mm
Weight	Approx. 22.6 Kg

ComX Computers

Product Specification Sheet

Operating Environment	Temperature: 10 to 30°C (50 to 86°F)
	Humidity: 20 to 80% RH (no condensation)
Power Source	220-240V (+/-10%) 50/60Hz (+/-2Hz)
Power Consumption	Maximum: Approx. 850 W
	Active printing: Approx. 370W
	Standby: Approx. 11.0 W
	Sleep mode: Approx. 0.8 W
	Typical Electricity Consumption (TEC): 0.19 kWh/week
Noise Levels	Sound Pressure:
	Active: Simplex 51 dB / Duplex 50 dB
	Standby: Inaudible
	Sound Power:
	Active: Simplex 65dB or less / Duplex 67 dB or less
	Standby: Inaudible
Consumables	
Cartridges	Cartridge 067 Black (1,350 pages)
	Cartridge 067H Black (3,130 pages)
	Cartridge 067 Cyan (1,250 pages)
	Cartridge 067H Cyan (2,350 pages)
	Cartridge 067 Magenta (1,250 pages)
	Cartridge 067H Magenta (2,350 pages)
	Cartridge 067 Yellow (1,250 pages)
	Cartridge 067H Yellow (2,350 pages)
Accessories & Options	
Items	TEL 6 Kit Long Cord (Telephone handset)
	Barcode Printing Kit-E1E
	Send PDF Security Feature Set-E1

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/5158C023AA-Canon-i-SENSYS-MF650-MF657cdw-4-in-1-A4-Buy-p-310031.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-12 08:17:56.

ComX Computers

Product Specification Sheet

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.