ComX Computers
Product Specification Sheet

5E1500iUSB

Eaton 5E 1500VA 900 Watts USB Essential Tower UPS

Product Overview

Eaton 5E 1500VA USB Essential Tower UPS, 900 Watts, 6-10min Back-up time



Specifications

Overview:

The Eaton 5E is an essential line interactive UPS that provides cost effective and reliable power protection against power outages and bad power quality. Thanks to its small size the 5E can be installed easily either in a business environment or at home.

Features:

- Work through under & overvoltage without wasting battery thanks to Automatic Voltage Regulation (AVR)
- Rely on batteries anytime : 5E batteries are permanently recharged (even when off) and UPS can start without mains (Cold-start)
- Avoid back door damages coming through phone lines : 5E USB models are equipped with data line surge protection (Internet/Tel/Fax)
- Plug easily any equipment to the UPS (PC, HD TV, internet gateway,…) thanks to IEC and Schuko outlets (on DIN models)
- Install 5E anywhere thanks to its small size
- Easily manage your UPS from your PC

Specifications:

© 2015 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	5E1500iUSB
General	

Topology	Line Interactive with Automatic Voltage Regulation
Configuration	Tower
Style Number	5E1500iUSB
Part Number	5E1500iUSB
Rating (VA/Watts)	1500VA/900W
Dimensions (H x W x D, mm)	330 x 180 x 133
Weight (kg)	10.46
Electrical Input	
Connection	(1) IEC-320-C14
Input Voltage Range	170-280V
Nominal Voltage	230 V
Operating Frequency	50/60Hz
Electrical Output	
Nominal Voltage	230V
Outlets	(6) IEC-320-C13
Battery	
Battery Management	Permanent battery recharge, cold start
Communications	
Communication Ports	1 USB port
Power Management Software	Eaton UPS Companion software
Environmental & Standards	
Audible Noise	
Operating Temperature	0 to 40 degrees
Performance - Safety - EMC	IEC/EN 62040-2
Safety markings	IEC/EN 62040-1
Approvals	CE, CB report (TUV)
Data Line Protection	Internet/Tel/Fax

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/5E1500iUSB-Eaton-5E-1500VA-900-Watts-USB-Essential-Tower-UPS-p-116740.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-11 09:08:34.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.