5HB09A

HP DesignJet T630 24" Thermal Inkjet Printer, USB, LAN, WiFi

Product Overview

HP 5HB09A DesignJet T630 24" Thermal Inkjet Printer, 30 sec/page on A1 print speed, 1376 Print Head nozzles, Up to 2400x1200 optimised dpi print quality Colour, sheet feed, Roll feed, Automatic sheet feeder, Media bin, Automatic horizontal cutter, 279 to 610 mm Media sizes standard, 100 mm roll external Diameter, Gigabit Ethernet, Hi-Speed USB 2.0, Wi-Fi





Specifications

Overview:

HP DesignJet T630 24-in Printer (5HB09A)
The world's smallest wide-format printer with a built-in stand, is designed to fit your office, budget, and the way you work. Print multi-size projects with ease. Print your A1 plot as fast as 30 seconds. 1 GB memory.

Features:

HP DesignJet T630 24-in Printer (5HB09A)
The world's smallest wide-format printer with a built-in stand, is designed to fit your office, budget, and the way you work. Print multi-size projects with ease. Print your A1 plot as fast as 30 seconds. 1 GB memory.

Extreme simplicity
Save time with the world's easiest job submission tool - HP Click. Print multiple files in as little as one click. Manage your large-format printing virtually anywhere and anytime with the HP Smart app. 1 GB memory. Includes printer stand.

Fits your office and budget
Save space with the world's smallest plotters. A more sustainable design reduces CO2e up to 7.3 tons/year by units sold by using up to 30% recycled plastic. Use up to 95% less ink for routine maintenance to get extra A1 pages/month.

Fits the way you work
Avoid waiting with high-speed printing as fast as 30 sec per A1 plot. Save time from job prep to final print. Print, and manage your plotter, from virtually anywhere, anytime with the HP Smart app. Get quality results with HP Bright Office Inks.

Specifications:

© 2022 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	5HB09A
Functions	Print
Print speed	30 sec/page on A1, 76 A1 prints per hour
Ink drop	5.5 pl (C, M, Y), 12 pl (K)
Print head nozzles	1376
Print cartridge volume delivered	80 ml (K), 38 ml (K), 29 ml (C, M, Y)
Ink types	Dye-based (C, M, Y), pigment-based (K)
Number of print cartridges	4 (C, M, Y, K)
Print heads	1 (cyan, magenta, yellow, black)
High capacity of page yield (colour)	20 ml of ink yields 101 A1 pages, taking into account maintenance routines
Color(s) of printing supplies	Cyan, magenta, yellow, black
Print quality color (best)	Up to 2400 x 1200 optimised dpi
Maximum optical density (black)	8 L* min/2.10 D
Finished output handling	Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter
Media sizes standard (metric rolls)	279 to 610 mm
Roll external diameter	100 mm
Roll maximum input	1
Roll maximum weight	4.1 kg
Recommended media	Q1396A HP Universal Bond Paper (FSC certified) (recyclable) 610 mm x 45.7 m, C6019B HP Coated Paper (FSC certified) (recyclable) 610 mm x 45.7 m, C6029C HP Heavyweight Coated Paper (FSC certified) (recyclable) 610 mm x 30.5 m
Media thickness	Up to 11.8 mil
Media thickness (metric)	Up to 0.3 mm
Media width, maximum	610 mm
Supported Primary Applications	Line drawings, Presentations, Renderings
Non-printable area (cut-sheet)	5 x 5 x 5 x 17 mm (manual feed), 5 x 5 x 5 x 5 mm (input tray)
Non-printable area (roll media)	5 x 5 x 5 x 5 mm
Media sizes, custom	Auto sheet feeder: 210 x 279 to 330 x 482 mm, manual feed: 210 x 279 to 610 x 1897 mm
Media sizes supported	Auto sheet feeder: A4, A3, manual feed: A4, A3, A2, A1
Media types	Bond and coated paper (bond, coated, heavyweight coated, plain, bright white, blueprint), technical paper (natural tracing), film (clear, matte), photographic paper (satin, gloss, semigloss, polypropylene), self-adhesive (adhesive, polypropylene)
Media weight, recommended	60 to 280 g/m² (roll/manual feed), 60 to 220 g/m² (auto sheet feeder)
Model size	610 mm

Internal Storage	None
Line accuracy	+/-0.1%
Printer drivers included	Raster driver for Windows and macOS
Print languages	HP-GL/2, HP-RTL, CALS G4, JPEG, URF
Print technology	HP Thermal Inkjet
Theoretical minimum line width	0.02 mm
Printing path	Print Anywhere with HP Smart app, HP Click, HP driver for macOS, HP driver for Windows, printing support for Chrome OS, email printing, HP Print Service Plugin for Android, Apple AirPrint
Connectivity, standard	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11a/b/g/n, Wi-Fi Direct
Remote print enabled	Yes
Print multi-size files in one click	Yes
Minimum dimensions (W x D x H)	1013 x 605 x 932 mm
Package dimensions (W x D x H)	1155 x 575 x 475 mm
Weight	28.9 kg
Package weight	37.4 kg
Memory	1 GB
Acoustic power emissions (active, printing)	5.8 B(A) (operating),
Acoustic pressure emissions	42 dB(A) (operating),
Operating humidity range	20 to 80% RH
Non-Operating Humidity Range	0 to 95% RH
Operating temperature range	5 to 40ºC
Operating temperature range	41 to 104ºF
Storage temperature range	-25 to 55ºC
Storage temperature range	-13 to 131ºF
Operating altitude	Up to 3000 m
Post consumer recycled plastic in hardware by weight of plastic	30%
Power consumption	
Power	Input voltage (auto ranging): 100-240 V (+/-10%), 50/60 Hz (+/-3 Hz), 1200 mA max. Not dual voltage, power supply varies by part number with # Option code identifier.
Software included	HP Click, HP Smart app, HP Print Preview for Windows, HP Easy Start, HP DesignJet Utility for Windows, HP Support Assistant
Electromagnetic compatibility	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC/RED Directives), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Certified as Class B product: Korea (KCC)
Energy star certified	Yes
Environmental certification	ENERGY STAR, WEEE, EU RoHS, EAEU RoHS, REACH, ErP, EPEAT Gold

Safety	USA and Canada (CSA certified), EU (LVD, EN 60950-1 and EN 62368-1 compliant), Russia, Belarus, Khazakstan (EAC), Ukraine (UA), Singapore (PSB), China (CCC), Argentina (IRAM), India (BIS), Mexico (NYCE)
What's in the box	HP DesignJet T630 24-in Printer, printer stand, automatic sheet feeder, printhead, introductory ink cartridges, spindle, quick reference guide, setup poster, power cord

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/5HB09A-HP-DesignJet-T630-24-Thermal-Inkjet-Printer-USB-LAN-WiFi-p-274159.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-07 20:44:47.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.