

6293B030AA

Canon i-Sensys LBP7100Cn Laser Printer

Product Overview

Canon i-Sensys LBP7100Cn Laser Printer, 14ppm Mono & 14ppm Colour, 150 Sheet paper tray, 1200x1200dpi, Colour laser, Network ready, 64MB, 125 Sheet face down, FPOT 18sec, 0.9W in Sleep mode, Windows 2000, Server 2003, XP, Vista, Mac & Linux web distribution Only, Ships with CRG 731 Starter



Specifications

Overview:

This compact A4 laser printer offers up to 14ppm in both colour and black and white. It's the ideal choice for small businesses who want consistent, high-quality results.

Features:

Produce consistently superb print

Small offices and workgroups can produce professional-quality A4 colour laser printouts. Featuring 1200 x 1200 dpi print resolution, the LBP7100Cn is ideal for creating high quality full-colour sales and marketing assets or documents containing fine graphics and detailed text. With the LBP7100Cn, it's easy to deliver consistently impressive results without the cost of outsourcing important print jobs.

Compact, convenient design

The LBP7100Cn's sleek, low profile form blends easily into business environments. A small footprint means this desktop printer fits where space is at a premium. With its contemporary design and quiet operation it can be placed in customer-facing environments.

Network enabled for easier sharing

The LBP7100Cn is tailor made for personal use or for sharing its productive capabilities within small workgroups, thanks to its network interface. The Remote User Interface lets users and administrators monitor and manage machine status from their browsers.

Save time and achieve more productivity

14ppm output in both mono and colour helps you complete important or time-sensitive tasks more quickly. Canon's Quick First-Print technology improves response time from sleep mode, so you won't waste valuable minutes waiting for your printer to warm up. A 150-sheet cassette minimises replenishment times so your workflows stay fluid and productive.

ComX Computers

Product Specification Sheet

Easy to manage and maintain

The All-in-One cartridge system reduces maintenance and provides continuous high quality output. A higher yield black toner cartridge is available for even less downtime. Simply replace the cartridge - containing toner, drum and cleaning units - and the printer is virtually as good as new. Convenient front loading enables easy, quick and clean cartridge replacement.

The cost-effective, energy-efficient choice

The LBP7100Cn uses only 0.9 watts in sleep mode. It is Energy Star® certified and has a market-leading TEC* (Typical Energy Consumption) rating, which helps you comply with your environmental and sustainability objectives as well as cost reduction targets.

Specifications:

PRINTER ENGINE	
Print Speed	Up to 14 ppm colour (A4)
	Up to 14 ppm mono (A4)
Printing Method	Colour laser beam printing
Print Quality	Up to 1200dpi x 1200dpi
Print Resolution	600 x 600 dpi
Warm-up Time	Approx. 20 seconds or less from power on
First Page Out Time	Mono: Approx. 18 seconds or less
	Colour: Approx. 18 seconds or less
Duty Cycle	Max. 30,000 pages per month
Print Margins	5 mm-top, bottom, left and right
MEDIA HANDLING	
Paper Input (Standard)	150-sheet cassette
Paper Output	125-sheet face down
Media Types	Plain paper, Heavy Paper, Transparency, Coated Paper, Glossy film, Label, Index card, Envelope
Media Sizes	Cassette:
	A4, B5, A5, Legal, Letter, Executive, Statement, Foolscap, 16K, Envelope DL, Envelope COM10, Envelope C5, Envelope Monarch, Index Card, Custom sizes: Width 83 to 215.9 mm; Length 127.0 to 355.6mm.
Media Weights	Cassette : 60 to 220 g/m ²
GENERAL FEATURES	
Power Requirements	220-240V (+/-10%) 50/60Hz (+/-2Hz)
Power Consumption	Maximum: Approx 800 W or less
	Active: Approx. 340 W or less
	Standby: Approx 10 W
	Sleep mode: Approx 0.9 W
	Typical Electricity Consumption (TEC): 1.0 kWh/week
	Lot26

ComX Computers

Product Specification Sheet

Noise Level	Sound power ² :
	Active: 6.52 B or less
	Standby: Inaudible
	Sound pressure ² :
	Active: 49 dB(A) or less
	Standby: Inaudible
Dimensions (W x D x H)	406 mm x 454 mm x 255 mm
Weight	Approx. 16.6 kg
Operating Environment	Temperature: 10 to 30°C (50 to 86°F)
	Humidity 20 to 80% RH (no condensation)
Control Panel	11 LED indicators
	3 operation key
CONTROLLER	
Memory	64 MB
Printer Languages	UFR II-LT
Interface and Connectivity	USB 2.0 High-Speed, 10BASE-T/100BASE-TX
Software and Printer Management	MF/LBP Network Setup Tool, Remote User Interface (RUI)
Operating Systems Compatibility	Windows XP(32bit/64bit)/ Vista (32bit/64bit)/ 7 (32bit/64bit)/ 8 (32bit/64bit)/ Server 2003 (32bit/64bit) / Server 2008(32bit/64bit) / Server 2008 R2 (64bit)
	Mac OS 10.6.x and up / Linux ² / Citrix
CONSUMABLES	
All-in-One Cartridges	Cartridge 731 Black (1, 400 pages) ²
	Cartridge 731H Black (2, 400 pages) ²
	Cartridge 731 Cyan (1, 500 pages) ²
	Cartridge 731 Magenta (1, 500 pages) ²
	Cartridge 731 Yellow (1, 500 pages) ²

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx-computers.co.za/6293B030AA-Canon-i-Sensys-LBP7100Cn-Laser-Printer-p-154966.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-28 16:43:06.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other

ComX Computers

Product Specification Sheet

information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.