ComX Computers
Product Specification Sheet

65A8ACC1SA

Lenovo LI2032 19.5" Wide LED Monitor

Product Overview

Lenovo LI2032 19.5" Wide LED Monitor, 1600x900, 5ms, VGA + DVI, Tilt Stand



Specifications

Overview:

The Lenovo LI2032 Wide has a black glossy appearance, simple and gorgeous. With built-in power and VGA interfaces, it is easy to use. Resolution of 1600:900 and dynamic contrast ratio of 10000000:1 provide you with a wonderful visual effect. It is a continuation of Lenovo's energy-saving and environmental-protection idea. It has green features, including white LED backlights, and is Energy Star 6.0, CEL tier 1 and RoHS compliant.

Specifications:

© 2015 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	65A8ACC1SA
Part number	65A8ACC1UK
Brightness	200 cd/m2
Connector	15 Pin D
Contrast Ratio	600:1
Display Type	TN-TFT
Ergonomics	Turkey RoHS, Energy Star 6.0, China RoHS
Height Adjustment Metric	352.1
Maximum Resolution	1600 x 900
Monitor Technology	TN

Native Resolution	1600 x 900
Power Supply Type	Internal
Preset Modes Text	23
Refresh Time	60
Screen Illumination	LED Backlight
Viewable Image Size Inches	19.5
Viewable Image Height Metric	352.1
Recommended Resolution	1600x900
Video Input	15 Pin D
Agency Approvals & Certifications	CE, FCC, CEL Grade 1, CECP, CB, CCC (China), cTUVus, EAC, Kvalitet, SONCAP, KEBS, NEMKO, ISO 9241-307, KUCAS, NOM, SASO, PSB, Energy Star 6.0, EPEAT-Silver
Maximum Operating Humidity	80
Maximum Operating Humidity Units	%
Minimum Operating Humidity	10
Minimum Operating Humidity Units	%
Maximum Operating Temperature	45
Maximum Operating Temperature Units	C
Minimum Operating Temperature	0
Minimum Operating Temperature Units	C
Depth Metric	180.4
Depth	180.4mm
Height Metric	352.1
Height	352.1mm
Max Operating Humidity + Units	0.8
Min Operating Humidity + Units	0.1
Max Operating Temperature + Units	45C
Min Operating Temperature + Units	0C
Width Metric	473
Width	473mm

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/65A8ACC1SA-Lenovo-LI2032-19-5-Wide-LED-Monitor-p-143396.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-10 18:50:07.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.