ComX Computers
Product Specification Sheet

74-210BFIS

Dell U4323QE 42.5" 4K 3840x2160 IPS LED UltraSharp USB-C Hub Monitor, DP, HDMI

Product Overview

Dell 210-BFIS U4323QE 42.5" 4K 3840x2160 IPS LED UltraSharp USB-C Hub Monitor, 16:9 Aspect Ratio, 4K 3840x2160 at 60 Hz, 350 nits brightness, 1000:1 contrast ratio, 95% sRGB Colour Gamut, 8 ms (Grey-to-grey normal) response time, 178 degree viewing angle, Anti-Glare 2h hardness, 2 x 8W Speakers Output Power, 2x DisplayPort 1.4, 2x HDMI 2.1 (TMDS), 1x USB-C (DP.14 HB3 (2lane) / HBR2 (4 lane), Power Delivery upto 90W 2/4 lane switching, USB 3.2 Gen 2 10Gbps upstream, 3x USB-C USB 3.2 Gen2 10Gbps KVM upstream Port Data only, 3x Super speed USB Type-A USB 3.2 Gen 2 10Gbps downstream Ports, 1x Super speed USB Type-A USB3.2 Gen 2 10Gbps with B.C 1.2, 1x USB C USB3.2 Gen 2 10 Gbps upto 15W charging downstream quick Access Port, 1x Analog 2.0 audio line out (3.5mm jack), 1x RJ45 Port, Height Ajustable, Pivot (Rotation), Swivel, Tilt, VESA mounting Interface











Specifications

Overview Summary:

The Dell 210-BFIS U4323QE 42.5" UltraSharp 4K monitor is designed to elevate your workspace in South Africa. With a crisp 3840x2160 resolution and IPS LED panel, it offers stunning clarity and vibrant colors while reducing eye strain through ComfortView Plus. Its USB-C hub allows for seamless connectivity, delivering up to 90W of power to laptops while enabling multi-PC setups with KVM switching.

Optimize your productivity with four unique FHD partitions, integrated 8W speakers, and ergonomic adjustments including tilt, swivel, and height settings. Enjoy a cleaner workspace with quick-access ports and advanced Dell Display Manager features for effortless multitasking. Shop now and transform your workstation with high-performance visuals and versatile connectivity.

Performance tier: Premium

Uses: Professional work, graphic design, multitasking, content creation, office productivity, video editing, programming

Overview:

Dell UltraSharp 43 4K USB-C Hub Monitor - U4323QE
Enhance your workspace and streamline your workflow with the Dell UltraSharp 43 4K USB-C Hub Monitor. Its massive 42.5-inch display delivers stunning 4K clarity and versatile connectivity, allowing you to manage multiple PCs and applications effortlessly. With advanced multitasking capabilities, eye comfort technology, and a thoughtfully designed stand, this monitor is built for productivity, collaboration, and seamless integration into any modern office environment.

Description:

This 42.5-inch Dell UltraSharp monitor offers a 4K IPS panel with 3840 x 2160 resolution at 60 Hz, providing sharp images and accurate colors across a wide 178-degree viewing angle. Users can split the screen into four independent FHD partitions via Internal Multi-Stream Transport (iMST) without extra software or hardware. Connect up to four PCs using a single keyboard and mouse with KVM and Auto KVM functionality. Front-facing pop-out USB-C and USB-A ports deliver convenient access for peripherals, while a full suite of ports including HDMI, DisplayPort, USB-C, and RJ45 ensures comprehensive connectivity. ComfortView Plus reduces harmful blue light for eye-friendly use, and integrated 8W dual speakers provide clear audio. The monitor also features tilt, swivel, pivot, and height adjustments for ergonomic setups, making it ideal for intensive multitasking and collaborative work.

Features:

Superior Multi-PC Management
Mastering complex workflows becomes simpler when you can control up to four different computers using one set of peripherals. The built-in KVM and Auto KVM features allow for fluid transitions between various laptop and desktop inputs. This makes it an ideal solution for collaborative huddle spaces where team members need to share data from different devices on a large, centralized 4K surface.

Comprehensive Connectivity and Power

- The primary USB-C port acts as a single-cable solution for video, high-speed data transfer, and 90W power delivery to keep your laptop charged.
- A built-in RJ45 port ensures your workstation maintains a reliable 1Gbps wired internet connection with support for MAC address pass-through and PXE boot.
- Convenient pop-out quick-access ports on the front provide immediate connection for USB-A and USB-C devices, including 15W charging for mobile phones.
- Multiple digital inputs including two DisplayPort 1.4 and two HDMI 2.1 ports allow for a wide variety of hardware connections.

Optimized Visual Comfort
Experience the depth and precision of 3840x2160 resolution across an expansive IPS panel that maintains consistent color and clarity from nearly any angle. To protect your vision during long work sessions, ComfortView Plus remains active at all times, reducing blue light emissions without sacrificing the accuracy of the 1.07 billion colors on display. The 350 nits of brightness and anti-glare coating ensure the screen remains legible even in bright office lighting.

Intelligent Productivity Software
The updated Dell Display Manager provides an intuitive interface for personalizing your workspace layout. With Easy Arrange, you can choose from 49 different window partitions or create five custom layouts to organize your applications perfectly. The software also handles firmware notifications and allows for seamless ICC profile matching to ensure color uniformity across your digital environment.

Ergonomics and Sustainable Construction

- The versatile stand allows you to tilt, swivel, and adjust the height by 60mm to find the most ergonomic position for your desk.
- Integrated dual 8W speakers provide clear, powerful audio for video calls and multimedia without the need for external hardware.
- Constructed with 85% post-consumer recyclable plastic and 90% recycled aluminum, this monitor meets EPEAT Gold and EnergyStar requirements.
- PowerNap technology reduces operational costs by dimming the display automatically when it detects you have stepped away from your desk.

Included Components

- Dell UltraSharp U4323QE Panel and Stand
- Power Cable
- DisplayPort to DisplayPort Cable (1.8m)
- HDMI Cable (1.8m)
- USB-C Gen 2 PD 3.0 Cable (1.0m)
- USB-A to USB-C Gen 2 Cable (1.0m)

Specifications:

© 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	74-210BFIS
General	
Display Type	Active matrix - TFT LCD
Energy Class	Class G
Diagonal Size	42.51"
Built-in Devices	USB 3.2 Gen 2/USB-C hub
USB Power Delivery	90 Watt
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	4K 3840 x 2160 at 60 Hz
Pixel Pitch	0.2451 mm
Pixel Per Inch	103.6
Brightness	350 cd/m²
Contrast Ratio	1,000:1
Colour Support	1.07 billion colours
Colour Gamut	95% sRGB
Response Time	5 ms (grey-to-grey fast), 8 ms (grey-to-grey normal)
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare 2H hardness
Backlight Technology	LED backlight
Features	Mercury free, arsenic-free glass, Dell ComfortView Plus
Dimensions (WxDxH)	96.721 cm x 25.64 cm x 59.52 cm - with stand (lowest position)
Weight	18.55 kg
Audio	
Type	Speakers
Output Power / Channel	2 x 8W
Connectivity	

Interfaces	2 x DP 1.4
	2 x HDMI 2.1 (TMDS)
	1 x USB-C (DP.14 HB3(2lane)/ HBR2(4 Lane), Power Delivery upto 90W, 2/4 lane switching), USB 3.2 Gen 2 10Gbps) upstream
	3 x USB-C (USB 3.2 Gen2, 10Gbps KVM) Upstream port, Data Only
	3 x super speed USB-A (USB 3.2 Gen 2 10Gbps) downstream ports
	1 x super speed USB A (USB3.2 Gen 2 10Gbps) with B.C 1.2
	1 x USB C (USB3.2 Gen 2,10 Gbps, Upto 15W charging) downstream Quick access port
	1 x Analog 2.0 audio line out (3.5mm jack)
	1 x RJ45 Port (PXE boot, MAC address pass thru, WoL, 1Gbps) Quick Access port
Mechanical	
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+10
Swivel Angle	-20degrees to 20degrees
Height Adjustment	60 mm
VESA Mounting Interface	100 x 100 mm, 200 x 200 mm
Miscellaneous	
Features	Security lock slot (cable lock sold separately), VESA interface support, anti-theft stand lock slot
Cables Included	1 x USB-C to USB-C cable - 1 m
	1 x DisplayPort cable - DisplayPort to DisplayPort - 1.8 m
	1 x SuperSpeed USB cable - USB Type A to C - 1 m
	1 x HDMI cable - 1.8 m
Compliant Standards	RoHS, BFR-free, PVC-free
Power	
Input Voltage	AC 100-240 V (50/60 Hz)
Power Consumption (On mode)	52.1 W
Power Consumption (Typical)	250 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption (Off Mode)	0.3 Watt
On / Off Switch	Yes
Dimensions & Weight	
Dimensions & Weight Details	With stand (lowest position) - width: 96.721 cm - depth: 25.64 cm - height: 59.52 cm - weight: 18.55 kg
	With stand (highest position) - width: 96.721 cm - depth: 25.64 cm - height: 65.52 cm - weight: 18.55 kg
	Without stand - width: 96.721 cm - depth: 6.408 cm - height: 56.05 cm - weight: 13.16 kg
Dimensions & Weight (Shipping)	
Shipping Weight	25.23 kg

Environmental Standards	
EPEAT Compliant	EPEAT Gold
ENERGY STAR Certified	Yes
Environmental Parameters	
Min Operating Temperature	0 degreesC
Max Operating Temperature	40 degreesC
Humidity Range Operating	10 - 80% (non-condensing)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/74-210BFIS-Dell-U4323QE-42-5-4K-3840x2160-IPS-LED-UltraSharp-USB-C-Hub-Monitor-DP-p-336065.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-14 00:57:37.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.