

8468B006AA

Canon LBP6030B Personal Printer

Product Overview

Canon LBP6030B Personal Printer, 18 ppm, 150 Sheet Paper tray, 2400 x 600 dpi. FPOT 7.8 sec. USB. CRG 725 Starter. (RMPV - 200 - 800)



Specifications

Overview:

An affordable, space saving mono laser printer designed for personal or small office use. Quiet, reliable and highly energy efficient with low power consumption it delivers fast, high quality prints.

Features:

- Affordable mono laser printer - ideal for a small or home office
- Fast, high quality mono prints at 18 pages per minute
- No waiting for prints with Quick First Print
- Stylish, space saving design to enhance any desktop
- Enjoy class leading energy efficiency

Space saving, mono laser printer

Designed to fit comfortably on the desk, this fast, compact and affordable mono laser printer is perfect for personal and small office use. Its sleek, space-saving design in a stylish black colour includes a retractable paper tray cover and keeps dimensions to a mere 364 x 249 x 198 mm (W x D x H).

Fast, productive performance

The i-SENSYS LBP6030B springs into the action the moment you need it thanks to Canon's Quick First-Print technologies, which ensure quick recovery from sleep mode. With a First Print Out Time (FPOT) of just 7.8 seconds and professional laser print speeds of 18 ppm there's no waiting around for your prints - so you can quickly get back to what's important.

Exceptional laser quality

Enjoy the sharpest, crispest text and most detailed graphics thanks to a print resolution of up to 2400 x 600 dpi with Automatic Image Refinement. Our MS (Magnetic Spherical) Toner has been specifically developed to deliver optimum results print after print.

ComX Computers

Product Specification Sheet

Energy efficient

Thanks to Canon's On Demand fixing technology this energy efficient printer uses only 0.8 watts in sleep mode and there's virtually no warm up time. A convenient front power switch makes it easy to turn off, cutting energy costs and reducing its environmental impact even further.

Quiet operation

Thanks to Canon's engine design, the i-SENSYS LBP6030B is silent in standby mode and exceptionally quiet during operation - so you can focus on your work without distraction.

All-in-One cartridge

The recyclable All-in-One cartridge ensures maintenance-free operation and reliable high quality output. The Authentic Canon Laser Cartridge contains toner, drum and cleaning units and can be replaced in seconds without any fuss or mess.

Specifications:

© 2022 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	8468B006AA
PRINTER ENGINE	
Print speed	18ppm mono (A4)
Printing method	Monochrome laser beam printing
Print quality	Up to 2400 x 600 dpi with Automatic Image Refinement
Print resolution	600 x 600 dpi
Warm-up time	Approx. 1 second from Sleep
	10 seconds or less from power on
First Page Out Time	Approx. 7.8 seconds or less
Duty cycle	Max 5,000 pages per month
Print margins	5 mm-top, bottom, left and right
MEDIA HANDLING	
Paper input (Standard)	150-sheet multi-purpose tray
Paper output	100-sheet face down
Media types	Plain paper, Heavy Paper, Transparency
	Label, Envelope
Media sizes	A4/B5/A5/LGL/LTR/EXE/16K/Custom size
	Env. COM10/Env. Monarch/Env. C5/Env. DL
	width76.2~216mm x length 188~356mm
Media weights	Multi-purpose tray:
	60 to 163 g/m
GENERAL FEATURES	
Power requirements	AC 220-240V (+/-10%), 50/60Hz (+/-2Hz)

ComX Computers

Product Specification Sheet

Power consumption	Maximum: Approx. 870 W or less
	Active: Average approx. 330 W
	Standby: Average approx. 1.8 W or less
	Sleep: Average approx. 0.8 W or less
	Typical Electricity Consumption (TEC): 0.47 kWh/week
Noise level	Sound power :
	Active: 6.34 B or less
	Standby: Inaudible
	Sound pressure :
	Active: 49.2 dB(A)
	Standby: Inaudible
Dimensions (W x D x H)	364 mm x 249 mm x 199 mm
Weight	Approx. 5.0 kg
Operating environment	Temperature: 10~30°C
	Humidity: 20~80%RH (no condensation)
Control panel	2 LED indicators, 2 operation KEY
CONTROLLER	
Memory	32 MB
Printer languages	UFR II LT
Interface and connectivity	USB 2.0 Hi-Speed
Operating systems compatibility	Win 8.1(32/64bit)/Win 8(32/64bit)/Win 7(32/64bit)/Win Vista(32/64bit)/XP(32/64bit)/Server 2012(32/64bit)/Server 2012 R2(64bit)/
	Server 2008(32/64bit) / Server 2008 R2(64bit)/ 2003 Server(32/64bit)/
	Mac OS X 10.6~ /Linux /Citrix(FR2)
CONSUMABLES	
All-in-One cartridges	Standard: Cartridge 725 (1,600 pages)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx-computers.co.za/8468B006AA-Canon-LBP6030B-Personal-Printer-Buy-p-268872.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-12 12:31:44.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other

ComX Computers

Product Specification Sheet

information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.