ComX Computers
Product Specification Sheet

90MB0YR0-M0EAY0

Asus Prime B450M-A B450 Chipset AMD AM4 Socket Motherboard

Product Overview

Asus Prime B450M-A B450 Chipset AMD AM4 Socket Motherboard, 4 x DIMM, Max. 64GB, DDR4 3466(O.C.)/3200(O.C.)/3000(O.C.)/2800(O.C.)/2666/2400/2133 MHz Un-buffered Memory, 1 x PS/2 keyboard (purple), 1 x PS/2 mouse (green), 1 x DVI-D, 1 x D-Sub, 1 x HDMI, 1 x LAN (RJ45) port(s), 2 x USB 3.1 Gen 2, 4 x USB 3.1 Gen 1, 3 x Audio jack(s), 1 x Aura RGB Strip Header, 1 x USB 3.1 Gen 1(up to 5Gbps) connector(s) support(s) additional 2 USB 3.1 Gen 1 port(s) (19-pin), 2 x USB 2.0 connector(s) support(s) additional 4 USB 2.0 port(s), 1 x M.2 Socket 3 with M key, type 2242/2260/2280/22110 storage devices support (SATA & PCIE 3.0 x 4 mode), 1 x TPM header, 1 x COM port(s) connector(s), 6 x SATA 6Gb/s connector(s), 1 x CPU Fan connector(s) (1 x 4 -pin), 2 x Chassis Fan connector(s) (2 x 4 -pin), 1 x S/PDIF out header(s), 1 x 24-pin EATX Power connector(s), 1 x 8-pin ATX 12V Power connector(s), 1 x Front panel audio connector(s) (AAFP), 1 x System panel(s), 1 x Clear CMOS jumper(s), 1 x Speaker connector, mATX Form Factor, 24.4 cm x 24 cm



Specifications

Features:

Prime
ASUS Prime B450 Series motherboards provide the solid foundation needed for your first build, plus flexibility to grow with your ambitions. We've melded all the good stuff that's packed into AMD Ryzen™ processors with essential ASUS design and engineering, so you benefit from industry-leading technologies - including automated system tuning, comprehensive cooling controls, and immersive onboard audio. When you build with an ASUS Prime B450 Series motherboard, you build smart, easy and affordably.

Cooler by design
Prime B450 Series features the most comprehensive cooling controls ever, configurable via ASUS Fan Xpert software or the UEFI BIOS.

Multiple temperature sources
Each header can be set to monitor and react to up to three thermal sensors. Via Fan Xpert, you can also assign a sensor to monitor the temperature of supported ASUS graphics cards to ensure optimal cooling during GPU- or CPU-intensive workloads.

4-pin PWM/DC fan
Each onboard CHA FAN header supports PWM and DC mode.

Make your memory faster
Featuring an array of trace layout tweaks that improve memory stability, PRIME B450 Series provides a potent foundation for your build. With comprehensive support for the full gamut of Ryzen memory configurations - from entry-level to performance-oriented - PRIME B450 Series is a versatile all-rounder that can work or play.

Media-acclaimed UEFI BIOS
The UEFI BIOS is an early waypoint on any PC-building journey, and Prime B450 Series has one of the best in the business.

Q-Fan Control
Can configure the fan's operating speed manually, or use the easy pre-configured fan profiles to select Standard, Silent, Turbo or Full Speed modes, plus automatic switch to full speed if the temperature hits 75 degreesC.

Search Function
When you're ready for a deeper dive, Advanced mode enables full control over every aspect of the motherboard - with a built-in Search function to find the setting you need in the blink of an eye.

EZ mode

- EZ Tuning Wizard - Quickly apply a CPU overclock to improve system performance, or configure a RAID array for faster data retrieval and backups
- Intuitive graphical fan control - Fine-tune individual fans simply by dragging a curve with the mouse.
- SATA Information - Display SATA port details that help you easily recognize drives.
- Fast Clock Adjustment - Use mouse controls to change the time and date.

Advanced mode

- My Favorites - Quickly find tuning options and add preferred tools to the list.
- User Profile - Save BIOS settings for migration to new BIOS version or system.
- SATA Port Renaming - Rename SATA ports for easy identification.

Ultimate-speed 10Gbps with USB 3.1 Gen 2 onboard
With backward-compatible USB 3.1 Gen 2 Type-A™, you'll experience ultimate connection flexibility and blazing data-transfer speeds of up to 10Gbps - twice as fast as standard USB 3.1 Gen 1.

Future-proof connectivity
USB 3.1 Gen 1 is right where you need it, with two super-speed headers for the front panel. Experience data-transfer speeds up to 10X faster than USB 2.0 with instant plug-and-play connectivity, and avoid back-breaking contortions in the hunt for hard-to-reach rear ports.

Speed up with onboard M.2
With x4 PCI Express® 3.0/2.0 bandwidth, M.2 supports up to 32Gbps data-transfer speeds. It's the perfect choice for an operating system or application drive, providing fast access to data.

Affordable acceleration for any hard drive
AMD StoreMI technology is a software utility that accelerates any drive for better system responsiveness with reduced startup and software load times. It combines SSD performance with the affordability and capacity of an HDD by automatically moving frequently accessed data to dedicated SSD storage.

Native M.2/NVMe PCIe RAID Support for Lightning Fast Storage Speed!
Not satisfied with single-storage device read/write speeds? Then join the fast lane and build a RAID 0 array using two PCIe storage drives to enjoy data transfers at lightning speeds.

Built to Last
ASUS is the world's leading motherboard brand. Our motherboards are extensively tested for compatibility with more than

1,000 components and devices, and each new model undergoes a minimum of 8,000 hours of strict validation - offering the peace of mind of knowing that your ASUS motherboard is fit for all environments and applications. Choosing ASUS is an assurance of trouble-free DIY experiences.

5X Protection III
Hardware safeguards to ensure long-term durability.

520+ DDR4 compatibility
Industry-leading DDR4 memory compatibility for best flexibility and reassurance.

1000+ compatible devices
Compatibility with a range of CPUs, memory modules, graphics cards and more.

8000+ validation hours
Extensive testing with latest components for enhanced reliability, compatibility and safety.

5X Protection III
Prime B450 Series motherboards are engineered with industry-leading 5X Protection III, employing the finest components, excellent circuit design and exacting standards to guarantee the quality and long-term durability of your investment. That means exceptional protection and stability for your build - thanks to decades of engineering experience from the world's leading motherboard brand.

Fortified PCIe slot prevents damage
SafeSlot Core is the ASUS-exclusive PCIe® slot. Featuring a fortified design that's anchored to the motherboard by a special hook, Safeslot Core provides 1.6X-stronger retention and 1.3X-greater shearing resistance than standard expansion slots.

Pumped-up throughput, 2.5X-higher surge tolerance
ASUS LANGuard is hardware-level networking protection that employs signal-coupling technology and premium anti-EMI surface-mounted capacitors to ensure a more reliable connection and better throughput.

World-class circuit-protecting power design
An exclusive circuit design with built-in voltage regulators protects your motherboard from damage caused by unexpected high-level voltages from unstable or inferior power supplies.

Precision control for stable power
ASUS-exclusive DIGI+ VRM intelligently delivers power to the processor based on real-time demands, reducing energy waste and improving system stability.

Short-circuit damage prevention
Onboard resettable fuses prevent overcurrent and short-circuit damage. This extends beyond I/O ports to DRAM - so it provides a safeguard to protect the lifespan of your system and connected devices.

3X corrosion-resistance for greater durability
Corrosion-resistant stainless-steel back I/O panels bonded with chromium oxide assure a lifespan that's 3X longer than ordinary panels.

Electrostatic discharge protection
ASUS ESD Guards prolong the life of components while preventing damage from electrostatic discharge, providing protection for up to +/- 10kV of air discharge and +/- 6kV of contact discharge.

1000+ Compatible devices and components
The superior compatibility of Prime B450 Series is evidenced by our extensive list of supported devices - which includes

thousands of compatible components - and our Qualified Vendor List (QVL) that identifies memory compatibility. It all adds up to more choices for worry-free PC-building experiences.

8000+ VALIDATION HOURS
ASUS motherboards offer superb endurance. We verify this by subjecting every board to more than 8,000 hours of stringent tests. A barrage of burn-in, environmental, compatibility, software and safety tests confirm that our motherboards are exceptionally robust. It also shows that ASUS reliability surpasses industry standards, ensuring that every component is designed to function flawlessly in any environment.

Temperature and humidity tests
Ensures components withstand extreme conditions.

Thermal measurement tests
Ensures that the system remains cool and stable under the heaviest loads.

Insertion tests
Every port and connector is put through repeated installation cycles.

Aging tests
Up to 48-hour aging test ensures reliability.

Power-consumption tests
Delivers world-class energy efficiency.

Temperature and DC margin tests
Ensures that the motherboard is capable of coping with voltages fluctuations caused by varying temperatures.

Thermal-shock tests
Ensures ability to survive temperature changes during transportation.

Non-operation shock tests
Built to withstand jolts that may occur during shipping.

Burn-in tests
Every component is checked to ensure flawless operation.

Installation tests
Connector placement is double-checked to ensure hassle-free installation.

Drop tests
Drop tests from various heights ensure durability.

Salt and spray tests
Tested for I/O reliability, prolonged lifespan and rust-resistance.

Combined onboard features deliver elevated audio
Intelligent design and premium hardware create audio quality unlike anything you've ever experienced!

Audio shielding
Separates analog/digital signal domains, significantly reducing multi-lateral interference.

Separate layer for left and right tracks

Ensures minimal crosstalk between audio paths.

Premium Japanese-made audio capacitors
Premium parts provide an immersive sound signature, with exceptional fidelity.

Outshine the competition
A well-tuned enthusiast system deserves a matching aesthetic. ASUS Aura Sync offers full lighting connected via the motherboard's RGB header, with a variety of functional presets for external LED strips.* And it can all be synced with an ever-growing portfolio of Aura-capable ASUS hardware.

LED-illuminated control for PCIe slot and trace paths
Built-in LED lighting options illuminate your build in a variety of eye-catching styles.

Complete your immersion
Prime B450 series isn't just VR ready - it goes way beyond. The ASUS Beyond VR Ready marque means that Prime B450 series has been tested with loads of class-leading components to ensure that your productivity, gaming and entertainment needs are tuned for maximum performance. ASUS Beyond VR Ready opens up a new way to configure and build your dream system with total confidence.

AM4 socket for AMD Ryzen™ 2nd Generation / Ryzen™ with Radeon™ VEGA Graphics / Ryzen™ 1st Generation Processors
The AMD Ryzen™ processor is based on the innovative Zen core architecture and features up to eight cores and Radeon™ Vega integrated graphics. Together with dual-channel DDR4 memory, native 5Gbps USB 3.1 Gen 1 and 16 PCI Express® 3.0/2.0 lanes, these AMD AM4-socket processors deliver superb computing performance.

AMD B450 chipset
The AMD B450 chipset delivers high performance and flexibility with the latest AMD® AM4-socket Ryzen™ processors. It also offers AMD StoreMI storage acceleration technology and provides two 10Gbps USB 3.1 Gen2 ports, two USB 3.1 Gen1 ports, and four 6Gbps SATA ports for faster data retrieval.

Specifications:

© 2018 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	90MB0YR0-M0EAY0
CPU	AMD AM4 Socket AMD Ryzen 2nd Generation/Ryzen with Radeon Vega Graphics/Athlon with Radeon Vega Graphics/Ryzen 1st Generation Processors
Chipset	AMD B450
Memory	AMD Ryzen 2nd Generation/ Ryzen with Radeon Vega Graphics/ Athlon with Radeon Vega Graphics/ Ryzen 1st Generation Processors
	4 x DIMM, Max. 64GB, DDR4 3466(O.C.) / 3200(O.C.) / 3000(O.C.) / 2800(O.C.) / 2666 / 2400 / 2133 MHz Un-buffered Memory
	Dual Channel Memory Architecture
	ECC Memory (ECC mode) support varies by CPU.

Graphic	Integrated Graphics in the AMD Ryzen with Radeon Vega Graphics/ Athlon with Radeon Vega Graphics Processors
	Multi-VGA output support : HDMI/DVI-D/D-Sub ports
	- Supports HDMI 2.0b with maximum resolution of 4096 x 2160 @ 60 Hz
	- Supports DVI-D with max. resolution 1920 x 1200 @ 60 Hz
	- Supports D-sub with max. resolution 1920 x 1200 @ 60 Hz
Expansion Slots	AMD Ryzen 2nd Generation/ Ryzen 1st Generation Processors
	1 x PCIe 3.0/2.0 x16 (x16 mode)
	AMD Ryzen with Radeon Vega Graphics Processor
	1 x PCIe 3.0/2.0 x16 (x8 mode)
	AMD Athlon with Radeon Vega Graphics Processors
	1 x PCIe 3.0/2.0 x16 (max at x4 mode)
	AMD B450 chipset
	2 x PCIe 2.0 x1
Storage	AMD B450 chipset :
	4 x SATA 6Gb/s port(s)
	Support Raid 0, 1, 10
	AMD Ryzen 2nd Generation/ Ryzen with Radeon Vega Graphics/ Athlon with Radeon Vega Graphics/ Ryzen 1st Generation Processors :
	2 x SATA 6Gb/s port(s)
	Support Raid 0, 1, 10
	AMD Ryzen 2nd Generation/ Ryzen with Radeon Vega Graphics/ Ryzen 1st Generation Processors :
	1 x M.2 Socket 3, with M key, type 2242/2260/2280/22110 storage devices support (SATA & PCIE 3.0 x 4 mode)
	AMD Athlon with Radeon Vega Graphics Processors :
	1 x M.2 Socket 3, with M key, type 2242/2260/2280/22110 storage devices support (SATA mode)
LAN	Realtek RTL8111H, 1 x Gigabit LAN Controller(s)
	ASUS LAN Guard

Audio	Realtek ALC887 8-Channel High Definition Audio CODEC
	Audio Feature :
	- LED-illuminated design - Brighten up your build with the gorgeous illuminated audio trace path.
	- Audio Shielding: Ensures precision analog/digital separation and greatly reduced multi-lateral interference
	- Dedicated audio PCB layers: Separate layers for left and right channels to guard the quality of the sensitive audio signals
	- Premium Japanese audio capacitors: Provide warm, natural and immersive sound with exceptional clarity and fidelity
	* Choose the chassis with HD audio module in front panel to support 8-channel audio output.
USB Ports	AMD Ryzen 2nd Generation/ Ryzen with Radeon Vega Graphics/ Athlon with Radeon Vega Graphics/ Ryzen 1st Generation Processors :
	4 x USB 3.1 Gen 1 port(s) (4 at back panel, blue)
	AMD B450 chipset :
	2 x USB 3.1 Gen 2 port(s) (2 at back panel,)
	AMD B450 chipset :
	2 x USB 3.1 Gen 1 port(s) (2 at mid-board)
	AMD B450 chipset :
	4 x USB 2.0/1.1 port(s) (4 at mid-board)

Special Features	ASUS 5X Protection III :
	- ASUS SafeSlot Core: Fortified PCIe Slot prevents damage
	- ASUS LANGuard: Protects against LAN surges, lightning strikes and static-electricity discharges!
	- ASUS Overvoltage Protection: World-class circuit-protecting power design
	- ASUS Stainless-Steel Back I/O: 3X corrosion-resistance for greater durability!
	- ASUS DIGI+ VRM: 6 Phase digital power design
	ASUS Exclusive Features :
	- AI Suite 3
	- Ai Charger
	ASUS Quiet Thermal Solution :
	- Stylish Fanless Design Heat-sink solution
	- ASUS Fan Xpert 2+
	ASUS EZ DIY :
	- ASUS CrashFree BIOS 3
	- ASUS EZ Flash 3
	- ASUS UEFI BIOS EZ Mode
	- Multi-language BIOS
	ASUS Q-Design :
	- ASUS Q-Slot
	- ASUS Q-DIMM
Back I/O Ports	1 x PS/2 keyboard (purple)
	1 x PS/2 mouse (green)
	1 x DVI-D
	1 x D-Sub
	1 x HDMI
	1 x LAN (RJ45) port(s)
	2 x USB 3.1 Gen 2
	4 x USB 3.1 Gen 1
	3 x Audio jack(s)

Internal I/O Ports	1 x Aura RGB Strip Header
	1 x USB 3.1 Gen 1(up to 5Gbps) connector(s) support(s) additional 2 USB 3.1 Gen 1 port(s) (19-pin)
	2 x USB 2.0 connector(s) support(s) additional 4 USB 2.0 port(s)
	1 x M.2 Socket 3 with M key, type 2242/2260/2280/22110 storage devices support (SATA & PCIE 3.0 x 4 mode)
	1 x TPM header
	1 x COM port(s) connector(s)
	6 x SATA 6Gb/s connector(s)
	1 x CPU Fan connector(s) (1 x 4 -pin)
	2 x Chassis Fan connector(s) (2 x 4 -pin)
	1 x S/PDIF out header(s)
	1 x 24-pin EATX Power connector(s)
	1 x 8-pin ATX 12V Power connector(s)
	1 x Front panel audio connector(s) (AAFP)
	1 x System panel(s)
	1 x Clear CMOS jumper(s)
	1 x Speaker connector
Accessories	User's manual
	I/O Shield
	2 x SATA 6Gb/s cable(s)
	1 x M.2 Screw Package
	1 x Supporting DVD
BIOS	128 Mb Flash ROM, UEFI AMI BIOS, PnP, SM BIOS 3.1, ACPI 6.1, Multi-language BIOS, ASUS EZ Flash 3, ASUS CrashFree BIOS 3, F3 My Favorite, Last Modified log, F12 PrintScreen, ASUS DRAM SPD (Serial Presence Detect) memory information, F6 Qfan Control
Operating System	Windows 10 64-bit
	Windows 7 64-bit
Form Factor	mATX Form Factor
	9.6 inch x 9.5 inch (24.4 cm x 24 cm)
Note	1*Support NVMe PCIe RAID.
	2*The M.2 Socket shares bandwidth with the SATA_5/6 ports, and therefore the SATA_5/6 ports cannot be used when an M.2 device is installed.
	3*Install an AMD Ryzen 2nd Generatione or Ryzen 1st Generation Processors to support Windows 7 64-bit operating system.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/90MB0YR0-M0EAY0-Asus-Prime-B450M-A-B450-Chipset-AMD-AM4-Socket-Motherboard-p-210217.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-13 06:52:50.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.