ComX Computers
Product Specification Sheet

960-001057

Logitech Group Video Conferencing System

Product Overview

Logitech 960-001057 Group video conferencing system (camera+ speaker phone+ hub+ expansion mic) - for group of 14 people, LCD display for Caller ID and other info, tripod mountable, 360-degree full-duplex speaker phone, support optional expansion microphone (989-000171), dockable w/less remote control, Bluetooth +NFC wireless, 260 degrees pan + 130 degrees tilt + 10xzoom, 90-degree field of view - support 1080P HD video call @ 30FPS + H.264 video streaming with SVC, Carl Zeiss optics with auto focus - glass element ultra-wide angle lens - with echo and noise-cancelling technology, 5x camera presets - USB, mac compatible



Specifications

Features:

Outstanding video conferences
Imagine a meeting where everyone is seen and heard. GROUP delivers this with exceptionally sharp video quality and a masterfully designed, full-duplex speakerphone.

Easy to deploy and use
Group video conferencing system is simple to set up and use. USB plug-and-play connections make video meetings easy.

Works with leading applications
Continue to work within your own computing environment. GROUP is compatible with most video software applications - including the ones you're already using. Certified for Skype for Business™ Certified, Optimized for Microsoft® Lync, Cisco Jabber® and WebEx® compatible. Enhanced integration with Logitech Collaboration Program (LCP) members.

Hassle-free meeting room bundle
The Logitech Group Kit with Intel® NUC, configured and validated for performance and compatibility with the VC apps you already use, provides a robust, easy-to-use video conferencing solution that is easy-to-buy and affordable for every room.

Large groups
Group is ideal for mid- to large-size video conferences. If you have a larger room or larger groups, the optional expansion mics will extend the audio range to 8.5m or 28 feet.

Sharp video quality
This video system offers HD 1080p video quality at 30 frames-per-second.

Clear audio quality
Group has full-duplex speakerphone with life-like sound that's crisp, clear, and highly intelligible.

90-degree field of view
Everyone can be seen with the 90-degree field of view. Focus on speaker, material, or whiteboard with mechanical 260-degree pan and 130-degree tilt

Remote control
You have two ways to operate the camera's pan, tilt, and zoom functions, or the speakerphone's volume up/down and answer/hang-up. Control these functions on the speakerphone console or with remote control. Keep track of the remote by docking it in the console when not in use.

Five camera presets
Multiple camera presets make it easy to frame and focus the lens on frequently used views - such as the conference table, whiteboard, and close-ups - and quickly return to each view at the touch of a button.

System Requirements:

- Windows® 7, 8.1 or 10
- Mac OS® X 10.7 or higher

Specifications:

© 2021 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	960-001057
Specifications	
Product Code	960-001057
Technical Details	

Camera	Smooth motorized pan
	Tilt and zoom
	Controlled from remote or console 260 degreespan
	130 degrees tilt
	10x lossless HD zoom
	90 degrees Field of View
	Full HD 1080p 30fps
	H.264 UVC 1.5 with Scalable Video Coding (SVC)
	Autofocus 5 camera presets
	Far-end control (PTZ) of ConferenceCam product
	ZEISS lens certification
	Kensington security slot
	LED to confirm video streaming
	Standard tripod thread
Remote control	Dockable 8.5 m/28-foot range
Speakerphone	Full-duplex performance
	Acoustic echo cancellation
	Noise reduction technology
	Ultra-wideband audio
	Bluetooth and NFC enabled
	LCD for caller ID, call duration and other functional response
	LEDs for speakerphone streaming, mute, hold, and Bluetooth
	Touch controls for call answer/end, volume and mute, Bluetooth - plus camera PTZ, "home" preset and far-end control
	Microphones (Tx)
	Four omni-directional microphones supporting 20-foot diameter range
	Frequency response: 100Hz - 11KHz
	Sensitivity: -28dB +/-3dB
	Distortion:
	Kensington security slot
Hub / Cable	Central mountable hub for connection of all components
	Included adhesive solution for under-table mounting
	Two cables for connection between hub and camera/ speakerphone (Length: 5m/16 ft)
	One USB cable for connection to PC/Mac (Length: 2 m/6.6 ft)
	AC Power adapter (Length: 3 m/9.8 ft)
Mount	Dual purpose mount for wall placement or for elevating camera on table

Compliance and tools	USB 2.0 compliant
	UVC-compliant video and audio for broad application compatibility
	Skype for Business certified, Microsoft Lync, Cisco Jabber and WebEx compatible
	Enhanced integration with Logitech Collaboration Program (LCP) members
	Downloadable diagnostic tool
	Field upgradeable firmware tool
	Downloadable app plug-ins for advanced feature support
Dimensions	
Camera	130 mm (5.12 in) x 170 mm (7.0 in) x 138 mm (5.40 in)
	Weight: 585 g (1.31 lb)
Speakerphone	240 mm (9.5 in) x 65 mm (2.5 in) x 240 mm (9.5 in)
	Weight: 1223 g (2.68 lb)
Hub	94 mm (3.75 in) x 34 mm (1.3 in) x 74 mm (2.9 in)
	Weight: 83 g (3.0 oz)
Remote	50 mm (2.0 in)x 120 mm (5.0 in) x 12 mm (0.5 in)
	Weight: 51 g (2.0 oz)
Wall/Table Mount	210 mm (8.27 in) x 120 mm (4.72 in) x 99 mm (3.9 in)
	Weight: 255 g (8.99 oz)
Expansion Mics	83 mm (3.30 in) x 83 mm (3.30 in) x 21 mm (0.83 in)
	Weight: 230 g (8.0 oz)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/960-001057-Logitech-Group-Video-Conferencing-System-p-261588.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-07 03:21:02.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.