ComX Computers
Product Specification Sheet

AE-DF7351

Hikvision buckline Power cable 3.5m F6 Pro + B1

Product Overview

Hikvision Buckline Power cable 3.5m F6 Pro + B1, 350cm cable length, Micro-USB connector, Designed for parking monitoring while vehicle is off, Versatile Power solution for automobile Security systems. Hikvision AE-DF7351 3.5m Buckline Power Cable with Micro-USB, stable 5.0V-5.3V output, designed for parking monitoring and vehicle security cameras, low power protection, compatible with multiple Hikvision models, perfect for South African vehicle theft prevention.



Specifications

Overview summary:

The Hikvision AE-DF7351 Buckline Power Cable is a smart and reliable power solution designed for vehicle security systems, especially ideal for South African drivers concerned about high vehicle theft rates. This 3.5m Micro-USB cable ensures your Hikvision dash or parking monitoring cameras stay powered even when the vehicle is off, providing continuous security coverage and peace of mind.

Built to withstand harsh environments, it supports input voltages from 12 to 24V and outputs a stable 5.0V-5.3V to connected devices. With integrated low power protection to prevent battery drain, this cable guarantees your vehicle remains operational after long parking surveillance. Compatible with many Hikvision camera models, the AE-DF7351 is a versatile, must-have accessory for any automotive security setup.

Power solution type: Buckline power cable for vehicle security systems
Uses: Parking monitoring, dash cams, 24/7 vehicle surveillance, theft prevention

Overview:

The Hikvision AE-DF7351 Micro-USB Buckline Power Cable is a reliable and efficient power management solution engineered specifically for vehicle-based security setups. Designed to ensure uninterrupted power to your Hikvision dash or onboard cameras, this versatile buckline cable is ideal for applications such as parking monitoring, where the camera must remain powered even when the vehicle is turned off. With its smart and stable power regulation, it offers peace of mind by safeguarding your recordings and enhancing 24/7 security.

This durable cable features a Micro-USB connector and a robust black build to seamlessly integrate with your vehicle's interior. Compatible with a broad range of Hikvision models-including the AE-DC2015-B1, AE-DC5113-F6S, AE-DC5013-F6PRO, and more-it delivers DC output of 5.0V-5.3V regulated from a 12-24V input. This broad compatibility and dependable voltage

regulation make it a preferred choice for users looking to power dash cams or similar devices from the car's power system.

Designed to function under extreme environmental conditions, the AE-DF7351 operates efficiently across a wide temperature range of -20degrees C to 65degrees C, with humidity resistance up to 95%. The cable also incorporates low power protection at 11.3V+/-0.2V, which prevents the car battery from draining excessively, ensuring your vehicle remains operational even after extended parking surveillance sessions.

With a cable length of 3.5 meters, it offers flexible installation options throughout the cabin or near the windshield. Whether you're a professional installer or an end-user, the cable's smart design ensures easy integration and reliable performance, making it an essential accessory for maintaining your vehicle's security infrastructure.

Features:

- Versatile power solution for automobile security systems
- Specifically designed for parking monitoring while vehicle is off
- Micro-USB connector for broad compatibility
- Stable and reliable power output to protect your devices
- Compatible with a wide range of Hikvision cameras
- Convenient 3.5m cable length for flexible installation
- Low power protection prevents vehicle battery drain
- Durable and operates in extreme temperature and humidity conditions

WHAT'S IN THE BOX:

- Hikvision AE-DF7351 Micro-USB Buckline Power Cable x1

Specifications:

© 2025 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	AE-DF7351
Colour	Black
Power Interface	Mini left
Power Supply DC	12-24V, 2A
Line length	Input line 1.3m, output line 2.1m
Wire specification	VIN3-Core i7/0.15 2C yellow black 7/0.15 1C red
Input requirements	Rated input voltage DC:12-24V Maximum input current >=2A
Type of output	No-load output voltage DC:5.0V-5.3V
Low power protection	11.3V+/-0.2v
Working temperature	-20 degreesC to 65 degreesC
Working humidity	95%(Max)

Compatible Hikvision Cameras	AE-DC2015-B1
	AE-DC5113-F6S
	Hi-D32F6/G
	AE-DC5013-F6PRO
	AE-DC2015-B1
	AE-DC5313-C6
	AE-DC5313-C6PRO
	AE-DC5013-F6
	AE-DC8012-C8
	Hi-D20B1
	AE-DC5013-F6S
Cable Length	350cm
Product Dimensions	38 x 0.4 x 0.4 cm
Product Weight	122g

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/AE-DF7351-Hikvision-buckline-Power-cable-3-5m-F6-Pro-B1-p-326142.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-18 08:58:27.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.