ComX Computers
Product Specification Sheet

APCRBC150

APC Replacement battery cartridge #150

Product Overview

APC Replacement battery cartridge #150, 12 DC, 24.00(lbs) 10.91(kilos), 6.00x 14.50x 19.50(in) 15.20x 36.80x 49.50(cent)



Specifications

Overview:

Genuine APC RBC(TM) are tested and certified for compatibility to restore UPS performance to the original specifications.

Features:

Compatibility

Guaranteed UPS compatibility

Tested and approved to restore the performance of your APC UPS. Maintains UPS safety certifications (UL, VDE, CSA) and lifetime equipment protection policy (as applicable).

Long battery life

Designed by APC by Schneider Electric exclusively for APC UPS's for complete compatibility with the intelligent battery management system.

Convenience

Fully assembled for easy hot-swap installation

APC RBCs are safe, reliable and contain a minimum number of connections saving valuable time. Because APC RBCs are hot-swappable, no network downtime is required in order to install them.

Re-usable packaging with clear instructions on how to properly dispose of spent batteries.

Convenient, easy and green.

Prepaid postage to a nearby recycling partner (availability varies by country)

Insures that almost 100% of the old battery is recycled, protecting the environment.

Specifications:

© 2015 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	APCRBC150
Input	
Nominal Input Voltage	12VDC
Batteries & Runtime	
Battery Volt-Amp-Hour Capacity	552
Battery Type	Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof
Battery mounting	Enclosed battery cartridge
Expected Battery Life (years)	42068
RBC Quantity	1
Physical	
Net Weight	10.00 KG
Maximum Height	83.00 mm
Maximum Width	216.00 mm
Maximum Depth	343.00 mm
Shipping Weight	10.91 KG
Shipping Width	368.00 mm
Shipping Height	152.00 mm
Shipping Depth	495.00 mm
Color	Black
Units per Pallet	20
Environmental	
Operating Environment	0 - 45 degreesC
Operating Relative Humidity	0 - 95%
Operating Elevation	0-3000 meters
Storage Temperature	-15 - 45 degreesC
Storage Relative Humidity	0 - 95%
Storage Elevation	0-15000 meters

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/APCRBC150-APC-Replacement-battery-cartridge-150-p-128304.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-06 11:55:40.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.