ASUS P706 ROG GLADIUS III WL

Asus ROG Gladius III Wireless - Classic asymmetrical Wireless Gaming Mouse with Tri-mode connectivity

Product Overview

Asus ROG Gladius III Wireless - Classic asymmetrical Wireless Gaming Mouse with Tri-mode connectivity, Wireless 2.4 GHz RF, Bluetooth LE, Wired USB, 19000 dpi with class-leading 1% deviation, Five OnBoard Memory profiles, Unique pivoted button design, 70-million-click lifespan



Specifications

Overview:

ROG Gladius III Wireless - Classic asymmetrical wireless gaming mouse with tri-mode connectivity (2.4 GHz, Bluetooth, wired USB 2.0), specially tuned 26,000 dpi with 1% deviation, instant button actuation, exclusive Push-Fit Switch Socket II, laser-engraved ROG aesthetic, Bluetooth rapid pairing technology, ROG Omni Mouse Feet, ROG Paracord and Aura Sync RGB lighting

- Tri-mode connectivity: wireless 2.4 GHz RF, Bluetooth LE, or wired USB
- 19,000 dpi with class-leading 1% deviation (specially tuned to 26,000 dpi), 400 ips optical sensor, and 1000 Hz polling rate
- Unique pivoted button design and tuned software for instant button actuation without unwanted clicks
- Exclusive Push-Fit Switch Socket II design enables hot swap compatibility with mechanical switches and Omron Optical Micro Switches to vary click force and extend lifespan of the mouse
- ROG Micro Switches offer consistent click force and a 70-million-click lifespan
- Laser-engraved ROG markings on the side of the mouse features RGB illumination
- ROG Paracord cable and 100% PTFE rounded-edge mouse feet ensure a swift and smooth glide
- Bluetooth fast pairing technology connects up to three devices
- Five onboard memory profiles make it easy to save customized settings
- DPI On-The-Scroll enables effortless on-the-fly adjustments
- Exclusive Armoury Crate software allows for easy and intuitive configuration

Features:

REVOLUTIONARY PERFORMANCE
ROG Gladius III Wireless features tri-mode connectivity (2.4 GHz RF, Bluetooth LE, wired USB) and a 19,000 dpi optical sensor with class-leading 1% deviation (tuned to 26,000 dpi) for near-zero latency and unrivaled precision. A unique pivoted

button mechanism ensures instantaneous actuation without unwanted clicks. Its ergonomic shape offers comfort for marathon gaming sessions, and a unique Push-Fit Switch Socket II design ensures compatibility with both mechanical and Omron optical micro switches. Finishing touches include a flexible ROG Paracord and round-edged 100% TPFE mouse feet for an ultra-smooth glide, plus laser-engraved ROG markings with RGB lighting on the textured, nonslip side panel.

CLASSIC ASYMMETRICAL DESIGN
The classic asymmetrical design of Gladius III Wireless is well-suited to a variety of right-handed grip styles, providing comfort that lasts. Its also 30% lighter than its predecessor, allowing for faster and smoother control.

TRI-MODE CONNECTIVITY
Gladius III Wireless can be connected via ultrafast 2.4 GHz RF, energy-efficient Bluetooth LE, or wired USB. Pick the option that best suits the scenario.

- Wired USB
- RF 2.4 Ghz
- Bluetooth

ULTIMATE PERFORMANCE
A high-end optical sensor delivers the accuracy and precision you need. Offering a range of 100 - 26,000 dpi (with class-leading 1% deviation), Gladius III Wireless tracks flawlessly at up to 400 inches per second at 50 g acceleration. A 1000 Hz polling rate in both 2.4 GHz and wired modes offers lag-free response for instantaneous control.

* ROG Gladius III Wireless features 19,000 dpi optical sensor that is specially tuned to 26,000 dpi.

INSTANT ACTUATION
A unique pivoted button design with zero gap between the mouse button and switch ensure instantaneous actuation. In addition, tuned firmware filters out unintended mouse clicks for both mechanical and optical micro switches to give you an edge in competitive gaming.

PUSH-FIT SWITCH SOCKET II
The worlds first Push-Fit Switch Socket II design allows you to hot swap traditional 3-pin mechanical switches and the latest 5-pin Omron optical micro switches. A strengthened socket reduces shaking to provide consistent button clicks. With switches varying in feel and characteristics, this innovative socket design gives you the flexibility to select the switch that best suits your play style.

ROG MICRO SWITCHES
The new ROG Micro Switches feature a 70-million-click lifespan and a gold-plated electro-junction to improve durability. Strict ROG manufacturing standards ensure that each individual switch is inspected and sorted, pairing left and right switches to keep force deviation within +/- 5 gram-force for a consistent click feel.

- 70-MILLION-CLICK LIFESPAN
- +/- 5 GRAM-FORCE L/R SWITCH FORCE DEVIATION
- GOLD-PLATED ELECTRO-JUNCTION

Efficient Performance
Enjoy up to 55 hours of gameplay on 2.4 GHz RF or up to 85 hours on a Bluetooth connection*.
*Battery life test conducted in RGB off mode

MULTI-DEVICE CONNECTIVITY
Connect up to three devices with Bluetooth fast pairing technology and switch between them by pressing the Pair button.

FIVE ONBOARD MEMORY PROFILES
You can also save up to five custom profiles utilizing the onboard memory, all accessible by pressing the Profile button.

ROG PARACORD
This extremely flexible and lightweight cord is designed to minimize snags and maximize movement.

OMNI MOUSE FEET
The integrated 100% Teflon (PTFE) mouse feet are rounded to ensure an effortless glide across any surface.

PIVOTED BUTTON MECHANISM
This unique mechanism minimizes the distance between buttons and switches for near-instantaneous click response.

AURA RGB LIGHTING
The ROG logo, scroll wheel, and ROG markings along the side of ROG Gladius III Wireless feature integrated ROG Aura RGB lighting. The laser-engraved side panel also features special flicker effects that can be customized with the color of your choice.

- Static
- Breathing
- Color Cycle
- Reactive
- Rainbow
- Comet
- Partition
- Battery mode

ARMOURY CRATE
Armoury Crate lets you easily tune ROG Gladius lll Wireless to suit your gameplay. Adjust performance and surface calibration settings, program and map buttons, customize lighting effects, and more.

Specifications:

© 2022 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	ASUS P706 ROG GLADIUS III WL
Weight	89g (without cable)
Dimensions	L 123mm x W 68mm x H 44mm

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/ASUS-P706-ROG-GLADIUS-III-WL-Asus-ROG-Gladius-III-Wireless-Classic-asymmetrical-p-266924.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-07 08:16:46.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.