ComX Computers
Product Specification Sheet

BH500INET

APC BACK-UPS HS 500VA 230V, 230, 230

Product Overview

APC BACK-UPS HS 500VA 230V, 230, 230



Specifications

Features:

Resettable circuit breaker

Easy recovery from overloads; no need to replace a fuse.

Network manageable

Provides remote power management of the UPS over the network.

Safety-agency approved

Ensures the product has been tested and approved to work safely with the connected service provider equipment and within the specified environment

.

Transformer-block spaced outlets

Protect equipment with input transformer blocks without blocking access to other receptacles.

User-replaceable batteries

Increases availability by allowing a trained user to perform upgrades and replacements of the batteries reducing Mean Time to Repair (MTTR)

Back-UPS Features & Benefits

Protection

Battery and surge protected outlets

Back up and protect your hardware and data during power outages, surges and spikes.

Surge only outlets

Protect secondary electronics from surges and spikes without reducing battery power used to run primary electronics during an outage.

Availability

Automatic self-test

Periodic battery self-test ensures early detection of a battery that needs to be replaced.

Battery failure notification

Provides early-warning fault analysis on batteries enabling timely preventive maintenance

Intelligent battery management

Maximizes battery performance, life, and reliability through intelligent, precision charging.

Serviceability

Resettable circuit breaker Easy recovery from overloads; no need to replace a fuse.

Manageability

Audible alarms

Provides notification of changing utility power and UPS power conditions

LED status display

Quickly understand unit and power status with visual indicators.

Safety

Safety-agency approved

Ensures the product has been tested and approved to work safely with the connected service provider equipment and within the specified environment.

Specifications:

© 2015 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	BH500INET
Output	
Output Power Capacity	300 Watts / 500 VA
Max Configurable Power	300 Watts / 500 VA
Nominal Output Voltage	230V
Output Frequency (sync to mains)	47 - 63 Hz
Topology	Standby
Waveform Type	Stepped approximation to a sinewave
Input	
Nominal Input Voltage	230V
Input Frequency	47 - 63 Hz
Cord Length	
Maximum Input Current	4A
Input Breaker Capacity	4 A

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/BH500INET-APC-BACK-UPS-HS-500VA-230V-230-230-p-121024.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-15 00:31:49.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.