

CA-MDPH4K-J

J5create JDA159 Mini Display Port or thunderbolt2 to HDMI adapter 125mm cable

Product Overview

J5create JDA159 Mini Display Port or thunderbolt2 to HDMI adapter 125mm cable - support up to 4096x2160 4K UHD @30Hz, white, for MAC or PC - retail pack



Specifications

About this product

The j5create JDA159 Mini DisplayPort or Thunderbolt 2 to HDMI Adapter makes it easy to connect a compatible Mac or PC to an HDMI monitor, TV or projector. Supporting resolutions up to 4096 x 2160 at 30Hz with audio pass-through, this compact 125mm white adapter delivers plug-and-play convenience without requiring drivers. Buy now from our website for a simple and reliable 4K display solution in South Africa.

Overview Summary

j5create JDA159 Mini DisplayPort or Thunderbolt 2 to HDMI 4K Adapter

The j5create JDA159 is a compact passive display adapter designed to connect computers equipped with Mini DisplayPort 1.2 or Thunderbolt 2 to HDMI displays. It supports Ultra HD resolutions up to 4096 x 2160 at 30Hz, making it suitable for presentations, office work, multimedia playback and extending your desktop to an external monitor.

Featuring a durable 125mm integrated cable and plug-and-play operation, the adapter requires no software installation. It supports both video and audio over HDMI when supported by the source device, making it an excellent accessory for compatible Apple Mac and Windows PC systems.

Performance tier:Mid-range 4K Display Adapter

Uses:External monitor connection, 4K display output, office productivity, presentations, digital signage, home entertainment, conference rooms

Overview

The JDA159 adapter allows you to quickly and easily connect your Mac(RegTM) or PC to a 4K HDTV or other display device using an HDMI(TM) input. First connect the JDA159 to your computer. Then plug your existing HDMI(TM) cable from your display into the mini DisplayPort(TM) adapter. Compatible with both DisplayPort(TM) 1.2 and Thunderbolt(TM) 2, our JDA159 quickly converts the DisplayPort(TM) video signal into an HDMI(TM) signal, and with its plug-and-play technology there is no

need to download any drivers. Once you've experienced multiple monitors, you'll never want to go back to a single monitor again.

Description

The j5create JDA159 provides a simple way to connect compatible Mini DisplayPort or Thunderbolt 2 equipped computers to HDMI displays. Its compact design makes it easy to carry between home, office and meeting rooms while delivering reliable digital video and audio output through a single adapter.

Supporting HDMI 1.4 and DisplayPort 1.2 Dual-Mode compatibility, the adapter delivers Ultra HD resolutions up to 4096 x 2160 at 30Hz when used with compatible hardware. Installation is effortless with true plug-and-play functionality and no drivers required.

This adapter is ideal for extending or mirroring your desktop onto monitors, televisions or projectors, helping improve productivity and enabling high quality presentations or multimedia playback.

Features

The j5create JDA159 combines portability with dependable display connectivity for both professional and personal environments.

- Mini DisplayPort male to HDMI female adapter
- Compatible with Mini DisplayPort 1.2 and Thunderbolt 2
- Supports resolutions up to 4096 x 2160 at 30Hz
- Supports digital audio over HDMI when available from the source
- Plug-and-play operation with no drivers required
- HDMI 1.4 compliant
- Compact 125mm integrated cable
- Suitable for compatible Mac and Windows computers
- Passive Dual-Mode DisplayPort adapter
- White finish

System requirements

- Available mini DisplayPort 1.2 or Thunderbolt 2
- DP++ port (Dual Mode DisplayPort) required on graphics card or video source
- (DVI and HDMI pass-through must be supported)
- DisplayPort v1.1a or Thunderbolt 1 have a maximum resolution of up to 2560 x 1200
- Mac models with Thunderbolt 2
- MacBook Pro (Retina, Late 2013 and later)
- Mac Pro (Late 2013)
- iMac (Retina 5K, 27-inch, Late 2014)
- Mac mini (Late 2014)

What's in the Box

- 1 x j5create JDA159 Mini DisplayPort to HDMI Adapter

Specifications

- Brand: j5create
- Model: JDA159
- Host connector: Mini DisplayPort male

ComX Computers

Product Specification Sheet

- Compatible host interface: Mini DisplayPort 1.2, Thunderbolt 2
- Display connector: HDMI female
- Converter type: Passive
- HDMI specification: HDMI 1.4
- Maximum resolution: 4096 x 2160 at 30Hz
- Audio support: Yes
- 3D video support: Yes
- Cable length: 125mm
- Housing material: Plastic
- Body dimensions: 21 x 45 x 12mm
- Weight: Approximately 19g
- Colour: White
- Operating system compatibility: Compatible Mac and Windows systems with Mini DisplayPort 1.2 or Thunderbolt 2

FAQ

What devices are compatible with the j5create JDA159?

The adapter works with computers featuring Mini DisplayPort 1.2 or Thunderbolt 2 ports that support Dual-Mode DisplayPort output. It is suitable for many Apple Mac computers and Windows PCs equipped with compatible Mini DisplayPort or Thunderbolt 2 connections.

Does this adapter support 4K resolution?

Yes. The adapter supports a maximum resolution of 4096 x 2160 at 30Hz when connected to compatible hardware and displays. Resolution support depends on both the source device and the connected display.

Does the adapter require drivers?

No. The j5create JDA159 is a plug-and-play adapter and does not require software or driver installation.

Can this adapter transmit audio?

Yes. Digital audio is supported over HDMI when the connected computer provides audio through its Mini DisplayPort or Thunderbolt 2 output.

Can I connect this adapter directly to an HDMI cable?

Yes. The adapter features an HDMI female connector, allowing you to connect a standard HDMI cable to your monitor, TV or projector.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/CA-MDPH4K-J-J5create-JDA159-Mini-Display-Port-or-thunderbolt2-Buy-p-125683.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-14 04:59:56.

ComX Computers

Product Specification Sheet

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.