


CAB-DISPM-HDMIM-3M

Lindy 36923 3m 4K @ 30Hz DisplayPort to HDMI Adapter cable

Product Overview

Lindy 36923 3m 4K @ 30Hz DisplayPort to HDMI Adapter cable, Gold plated Connector plating, Gold plated pin plating, HDMI 1.4, DisplayPort 1.2, 5.0mm jacket Diameter, Copper conductor material, Aluminum braid 85% shielding, 28AWG conductor Gauge, 3840x2160 @ 60Hz maximum Resolution



Specifications

Overview Summary:

The Lindy 36923 3m DisplayPort to HDMI Adapter Cable provides an easy and reliable solution for connecting DisplayPort-enabled devices to HDMI displays. With support for 4K UHD resolution at 30Hz, this adapter ensures sharp and vibrant video quality for both home and office environments. The gold-plated connectors and copper conductor enhance signal quality, while the aluminum braid shielding minimizes interference for stable performance. Ideal for presentations, media streaming, or extending your workspace, this durable 3-meter cable delivers crystal-clear video and audio where you need it most. Shop now for a seamless connection between your devices.

Performance tier: Premium

Uses: Connecting DisplayPort devices to HDMI displays, video streaming, presentations, dual-monitor setups, high-definition media setups

Overview:

3m DisplayPort to HDMI 4K30Hz Adapter Cable - Connect Your Devices with Crystal Clear Resolution

Looking for a reliable and high-quality cable to connect your DisplayPort-equipped device to an HDMI display? The Lindy 36923 3m DisplayPort to HDMI Adapter Cable is designed to deliver seamless 4K UHD resolution at 30Hz, making it perfect for home or office setups where high-definition video and audio quality are essential. Whether you're extending your desktop for increased productivity or mirroring content to a large screen for presentations, this adapter cable ensures your devices are connected with ease and clarity.

Product Highlights:

- Connects DisplayPort-enabled devices to HDMI displays or projectors
- Supports 4K UHD resolution (3840x2160) at 30Hz for crisp, clear video quality
- Compatible with video mirroring and extended desktop modes for versatile use
- Audio pass-through support, depending on the video source and graphics card
- 3-meter length for flexible connectivity between devices

Description:

This high-performance cable connects your DisplayPort-enabled computer or laptop to an HDMI display, offering up to 3840x2160 resolution at 30Hz for a truly sharp and vibrant viewing experience. It also supports both video mirroring and extended desktop modes, allowing for more flexibility in how you use multiple screens. If your device supports it, the adapter will also transmit audio signals, ensuring both video and sound are delivered with maximum clarity.

The Lindy 36923 Adapter Cable is built with high-quality materials to enhance performance and durability. It uses gold-plated connectors and pins for improved conductivity, while the copper conductor material ensures minimal signal loss. The 85% aluminum braid shielding reduces interference, helping to maintain a stable and high-quality signal.

Features:

Ideal for Home and Office Use

This adapter cable is perfect for anyone looking to connect their PC, laptop, or other DisplayPort-equipped device to an HDMI-compatible TV, monitor, or projector. Whether you are presenting at a meeting, streaming a movie, or setting up a gaming station, this cable offers reliable performance every time.

Please Note:

ComX Computers

Product Specification Sheet

- Audio pass-through is only available if supported by your graphics card and the video source.
- Ensure your HDMI display supports the desired resolution and refresh rate for optimal performance.

Compatibility and Quality

- Supports HDMI 1.4 and DisplayPort 1.2 standards
- Capable of 4K resolution at 30Hz for smooth video playback
- Works with most devices that feature a DisplayPort output

Durability and Build

The Lindy 36923 DisplayPort to HDMI Adapter Cable is constructed with a durable 5.0mm jacket diameter and a robust 28AWG conductor gauge. This makes it highly reliable and resistant to wear, ensuring long-lasting use in various environments. The high-quality aluminum braid shielding helps prevent signal degradation, ensuring that your connection remains stable, even over longer distances.

Perfect for Diverse Applications

Whether you are setting up a dual-monitor workspace, delivering a professional presentation, or enjoying high-definition media at home, the Lindy 36923 Adapter Cable offers a straightforward and effective solution for connecting DisplayPort devices to HDMI displays. With a reliable build, excellent video quality, and support for advanced audio formats, it is the ideal choice for those who require a quality cable for their 4K setup.

Important Disclaimer:

HDMI, HDMI High-Definition Multimedia Interface, and the HDMI logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Specifications:

© 2025 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	CAB-DISPM-HDMIM-3M
Connectors	
Connector A	DisplayPort male
Connector B	HDMI Type A male
Housing Material	
DisplayPort	PVC
HDMI	ABS
Connector Plating	Gold plated
Pin Construction	Copper
Pin Plating	Gold plated
Dimensions (approx.) WxDxH	
DisplayPort	37.6x21x12.3mm (1.48x0.83x0.48in)
HDMI	45x21.8x12.4mm (1.78x0.86x0.49in)
Cable Construction	
Length	3m (9.84ft)

ComX Computers

Product Specification Sheet

Standard	HDMI 1.4, DisplayPort 1.2
Colour	Black
Type	Round
Jacket Diameter	5.0mm (0.20in)
Jacket Material	PVC
Conductor Material	Copper
Conductor Gauge	28AWG
Shielding	Aluminum Braid 85%
Specifications	
Supported Bandwidth	10.2Gbps
Maximum Resolution	3840x2160@60Hz 4:4:4 8bit
Nominal Attenuation	-
Minimum Bend Radius	50mm (1.97in)
Operating Temperature	-10 degreesC - 80 degreesC (14 degreesF - 1753 degreesF)
Storage Temperature	-20 degreesC - 85 degreesC (-4 degreesF - 185 degreesF)
Miscellaneous	
Packaging Type	Polybag
Product Compliance	CE, UKCA, FCC, RoHS, REACH, California Proposition 65
Purchasing Information	
No.	36923
EAN	4002888369237
This product is also available in other lengths	36920 - 0.5m (1.64ft)
	36921 - 1m (3.28ft)
	36922 - 2m (6.56ft)
	36923 - 3m (9.84ft)
	36924 - 5m (16.44ft)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/CAB-DISPM-HDMIM-3M-Lindy-36923-3m-4K-30Hz-DisplayPort-Buy-p-331565.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-14 04:06:03.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

ComX Computers

Product Specification Sheet

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.