

CAM-NVR-NVR4032H


TP-Link Vigì 32ch Network Video Recorder

Product Overview


TP-Link NVR-NVR4032H Vigì 32ch Network Video Recorder, H.265+ / H.265 / H.264+ / H.264 decoding Format, 16-channel synchronous playback, 16-ch @ 1080p (30 fps), 8-ch @ 4MP (30 fps), 4-ch @ 8MP, 2x RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet, 1x audio in, 1x audio out, 16 / 4 alarm In/Out, 4x SATA interfaces up to 10 TB capacity for each Hard Disk Drive, Motion detection, HDMI / VGA Independent Output, 32-channel IP Video Input



Rich Ports for Diversified Functions.



1. Power Supply
2. 16 × ALARM IN for Alarm Detectors Connection, Such as Smoke Detector
3. 4 × ALARM OUT for External Alarm Devices Connection, Such as Warning Light, and Alarm Bell
4. Two Forms of RS-232 Ports to Debug and Pass Through Serial Data
5. AUDIO IN and AUDIO OUT for Two-Way Audio
6. 2 × LAN Ports for Ethernet Connection
7. HDMI and VGA Ports for Independent Video Output
8. 1 × USB 3.0 (Rear) Port and 2 × USB 2.0 (Front) Ports for Mouse, Keyboard, or Mobile Hard Disk Connection*



Specifications

Overview:

VIGI NVR4032H - VIGI 32 Channel Network Video Recorder

- FaceRecognition : Enhances accessmanagement and maximizessecurity.
- Smart Search by Motion and Object: Quickly find target footagefor improved playbackefficiency.
- H.265+: Without using any extra bandwidth, your camera transmits compressed crystal-clear video to save disk space, ease network loads, and reduce monitoring costs without sacrificing image quality.
- 320 Mbps Incoming and Outgoing Bandwidth : Ensures your NVR manages more cameras with high resolutions.
- Mass Storage: Supports 4x SATA, up to 10 TB each
- 16-ch@2MP/ 8-ch@4MP Decoding Capacity :Allowsyou to enjoymore channels, live view,and playback at the same time.
- 1 HDMI and 1 VGAInterface : Supports independent video output.
- 16-Channel Simultaneous Playback: Replay the feed from up to 16 cameras at the same time, increase replay speed, and find events in the video schedule to easily review footage.
- Plug & Play: Allows new and unused VIGI IP Cameras to be added automatically to the new NVR and activated instantly, making installation faster than ever before.
- Remote Monitoring: The dedicated VIGI app, web UI, and VIGI Security Manager enable remote monitoring, providing ease and convenience.
- Two-Way Audio: With voice intercom support, carry two-way conversations while watching your feed from anywhere. Suitable for management.
- ONVIFEnsuresCompatibility : Easily adds IPCs from VIGI and other brands to establish a powerful and varied network thanks to barrier-free compatibility.

Features:

Security Never Shuts Down.

VIGI 32 Channel Network Video Recorder

- Face Recognition
- Smart Search
- Sufficient Bandwidth
- 4 SATA(1 up to 10TB)
- Powerful DecodingCapability
- 4K HDMIVideo Output
- Independent VideoOutput
- Quick Playback
- ONVIF EnsuresCompatibility

ComX Computers

Product Specification Sheet

Specifications:

© 2023 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	CAM-NVR-NVR4032H
--------------	------------------

DECODING

Decoding Format	H.265+/H.265/ H.264+/H.264
Live View/Playback Resolution	8MP / 5MP / 4MP / 3MP / 1080p / UXGA / 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF
Synchronous Playback	16-Channel
Capability	16-ch @ 1080p (30 fps), 8-ch @ 4MP (30 fps), 4-ch @ 8MP (30 fps)

NETWORK

Incoming Bandwidth	320 Mbps
Outgoing Bandwidth	320 Mbps

EXTERNAL INTERFACE

Network Interface	2, RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface
USB Interface	USB Interface
Audio Interface	1, Audio In, 1, Audio Out
Alarm In/Out	16/4
Serial Interface	1, RS232

NETWORK MANAGEMENT

Network Protocols	UPnP (Plug and Play), NTP (Network Timing)
Interoperability	ONVIF, CGI
Mobile Phone Access	Android, iOS
Browser	Chrome (57+), Firefox (52+), Edge (91+)

HARD DISK

SATA	4 SATA Interfaces
Capacity	Up to 10 TB Capacity for Each HDD

ALARM

General Alarm	Motion Detection, Video Tampering, Intrusion Detection, Line-Crossing Detection
Anomaly Alarm	Video Loss, Offline and IP Conflict, Disk Exception, Login Exception, Fan Exception
Alarm Linkage	Recording, White Ligh Alarm, Buzzer, Log, Audible Alarm

GENERAL

ComX Computers

Product Specification Sheet

Package Contents	VIGI Network Video Recorder
	Mouse
	Installation Guide
	Power Cord, HDD Power Cables, HDD Data Cables, and Terminal Blocks
	Mounting Brackets, Screws and Rubber Feet
Working Temperature	-10-55 degreesC
Working Humidity	10%~90% RH Non-Condensing
Dimensions(W X D X H)	440 x 330 x 44 mm
Net Weight	4.0 Kg
Power Supply	100-240 VAC, 50 to 60HZ, 1.5A
Power Consumption	5 W (Without Disk)
	48 W (With Disk)
RECORD PLAYBACK	
Record Mode	Manual Recording, Scheduling Recording, Motion Detection Recording
Playback Mode	Instant Playback, Regular Playback, Tag Playback, Event Playback
Backup Mode	Regular Backup, Video Clip Backup
Playback Function	Play, Pause, Stop, Fast Forward, Fast Backward, Play by Frame, Full Screen, Video Clip, Export Clip, Digital Zoom, Lock Recording, Audio On/Off
VIDEO/IMAGE	
IP Video Input	32-Channel
Multi-View Display	1 / 4 / 6 / 8 / 9 / 16 / 25 / 32 / 36
Video Output Mode	HDMI/VGA Independent Output
Recording Resolution	8MP / 5MP / 4MP / 3MP / 1080p / UXGA / 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF
HDMI Output Resolution	1 Channel, Resolution: 3840x2160 / 30Hz, 1920x1080 / 60Hz, 1680x1050 / 60Hz, 1440x900 / 60Hz, 1280x1024 / 60Hz, 1280x720 / 60Hz, 1024x768 / 60Hz
VGA Output Resolution	1 Channel, Resolution: 1920x1080/60Hz, 1680x1050/60Hz, 1440x900/60Hz, 1280x1024/60Hz, 1280x720/60Hz, 1024x768/60Hz

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/CAM-NVR-NVR4032H-TP-Link-Vigi-32ch-Network-Video-Recorder-Buy-p-289463.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-10 12:23:25.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

ComX Computers

Product Specification Sheet

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.