

CAMCAPSA2200BB

Canon Powershot A2200, 14MegaPixel, Black Digital Camera with Golla Bag and Verbatim 2GB Card

Product Overview

Canon Powershot A2200, 14MegaPixel, Black Digital Camera with Golla Bag and Verbatim 2GB Card, 4x Optical Zoom, 2.7" Screen, Lithium-ion Batteries, 720p Video Capture, 28mm Wide-Angle View.



Specifications

Features:

- A high resolution sensor captures every detail in your subject, giving you the freedom to produce very large prints or crop in for a perfect composition.
- For more framing options, a 4x optical zoom lens with a 28mm wide-angle view allows you to capture the vastness of distant subjects such as landscapes or to get wider coverage when shooting in confined areas such as indoors at parties.
- A large and sharp screen makes it easy to frame and share shots with friends. Subjects appear in good detail and playback is a joy thanks to five different brightness settings, allowing you to adjust it for any lighting condition.
- With Smart Auto, you can take great photos with the press of a button. The camera automatically selects the most appropriate scene from a possible 32 and applies the best settings for a perfect picture. Easy mode prevents you from accidentally changing settings, while Hints & Tips provide a brief explanation of the camera's features.
- 720p video capture allows you to record scenes in high definition quality. Miniature Effect in movie makes landscape scenes look like time-lapse movies of miniature scale models.
- When shooting subjects in motion or in low light where blur could easily occur, Blur Reduction mode works to ensure clear results, free from blur
- Live View Control allows you to easily adjust various picture settings while framing the shot. 6 Creative Filters including Miniature and Toy Camera Effect produce impressive results to spark your imagination.
- Face Detection Technology detects up to 35 faces in a single frame and ensures that people remain in focus and with optimum brightness. Red-eye is automatically removed immediately after the shot is taken or during playback.
- Canon's DIGIC 4 processor drives responsive operation, superb image quality and colour reproduction. Advanced Noise Reduction ensures richly detailed, cleaner images, even at high ISO speeds.
- Lithium-ion batteries provide a lightweight and easily rechargeable powering solution.

SPECIFICATIONS	
Type	1/2.3 type CCD
Effective Pixels	Approx. 14.1M

ComX Computers

Product Specification Sheet

Colour Filter Type	Primary Colour
IMAGE PROCESSOR	
Type	DIGIC 4 with iSAPS technology
LENS	
Focal Length	5.0 - 20.0 mm (35 mm equivalent: 28 - 112 mm)
Zoom	Optical 4x. Digital Approx. 4x (with Digital Tele-Converter Approx. 1.7x or 2.1x and Safety Zoom). Combined Approx. 16x
Maximum f/number	f/2.8 - f/5.9
Construction	6 elements in 5 groups (1 double-sided aspherical lens (including 1 UA lens), and 1 single-sided aspherical lens (including 1 UA lens))
FOCUSING	
Type	TTL
AF System/ Points	AiAF (Face Detection / 9-point), 1-point AF (fixed to centre or Face Select and Track)
AF Modes	Single, Continuous (Auto mode only), Servo AF/AE, Tracking AF
AF Point Selection	Size (Normal, Small)
AF Lock	On/Off Selectable
AF Assist Beam	Yes
Closest Focusing Distance	3 cm (W) from front of lens in macro
EXPOSURE CONTROL	
Metering modes	Evaluative (linked to Face Detection AF frame), Centre-weighted average, Spot (centre)
AE Lock	On/Off Selectable
Exposure Compensation	+/- 2 EV in 1/3 stop increments.
	Enhanced i-Contrast for automatic dynamic range correction
ISO sensitivity*	AUTO, 80, 100, 200, 400, 800, 1600
SHUTTER	
Speed	1 - 1/1600 sec. (factory default)
	15 - 1/1600 sec. (total range - varies by shooting mode)
WHITE BALANCE	
Type	TTL
Settings	Auto (including Face Detection WB), Daylight, Cloudy, Tungsten, Fluorescent, Fluorescent H, Custom
LCD MONITOR	
Monitor	6.8 cm (2.7") TFT, Approx. 230, 000 dots
Coverage	Approx. 100%
Brightness	Adjustable to one of five levels. Quick-bright LCD
FLASH	
Modes	Auto, Manual Flash On / Off, Slow Synchro
Slow Sync Speed	Yes. Fastest speed 1/1600 sec.

ComX Computers

Product Specification Sheet

Red-Eye Reduction	Yes
Flash Exposure Compensation	Face Detection FE, Smart Flash Exposure
Flash Exposure Lock	Yes
Built-in Flash Range	30 cm - 4.0 m (W) / 50 cm - 2.0 m (T)
External Flash	Canon High Power Flash HF-DC1
SHOOTING	
Modes	Auto*, Easy*, P, Live View Control, SCN (Blur Reduction (3.5MP), Portrait, Landscape, Kids & Pets, Smart Shutter (Smile, Wink Self-Timer, FaceSelf-Timer), Low Light (3.5MP), Beach, Foliage, Snow, Fireworks, Long Shutter), Creative Filters (Fish-eye Effect, Miniature Effect, Toy Camera Effect, Monochrome, Super Vivid, Poster Effect), Discreet, Movie
	*with Scene Detection Technology and Motion Detection Technology
Photo Effects	My Colors (My Colors Off, Vivid, Neutral, Sepia, Black & White, Custom Color (limited))
Drive modes	Single, Continuous, Self-Timer
Continuous Shooting	Approx. 0.9 shots/sec. (until memory card becomes full)
RECORDING PIXELS / COMPRESSION	
Image Size	(L) 4320 x 3240, (M1) 3072 x 2304, (M2) 1600 x 1200, (S) 640 x 480, (W) 4320 x 2432. Resize in playback (M2, S, 320 x 240)
Compression	Fine, Normal
Movies	(HD) 1280 x 720, 30 fps, (L) 640 x 480, 30 fps, (M) 320 x 240, 30 fps
	Miniature Effect (HD, L) 6fps, 3fps, 1.5 fps
Movie Length	(HD) Up to 4 GB or 10 min. 00 sec.
	(L and M) Up to 4 GB or 1 hour
FILE TYPES	
Still Image Type	JPEG compression, (Exif 2.3 [Exif Print] compliant) / Design rule for Camera File system, Digital Print Order Format [DPOF] Version 1.1 compliant
Movies	MOV [H.264 + Linear PCM (monaural)]
DIRECT PRINT	
Canon Printers	Canon SELPHY Compact Photo Printers and Canon Inkjet Printers supporting PictBridge (ID Photo Print, Fixed Size Print and Movie Print supported on SELPHY CP & ES printers only)
PictBridge	Yes
OTHER FEATURES	
Red-Eye Correction	Yes, during shooting and playback
Intelligent Orientation Sensor	Yes
Histogram	Yes
Playback Zoom	Approx. 2x - 10x
Self Timer	Approx. 2 or 10 sec. or Custom
Menu Languages	English, German, French, Dutch, Danish, Finnish, Italian, Norwegian, Swedish, Spanish, Simplified Chinese, Chinese (traditional), Japanese, Russian, Portuguese, Korean, Greek, Polish, Czech, Hungarian, Turkish, Thai, Arabic, Ukrainian, Romanian, Farsi, Hindi

ComX Computers

Product Specification Sheet

INTERFACE	
Computer	Hi-Speed USB (MTP, PTP) dedicated connector (Mini-B compatible)
Other	A/V output, dedicated connector (PAL/NTSC)
MEMORY CARD	
Type	SD, SDHC, SDXC, MMC, MMCplus, HCMMCplus
SUPPORTED OPERATING SYSTEM	
PC & Macintosh	Windows 7/ Vista SP1-2/ XP SP3
	Mac OS X v10.5 - 10.6
SOFTWARE	
Browsing & Printing	ZoomBrowser EX / ImageBrowser
Other	PhotoStitch
POWER SOURCE	
Batteries	Rechargeable Li-ion Battery NB-8L (battery and charger supplied)
Battery life	Approx. 280 shots
	Approx. 360 min. playback
A/C Power Supply	Optional, AC Adapter Kit ACK-DC60
ACCESSORIES	
Cases / Straps	Soft Case DCC-510
Flash	High Power Flash HF-DC1
Power Supply & Battery Chargers	AC Adapter Kit ACK-DC60
PHYSICAL SPECIFICATIONS	
Operating Environment	0 - 40 degreesC, 10 - 90% humidity
Dimensions (WxHxD)	93.2 x 57.2 x 23.6 mm
Weight	Approx. 135 g (including battery/batteries and memory card)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/CAMCAPSA2200BB-Canon-Powershot-A2200-14MegaPixel-Black-Buy-p-45840.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-17 05:54:47.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing

ComX Computers

Product Specification Sheet

decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.