

CANON ISENSYS LBP6310DN LASER

Canon i-SENSYS LBP6310dn Mono Laser Printer

Product Overview

Canon i-SENSYS LBP6310dn Mono Laser Printer - 30ppm, 250 Sheet paper tray, Duplex, 2400x600dpi, Network Ready, 16MB Built in memory



Specifications

Overview:

Speed, quality and productive performance in a compact, elegant design. This network ready, compact mono laser printer with duplex printing keeps you productive and offers the performance that dynamic small and medium-sized businesses demand.

Features:

Save time and boost productivity

Small and medium sized businesses that print in higher volumes will find the LBP6310dn an ideal means to increase productivity. Offering 33ppm mono laser printing, and with a fast First Print Out Time of 6 seconds or less, the LBP6310dn helps teams work quickly and without wasteful delays.

Consistently excellent results

The LBP6310dn offers up to 2400 x 600 dpi print resolution with Automatic Image Refinement (AIR). This provides the valuable advantage of delivering clear, accurate documents with superior image quality, at speed.

Easy and affordable maintenance

The maintenance-free All-in-One cartridge helps you achieve continuous high quality output. The All-in-One cartridge - containing toner and all essential parts - can be replaced in seconds. There's no mess or maintenance worries - just continuous high quality output. A higher yield toner cartridge is also available which allows you to print well over double the amount of pages.

Built to perform

A durable design helps ensure essential workloads are completed. The LBP6310dn is equipped with a 250-sheet cassette and 50-sheet tray as standard. An additional 500-sheet cassette, provides 800-sheet total paper supply, which ensures low replenishment times. With a user-friendly, space-saving design the printer fits conveniently into busy office environments. Automatic duplex printing creates professional-looking documents while simultaneously saving time and money.

Network ready for easy integration and operation

The LBP6310dn includes a built-in network interface. As a result, it can be quickly and seamlessly integrated with your network, making this printer ideal for sharing within small businesses and workgroups. A Remote User Interface (RUI) enables the LBP6310dn to be monitored and managed remotely.

Energy-saving design

With the LBP6310dn, you can save energy without sacrificing performance. A TEC* rating of just 1.9 kwh/w, plus impressive energy consumption levels of 9 watts in standby and 1 watt in sleep mode, help reduce your carbon footprint, support your environmental objectives and result in lower running costs. The Auto Shutdown Tool improves the printer's energy efficiency further.

Specifications:

© 2014 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	CANON ISENSYS LBP6310DN LASER
PRINTER ENGINE	
Print Speed	33 ppm mono (A4)
Printing Method	Monochrome laser beam printing
Print Quality	Up to 2400 x 600 dpi with Automatic Image Refinement
Print Resolution	Up to 600 x 600 dpi
Warm-up Time	Approx. 10 seconds or less from power on
First Page Out Time	Approx. 6 seconds or less
Duty Cycle	Max. 25,000 pages per month
Print Margins	5 mm-top, bottom, left and right
MEDIA HANDLING	
Paper Input (Standard)	250-sheet cassette
	50-sheet multi-purpose tray
Paper Input (Option)	500-sheet cassette
Paper Output	150-sheet face down
Media Types	Plain paper, Heavy Paper, Transparency, Label, Index card, Envelope
Media Sizes	Cassette (Standard and optional):
	A4, B5, A5, A6, Legal, Letter, Executive, 16K, Custom sizes: Width 105 mm to 215.9 mm; Length 148.0 mm to 355.6 mm.
	Multi-purpose tray:
	A4, B5, A5, A6, Legal, Letter, Executive, 16K, Envelope DL, Envelope COM10, Envelope C5, Envelope B5, Envelope Monarch, Index Card, Custom sizes: Width: 76.2 to 215.9mm Length: 127.0 to 355.6mm
Media Weights	Cassette (Standard and optional): 60 to 120 g / m ²
	Multi-purpose tray: 60 to 163 g / m ²

ComX Computers

Product Specification Sheet

Double Sided Printing	Automatic
GENERAL FEATURES	
Power Requirements	220-240V (+/-10%) 50 / 60Hz (+/-2Hz)
Power Consumption	Maximum: Approx. 1170 W or less
	Active: Approx. 540 W
	Standby: Approx. 9 W
	Sleep: 1W
	Typical Electricity Consumption (TEC): 1.3 kWh / week
Noise Level	Sound power ² :
	Active: 7.06 B or less
	Standby: Inaudible
	Sound pressure ² :
	Active: 54.2 dB(A) or less
	Standby: Inaudible
Dimensions (W x D x H)	400 mm x 376 mm x 263 mm
Weight	Approx. 11.2 kg
Operating Environment	Temperature: 10 to 30°C (50 to 86°F)
	Humidity 20 to 80% RH (no condensation)
Control Panel	4 LED indicators
	1 Operation key
CONTROLLER	
Memory	16 MB
Printer Languages	Canon Advanced Printing Technology (CAPT)
Interface and Connectivity	USB 2.0 High-Speed
	10BASE-T / 100BASE-TX
Software and Printer Management	NetSpot Device Installer, Remote User Interface (RUI)
Operating Systems Compatibility	Windows XP(32bit / 64bit) / Vista (32bit / 64bit) / 7 (32bit / 64bit) / 8 (32bit / 64bit) / Server 2003 (32bit / 64bit) / Server 2008(32bit / 64bit) / Server 2008 R2 (64bit) /
	Mac OS10.5.x and up
	Linux ²
	Citrix
CONSUMABLES	
All-in-One Cartridges	Standard: Cartridge 719 (2, 100 pages)
	High yield: Cartridge 719 H (6, 400 pages)
ACCESSORIES / OPTIONS	
Items	PAPER FEEDER PF-44 (500-sheet cassette)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/CANON-ISENSYS-LBP6310DN-LASER-Canon-i-SENSYS-LBP6310dn-Mono-Laser-Printer-p-85602.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-28 17:09:50.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.