

CH-i915-K

In Win 915 Black E-ATX Full Tower Chassis

Product Overview

In Win 915 Full Tower Chassis, Black+Black interior - with multifunctional button controls ventilation top cover + LED lighting effects, automatic top cover for ventilation, Illuminated RGB LED Control with 13 lighting effect, dual 3mm tempered glass side panels with silkscreened design, no psu, dedicated bottom chambers design for heat separation with adjustable HDD/PSU divider, support up to 410mm long card, brushed-hairline aluminium; 1x USB 3.1 type C + 2x front USB 3.0 + audio in/out - support up to 13x2.5" or 4x3.5"+9x2.5" drives - up to 9 fan with magnetic aluminium dust filter, support up to 360mm radiators, support up to 4x radiators (120+240+280+360mm) - support up to E-ATX - up to 8x expansion cards



Specifications

Features:

Stay Ahead of the Curve

The InWin 915 joins the 9-series lineup of elegant aluminium and tempered glass cases, but with a twist! The 915's curvature design is complemented with a diamond-cut outline. The front and back panels are constructed of solid 3mm, anodized aluminium. Particularly on the backside of the chassis, it's designed to feed cables in a more organized manner so that it doesn't look so cluttered.

Multifunctional Button

The top 915 button is crucial since it controls the ventilation cover and LED lighting effects. Come and explore the versatile functions the 915 has to offer!

Ventilation on Demand

The 915's top cover will automatically rise when powering on the system, and close when turning it off. A button is provided along the front I/O to manually control the top ventilation cover to suit user's preferences.

Beat the Heat!

When it's time to power off your rig, the top panel automatically closes, but will delay approximately 15 seconds (depends on the power supply capacitors). This is to exhaust any residual heat.

Illuminated LED Control

Designed with two lighting modes, the 915 allows users to switch between InWin LED lights and addressable RGB modes to personalize your rig! The 915 hosts 13+ distinctive lighting effects with a variety of luminous styles.

Addressable RGB MODE

To use the addressable features, connect the addressable cable (3-pin, 5V) to a motherboard with addressable headers. If your motherboard doesn't feature addressable headers, the lighting will be placed on a default setting (InWin LED mode).

Visual Language

The LEDs along the of the front panel serve another purpose other than it's stunning good looks. It also functions as a system failure indicator. Flashing colors determine the potential problem in order to troubleshoot the issue much easier.

Distinct Silkscreened Side Panel

It's all about the tempered glass! This unique side panel covers the cable management area with an array of silkscreened designs. It hides cables, but LED lights pierce through to create an extraordinary lighting spectacle. Both 915 side panels are equipped with 3mm of tempered glass. Take pride in your building skills and create art!

Dual GPU Placement

One of the most satisfying parts to any build is the view of the beloved GPU. The 915 gives users the option to display vertically or horizontally. All that's left to do is build excellence!

User-Friendly and Thoughtfully Designed

The tempered glass side panels of the 915 are designed with a tool-less feature. To remove, simply pull the tab. The side panels are fitted with aluminium strips along the top and bottom to ensure your tempered glass panels are protected. There are safety features in place that will prevent the tempered glass from falling when removing the panels.

Specifications:

© 2018 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	CH-i915-K
Model	915
Part Number	IW-915-Black
Color	Black
Case Type	Full Tower
Material	Aluminium, Tempered Glass, ABS, SECC
M/B Compatibility	12" x 13.5" E-ATX, ATX, Micro-ATX, Mini-ITX
Expansion Slots	PCI-E x 8
	Vertical PCI-E x 2
	(Riser Card Optional, Not Included in Package)
Maximum Compatibility	VGA Card Length : 410mm (Maximum)
	VGA Card Width: 168mm (Maximum)
	Vertical Display VGA Card Height: 50mm (Maximum)
	CPU Heatsink Height : 164mm

ComX Computers

Product Specification Sheet

Front Ports	1 x USB 3.1 Gen 2 Type-C
	2 x USB 3.0
	HD Audio
	Top Cover Ventilation & LED Lighting Control Switch
Internal Drive Bays	4 x 2.5"/3.5"
	(Bottom Drive Bay Trays)
	5 x 2.5"
	(4 Brackets and 1 Mounting Area on Motherboard Tray)
	4 x 2.5"
	(Multifunctional Fan Bracket Mounts)
	Max Drive Support:
	13 x 2.5" Drives or 4 x 3.5" Drives and 9 x 2.5" Drives
Thermal Solution Compatibility	3 x 120/140mm Front Fans / 280/360mm Radiator
	(280mm Radiator Height up to 53mm, 360mm Radiator Height up to 56mm)
	1 x 120mm Rear Fan / 120mm Radiator
	3 x 120/140mm Top Fans / 280/360mm Radiator
	(Height up to 70mm)
	2 x 120/140mm Bottom Fans / 240/280mm Radiator
Power Supply Compatibility	PSII: ATX12V
	- 250mm Mounting Area
	(Length up to 320mm when Two HDD Cages Removed)
Product Dimension	570 x 230 x 590mm
(H x W x D)	22.4" x 9.1" x 23.2"
Product Dimension	595 x 238 x 645mm
(H x W x D) with screw & handle height & Top Raised	23.4" x 9.4" x 25.4"
Package Dimension	740 x 392 x 792mm
(H x W x D)	29.1" x 15.4" x 31.2"
Net Weight	16.4kg / 36.2lb
Gross Weight	19.8kg / 43.7lb

ComX Computers

Product Specification Sheet

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx-computers.co.za/CH-i915-K-In-Win-915-Black-E-ATX-Full-Tower-Chassis-Buy-p-209401.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-12 15:11:24.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.