ComX Computers
Product Specification Sheet

CL-W157-PL12SW-A

Thermaltake Floe Riing RGB 240 TT Premium Edition 16.8 million colours liquid CPU cooler

Product Overview

Thermaltake CL-W157-PL12SW-A Floe Riing RGB 240 TT Premium Edition 16.8 million colours liquid CPU cooler, 2x 120mm Riing Plus RGB fans and a LED waterblock, Copper Water Block, Compatible with Intel LGA 2066 / 2011-3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 / AMD AM4 / FM2 / FM1 / AM3+ / AM3 / AM2+ / AM2









Specifications

Overview:

Thermaltake Floe Riing RGB 240 TT Premium Edition

The Floe Riing RGB 240 TT Premium Edition is the world's first 16.8 million colors liquid CPU cooler with two 120mm Riing Plus RGB fans and a LED waterblock. This cooler series features its extraordinary performance and superior quality. The large surface radiator plus high-performance waterblock and pump guarantees ultimate CPU cooling. Besides, the waterblock and the fans are manufactured with multiple addressable LEDs that can be controlled by the patented TT RGB PLUS Software and AI interactive voice control. Functions within the software also allow users to monitor fan performance and track CPU temperature. Enjoy better cooling performance and greater CPU protection with one simple upgrade!

Features:

Tt LCS Certified

Tt LCS Certified is a Thermaltake exclusive certification applied only to products that pass the design and hardcore enthusiast standards that a true LCS chassis should hold to. The Tt LCS certification was created so that we at Thermaltake can indicate

to all power users which chassis have been tested to be best compatible with extreme liquid cooling configurations, ensuring you get the best performance from the best features and fitment.

TT RGB PLUS

TT RGB PLUS Ecosystem is the intelligent lighting system for PCs that combines the most advanced addressable LED lighting with Thermaltake's patented TT RGB PLUS Software. TT RGB PLUS ecosystem provides nearly unlimited possibilities for playing with colors, synchronizing lights to games, music, CPU temperatures or other TT RGB PLUS products, including case fans, CPU/VGA waterblocks, AIO CPU coolers, PSUs, LED strips and peripherals. The patented software allows users to change the light modes, colors, speeds, brightness, fan speeds, and even supports AI voice control in iOS and Andriod devices.

Patented TT RGB PLUS Software & App

Monitor the fan performance, adjust the fan speeds, and customize the lighting effects for Thermaltake RGB PLUS series products with the patented TT RGB PLUS Software and an exclusively designed mobile app. Choose a function from below and scroll down to read the details.

*Compatibility: Requires TT RGB PLUS Software 1.0.5 or later.

SyncALL, Say "Hello TT" - Thermaltake AI Voice Control

Talking to TT RGB PLUS App is an easier, faster way to set lights for your systems. You can ask it to turn the lights on or off, switch lights modes, dim the lights, change light colors, or adjust lights speeds or fan speeds. Choose a video from below to see how it works.

*This function is currently only available for iOS devices, requires iOS 10.0 or later.

*Compatibility: Requires TT RGB PLUS Software 1.1.5 version or later.

Specifications:

© 2018 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	CL-W157-PL12SW-A
Compatibility	Intel LGA 2066 / 2011-3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150
	AMD AM4/FM2/FM1/AM3+/AM3/AM2+/AM2
Water Block	Material:Copper
Pump	Rated Voltage:12 V/ 5V
	Rated Current:325 mA / 0.4A
	Motor Speed:3600 R.P.M
Fan	Dimension:120 x 120 x 25 mm
	Speed:500~1400 RPM
	Noise Level:19.8~24.7 dB-A
	Rated Voltage:12 V
	Max. Air Flow:14.2~42.34 CFM
	Max. Pressure:0.17~1.54 mm-H2O
	Connector:5 pin
Radiator	Dimension:240 x 120 x 27 mm

Tube	Length:326 mm
	Material:Rubber
Weight	1355g

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/CL-W157-PL12SW-A-Thermaltake-Floe-Riing-RGB-240-TT-Premium-Edition-16-8-million-colours-p-187442.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-08 04:46:46.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.