

CL-W255-PL12SW-A

Thermaltake Floe DX RGB 240 TT Premium edition Software controlled 240mm liquid cooler

Product Overview

Thermaltake Floe DX RGB 240 TT Premium edition Software controlled 240mm liquid cooler, Copper material, 326 mm length, Rubber material, Supports Intel LGA 2066 / 2011-3 / 20112066 / 2011-3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150 & AMD AM4 / FM2 / FM1 / AM3+ / AM3 / AM2+ / AM2



Specifications

Overview:

Floe DX RGB 240 TT Premium Edition

- Patented TT RGB PLUS Software & App.
- Fascinating RGB Illumination.
- Works with Razer Chroma.

Features:

Floe DX RGB 240 TT Premium Edition

Software controlled 240mm liquid cooler designed for AMD and Intel motherboards, with addressable 16.8M colors LED water block, patented Riing Duo RGB fans and PWM function.

The Thermaltake Floe DX RGB is an all-in-one liquid CPU cooler with remarkable Riing Duo addressable RGB fans and waterblock. Comes with digital control LED rings on water block and fans. Furthermore, the universal socket design supports both Intel and AMD motherboard.

Tt LCS Certified

Thermaltake exclusive certification applied only to products that pass the design and hardcore enthusiast standards that a true LCS chassis should hold to.

TT RGB PLUS

TT RGB PLUS Ecosystem is the intelligent lighting system for PCs that combines the most advanced addressable LED lighting with Thermaltakes patented TT RGB PLUS Software.

Patented TT RGB PLUS Software & App

TT RGB PLUS Ecosystem is the intelligent lighting system for PCs that combines the most advanced addressable LED lighting with Thermaltakes patented TT RGB PLUS Software. TT RGB PLUS ecosystem provides nearly unlimited possibilities for playing with colors, synchronizing lights to games, music, CPU temperatures or other TT RGB PLUS products, including case fans, CPU/VGA waterblocks, AIO CPU coolers, PSUs, LED strips and peripherals. The patented software allows users to change the light modes, colors, speeds, brightness, fan speeds, and even supports AI voice control in iOS and Android devices.

Fascinating RGB Illumination

Equipped with two Riing Duo RGB fans (36 LEDs), the Floe DX 240 offers extraordinary performance whilst supporting our TT RGB PLUS software to control lighting effects and fan speed.

Works with Razer Chroma

All Thermaltake TT RGB PLUS products are able to connect into the Razer Chroma ecosystem. Users who have installed both the TT RGB PLUS Software and Razer Synapse 3 can experience synchronized gaming and RGB lighting effects on their TT RGB PLUS liquid cooling system and gaming gear! From cooldown timers, health bars, and flashy ultimate indicators, to subtle ambient lighting that sets the perfect mood for each game, Razer Chroma provides an experience that transcends the screen and into your full setup, for a truly immersive experience. *At least one Razer Chroma product and one TT RGB PLUS product is required for synchronization.

Works with Amazon Alexa

All Thermaltake TT RGB PLUS products support Amazon Alexa Voice Service, allowing you to control the lights or fan speeds by talking to the Alexa-enabled device. With the support of Amazon Alexa, TT RGB PLUS products also offer an additional visual cue for checking current weather condition in your location or anywhere in the world. All you have to do is simply starting

the sentence with "Alexa, tell Thermaltake", then the lighting color will correspond to the weather condition in the location.

Patented Riing Duo RGB TT Premium Edition Radiator Fan

The high-static pressure fan is featuring long-life hydraulic bearing and compression fan blade design, delivering remarkable cooling performance without sacrificing quiet operation. Riing Duo is efficient and gorgeous!

High Efficiency Radiator

Special designed 240mm large surface radiator not only doubles the cooling surface, but also supports up to 4x120mm fans for additional heat dissipation.

Ultimate CPU Cooling Performance

Combined with a copper base plate and a reliable pump the Floe DX series provides high performance and unparalleled heat dissipation.

Digital Lighting Controller

The controller is designed with a DIP switch on the back. Hence, you can set a number for each controller easily. You can add up to 5 devices to one lighting controller and up to 16 controllers to the software. The controller and the coding guide are included in all packs.

*It is recommended to connect up to 3 controllers on one peripheral cable (Molex) only.

Simple Setup

Featuring superb cooling performance, the Floe DX RGB Series provides an easy installation system and a totally maintenance-free operation, requiring only the minimum amount of space in the chassis.

Specifications:

© 2019 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	CL-W255-PL12SW-A
P/N	CL-W255-PL12SW-A
Pump	Rated Voltage :12 V / 5V
	Rated Current :325 mA / 0.4A
	Motor Speed :3600 R.P.M
Water Block	Material:Copper
Fan	Dimension:120 x 120 x 25 mm
	Speed:500 ~ 1500 RPM
	Noise Level:19 ~ 23.9 dB-A
	Rated Voltage:12 V
	Max. Air Flow:42.45 CFM
	Max. Pressure:1.45 mm-H2O
	Connector:9 pin

ComX Computers

Product Specification Sheet

Tube	Length:326 mm
	Material:Rubber
Radiator	Dimension:270x 120 x 27 mm
Compatibility	Intel LGA 2066 / 2011-3 / 20112066 / 2011-3 / 2011 / 1366 / 1156 / 1155 / 1151 / 1150
	AMD AM4/FM2/FM1/AM3+/AM3/AM2+/AM2

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/CL-W255-PL12SW-A-Thermaltake-Floe-DX-RGB-240-TT-Premium-Buy-p-227961.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-23 08:41:46.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.