

CLBP6030

Canon i-SENSYS LBP6030 Laser Printers

Product Overview

Canon Mono Laser Lbp6030 Printer; 18ppm;150 Sheet Paper Tray; 2400 X 600dpi With Air; Fpot 7.8sec; 2w In Sleep Mode; Server 2003;8; Xp; Vista;win7;win8;win8.1; Mac & Linux Web Distribution Only; Crg 725 Starter



Specifications

Overview:

Compact and efficient, the LBP6030 is designed to help save space and perform high-speed print jobs, with low energy consumption.

Features:

On Demand Fixing Technology

Canon's proprietary technology On-Demand Fixing consume less power and warm up quickly compared to the conventional fusing roller designs, enabling a fast warm up time and quick first print.

UFR II LT

With Canon UFR II LT print language, the printer takes full advantage of the PC's processing power. UFR II LT effectively removes the need for expensive memory upgrades on the printer.

Minimal Maintenance

The Canon all-in-one toner cartridge 325 integrates the photosensitive drum, cleaning unit and toner reservoir in one compact package, saving costs and making cartridge replacements easy.

Low Energy Consumption

The printer can be configured to enter sleep mode and auto shutdown after it remains idle for a specified length of time, consuming less energy. With a low Energy Star Typical Electricity Consumption value of 0.48kWh/week, it is easy to be kind to the environment while saving cost.

Specifications:

Print	
Printing Method	Monochrome Laser Beam Printing

ComX Computers

Product Specification Sheet

Print Speed	A4: Up to 18ppm
	Letter: Up to 19ppm
Print Resolution	600 x 600dpi
Print Quality with Image Refinement Quality	2400 (equivalent) x 600dpi
Warm-Up Time (From Power On)	10secs. or less
First Printout Time (FPOT)	Approx. 7.8secs.
Recovery Time (From Sleep Mode)	Approx. 1secs.
Print Language	UFR II LT
Paper Handling	
Paper Input (Standard)	150 sheets (based on 80g/m2)
Paper Output	100 sheets (face down) (based on 80g/m2)
Paper Size	A4, B5, A5, Legal*1, Letter, Executive, 16K, Envelope COM10, Envelope Monarch, Envelope C5, Envelope DL
	Custom: Width 76.2 to 216 x Length 188 x 356mm
Paper Weight	60 to 163g/m2
Paper Type	Plain paper, Heavy Paper, Transparency, Label, Envelope.
Connectivity and Software	
USB Interface	USB 2.0 High Speed
Compatible Operating Systems	Win 8.1 (32 / 64bit), Windows 7 (32 / 64-bit), Windows Server 2012 (32 / 64bit), Windows Server 2012 R2 (64 bit), Windows Server 2008 (32 / 64-bit), Windows Server 2008 R2 (64-bit), Mac OS 10.7.x-10.9 *3, Linux*3, Citrix
General Specification	
Operation Panel	2 LED Indicators, 2 Operation Key
Device Memory	32MB
Dimensions (W x D x H)	364 x 249 x 199mm
Weight	Approx. 5.0kg (Without Cartridge)
Noise Level	During Operation:
	Sound Power Level: 6.53B or less
	Sound Pressure Level: Approx. 49.3dB
	During Standby:
	Sound Power Level: Inaudible
	Sound Pressure Level: Inaudible
Maximum Power Consumption	870W
Average Power Consumption	During Operation: Approx. 330W
	During Standby: Approx. 1.8W
	During Sleep: Approx. 0.8W

ComX Computers

Product Specification Sheet

Energy Star TEC (Typical Electricity Consumption)	0.47kWh/week
Operating Environment	Temperature: 10~30 degreesC
	Humidity: 20% to 80% RH (no condensation)
Power Requirement	220 - 240V (+/-10%), 50 / 60Hz (+/-2Hz)
Toner Cartridge	Cartridge 325: 1,600 pages (Bundled Cartridge: 700 pages)
Monthly Duty Cycle	Up to 5,000 pages
Recommended Monthly Print Volume	200 - 800 pages

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx-computers.co.za/CLBP6030-Canon-i-SENSYS-LBP6030-Laser-Printers-p-124655.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-27 11:17:41.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.