
CRS326-24G-2S+I

MikroTik 24x Gigabit Ports & 2x SFP+ Ports clud Router Switch + Desktop Case

Product Overview

MikroTik 24x Gigabit Ports & 2x SFP+ Ports clud Router Switch + Desktop Case, CRS326-24G-2S+IN, RouterOS License 5, RouterOS / SwitchOS Operating System, 2 DC inputs (DC jack / PoE-in), 24x Gigabit Ethernet Ports, 2x SFP+ Ports







Specifications

Overview Summary:

Upgrade your home or small office network with the MikroTik CRS326-24G-2S+IN router switch. This compact, fanless desktop switch packs 24 Gigabit Ethernet ports and 2 SFP+ cages, delivering high-speed connectivity and robust network management. Dual boot capability allows you to choose between SwOS for simple switch management or RouterOS for advanced routing, firewall, NAT, and VPN functions. Designed for quiet, efficient operation, it's perfect for home setups needing server-grade performance without the bulk of traditional rackmount switches. Shop now to streamline your network with reliable MikroTik performance.

With its durable build and versatile PoE/dual DC input, the CRS326-24G-2S+IN provides flexible power options and seamless integration into any network environment. Perfect for bandwidth management, VLAN configuration, port forwarding, and traffic monitoring. Buy now to enhance your network infrastructure with a cost-effective, professional-grade switch.

Performance tier: Professional / Home office

Uses: Home network, small office network, VLAN management, firewall configuration, NAT and VPN routing, traffic monitoring

Overview:

CRS326-24G-2S+IN Desktop Router Switch
Bring server-grade networking power to your home with the CRS326-24G-2S+IN. This compact desktop switch offers a seamless blend of performance, versatility, and quiet operation, making it ideal for advanced home networks and small office setups. With 24 Gigabit Ethernet ports and 2 SFP+ slots, it delivers high-speed connectivity without compromise.

This router switch supports dual boot functionality, allowing you to choose between the intuitive SwOS interface or the full-featured RouterOS for more advanced networking tasks. Equipped with a powerful CPU and 512 MB of RAM, it can handle firewall rules, NAT, VPN connections, VLANs, and traffic management effortlessly. Its fanless desktop design ensures quiet operation while maintaining reliable performance.

Features:

Compact Desktop Design with Server-Level Performance
The CRS326-24G-2S+IN is designed for users who need robust networking without the bulk of a traditional rackmount switch. Its compact size makes it easy to place in any home or small office environment while providing the same performance capabilities as larger switches. Dual DC inputs allow flexible power options, including PoE-in, ensuring stable operation in various setups.

High-Speed Connectivity Options

- 24 Gigabit Ethernet ports for fast and reliable wired connections
- 2 SFP+ slots supporting both 1.25G SFP and 10G SFP+ modules
- Ideal for connecting multiple devices and uplinks to high-speed networks

Advanced Network Management

- Supports dual boot with SwOS for simplified control or RouterOS for advanced configuration
- VLAN setup, port-to-port forwarding, and traffic mirroring
- Bandwidth management and MAC/IP header adjustments for precise network control
- MAC filtering to improve network security and manage device access

Quiet and Efficient Operation

- Fanless design reduces noise while keeping internal components cool
- Low power consumption suitable for home or small office use
- Desktop form factor allows easy placement and transport

Reliable Home Network Solution
With its combination of powerful hardware and versatile software, the CRS326-24G-2S+IN is perfect for home users who need advanced networking features without the complexity of enterprise equipment. It delivers consistent performance, flexible connectivity, and full control over your network traffic, all in a compact and easy-to-use package.

Specifications:

© 2025 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	CRS326-24G-2S+I
Specifications	
Product code	CRS326-24G-2S+IN
Architecture	ARM 32bit
CPU	98DX3236
CPU core count	2
CPU nominal frequency	800 MHz
Switch chip model	98DX3236
Dimensions	285 x 144 x 44 mm
RouterOS license	5
Operating System	RouterOS / SwitchOS
Size of RAM	512 MB
Storage size	16 MB
Storage type	FLASH
MTBF	Approximately 200'000 hours at 25C
Tested ambient temperature	-40degreesC to 60degreesC
Powering	
Number of DC inputs	2
	(DC jack, PoE-IN)
DC jack input Voltage	10-30 V
Max power consumption	21 W
PoE in	Passive PoE
Cooling type	Passive
PoE in input Voltage	10-30 V
Ethernet	
10/100/1000 Ethernet ports	24
Fiber	
SFP+ ports	2
Peripherals	
Serial console port	RJ45
Certification & Approvals	
Certification	CE, EAC, ROHS
IP	IP20
	Included parts
	24V 1.2A power adapter

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/CRS326-24G-2S-I-MikroTik-24x-Gigabit-Ports-2x-SFP-Ports-clud-Router-Switch-Desktop-p-332866.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-15 23:16:50.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.