

## CS-LC1-A0-1B2WPFRL(2.8MM)

Ezviz LC1 Full HD 1080p Wireless Floodlight Camera

### Product Overview

Ezviz LC1 Wireless Floodlight Camera 1080p, Full HD, 270 degree PIR detection range, Omni-directional protection, Night vision, up to 60f, Dustproof and Waterproof, IP65, Retail Box



### Specifications

#### Overview:

Light up dark spots and add security to outdoor areas around your house with a powerful full-HD security camera armed with ultra-bright lights and defence. Professional Installation Recommended.

#### Features:

##### Light the Way Back Home

With dual 2500 LM LED lights, the Floodlight brightens up your way home and illuminates every dark corner of your front porch, backyard, and anywhere else that needs light.

##### Extra Protection with Active Defence

When someone enters the Floodlight's 270-degree PIR motion detection area, it emits a 100 dB alarm with flashing light to deter potential intruders. Simultaneously it sends an alert with captured images to your smartphones. You can also customise the detection area to keep an eye on places where you need it the most.

##### Sharpest Night Guard

The EZVIZ Floodlight supports night vision up to 18 metres (60 ft.). It renders sharp, Full HD 1080p images even where there are no lights, so you keep a vigilant eye all night long.

##### Strong and Durable

Designed for outdoor use, the EZVIZ Floodlight braves any weather - sun, rain, or snow, it stands strong

##### Multiple Storage Solutions

The Floodlight comes with a built-in MicroSD card slot that can store up to 128 GB of recorded footage. You can also save your images to EZVIZ Cloud\* for additional back-up.

##### Security at Your Fingertips

## ComX Computers

### Product Specification Sheet

With the EZVIZ App and EZVIZ Studio Software, you can capture, save, protect, and share what's valuable to you.

#### Specifications:

© 2020 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

#### Specifications

|              |                           |
|--------------|---------------------------|
| Product Code | CS-LC1-A0-1B2WPFRL(2.8MM) |
|--------------|---------------------------|

#### Specifications

|              |                           |
|--------------|---------------------------|
| Product Code | CS-LC1-A0-1B2WPFRL(2.8MM) |
|--------------|---------------------------|

|             |                                            |
|-------------|--------------------------------------------|
| Description | Ezviz LC1 Wireless Floodlight Camera 1080p |
|-------------|--------------------------------------------|

#### System Parameters

|           |                                         |
|-----------|-----------------------------------------|
| Processor | High-Performance Embedded SOC Processor |
|-----------|-----------------------------------------|

|                  |                |
|------------------|----------------|
| Operation System | Embedded Linux |
|------------------|----------------|

#### Light Parameters

|      |   |
|------|---|
| Lamp | 2 |
|------|---|

|     |         |
|-----|---------|
| LED | SMD LED |
|-----|---------|

|            |               |
|------------|---------------|
| Brightness | 2500LM (-10%) |
|------------|---------------|

|     |    |
|-----|----|
| CRI | 80 |
|-----|----|

|                   |       |
|-------------------|-------|
| Color Temperature | 3000k |
|-------------------|-------|

|           |                                |
|-----------|--------------------------------|
| Life-span | @B50L70 @Ta 25 degreesC 48000H |
|-----------|--------------------------------|

#### PIR Sensor Detection

|                    |          |
|--------------------|----------|
| Detection Distance | 9m/30 ft |
|--------------------|----------|

|                 |             |
|-----------------|-------------|
| Detection Range | 270 degrees |
|-----------------|-------------|

|                  |          |
|------------------|----------|
| Motion Detection | Supports |
|------------------|----------|

#### Camera Parameters

|            |       |
|------------|-------|
| Resolution | 1080p |
|------------|-------|

|               |                                                |
|---------------|------------------------------------------------|
| Field of View | 140 degrees(Diagonal), 115 degrees(Horizontal) |
|---------------|------------------------------------------------|

|              |                |
|--------------|----------------|
| Night Vision | Up to 18m/60ft |
|--------------|----------------|

#### Video Parameters

|                      |             |
|----------------------|-------------|
| Compression Standard | Smart H.264 |
|----------------------|-------------|

|                 |                  |
|-----------------|------------------|
| Max. Resolution | 1920 x 1080, FHD |
|-----------------|------------------|

|            |                                                                        |
|------------|------------------------------------------------------------------------|
| Frame Rate | 50Hz @ 25fps, 60Hz @ 30fps Adaptive frame rate of network transmission |
|------------|------------------------------------------------------------------------|

|     |        |
|-----|--------|
| DNR | 3D DNR |
|-----|--------|

|     |          |
|-----|----------|
| BLC | Supports |
|-----|----------|

#### Audio Parameters

|             |                                    |
|-------------|------------------------------------|
| Audio Input | Built-in omni-direction microphone |
|-------------|------------------------------------|

|              |                      |
|--------------|----------------------|
| Audio Output | Built-in loudspeaker |
|--------------|----------------------|

## ComX Computers

### Product Specification Sheet

|                             |                                                         |
|-----------------------------|---------------------------------------------------------|
| Audio Quality               | Noise suppression                                       |
| Network Parameters          |                                                         |
| Wireless                    | Wireless 802.11 b/g/n @2.4GHz only (2T2R, Dual-antenna) |
| Network Configuration       | Soft AP Configuration                                   |
| Minimum network requirement | 2.0 Mbps                                                |
| Storage Parameters          |                                                         |
| Local Storage               | Support Micro SD Card (Up to 128GB)                     |
| Cloud Storage               | EZVIZ Cloud Storage (Optional)                          |
| Event                       |                                                         |
| Sensor                      | PIR Motion Detection Sensor                             |
| Alarm                       | Customised Alert Area                                   |
| Intelligence                | Motion Detection                                        |
| General                     |                                                         |
| Siren                       | 100-decibel alarm                                       |
| Fixture Material            | Cast aluminum (Lights) and Plastics (Camera)            |
| Operating Conditions        | -30°C ~ 50°C (-20°F ~ 120°F), Humidity 95% or less      |
| Power Supply                | Hardwired (110V-240V)                                   |
| Power Consumption           | <=2W (normal), <=8W (max)                               |
| Ingress Protection Grade    | IP65 on camera (Wet Location for light)                 |
| Product Dimensions          | 196mm x 211mm x 227mm                                   |
| Package Dimensions          | 235mm x 250mm x 270 mm                                  |
| Weight                      | 1757g                                                   |

## Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

**Product page:**

<https://www.comx-computers.co.za/CS-LC1-A0-1B2WPFRL-2-8MM-Ezviz-LC1-Full-HD-1080p-Wireless-Buy-p-237455.php>

*Images and specifications are provided for reference and are subject to change without notice. E&OE.*

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-08 04:01:34.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.