

DS-2CE19DF8T-AZE

Hikvision 2MP ColorVU PoC motorized Varifocal bullet Analogue Camera with 2.8mm - 12 mm motorized Lens

Product Overview

Hikvision 2MP ColorVU PoC motorized Varifocal bullet Analogue Camera, 2.8mm to 12 mm motorized auto focus Lens Type, 1/1.8" 2 MP CMOS image sensor, 1920 (H) x 1080 (V) Maximum Resolution, 24/7 Colour imaging, PAL / NTSC signal system, Up to 40 m supplement light range, Brightness, Mirror, Sharpness, Anti-Banding, AGC, TVI 1080p @ 25 fps / 30 fps Frame rate, WDR, BLC, HLC, Global, HLS, 4 programmable Privacy masks, 3D DNR / 2D DNR noise reduction, 1 HD Analog Output Video Output, 4 programmable motion areas



Specifications

Overview:

DS-2CE19DF8T-AZE - 2 MP ColorVu PoC Motorized Varifocal Bullet Camera

- High quality imaging with 2 MP, 1920 x 1080 resolution
- 24/7 color imaging
- Clear imaging against strong back light due to 130 dB true WDR technology
- 3D DNR technology delivers clean and sharp images
- 2.8 mm to 12 mm varifocal lens, auto focus
- Smart Light, up to 40 m white light distance
- Water and dust resistant (IP68)

Specifications:

© 2022 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	DS-2CE19DF8T-AZE
Camera	
Image Sensor	1/1.8" 2 MP CMOS
Max. Resolution	1920 (H) x 1080 (V)

ComX Computers

Product Specification Sheet

Min. Illumination	0.0003 Lux @ (F1.0, AGC ON), 0 Lux with white Light
Shutter Time	PAL: 1/25 s to 1 / / / 50,000 s, NTSC: 1/30 s to 1 / / / 50,000 s
Day & Night	24/7 Color Imaging
Angle Adjustment	Pan:0 degrees to 360 degrees, Tilt: 0 degrees to 90 degrees, Rotation: 0 degrees to 360 degrees
Signal System	PAL/NTSC
Lens	
Lens Type	2.8 mm to 12 mm motorized, auto focus
Focal Length & FOV	horizontal FOV: 92.3 degrees to 34.2 degrees, vertical FOV: 48.4 degrees to 19 degrees, diagonal FOV: 112.2 degrees to 39.2 degrees
Lens Mount	Ø24
Illuminator	
Supplement Light Range	Up to 40 m
Smart Supplement Light	Yes
Supplement Light Type	White Light
Image	
Image Parameters Switch	STD/HIGH-SAT/HIGHLIGHT
Image Settings	Brightness, Mirror, Sharpness, Anti-Banding, AGC
Frame Rate	TVI: 1080p @ 25 fps/30 fps
Wide Dynamic Range (WDR)	>=130 dB
Image Enhancement	WDR, BLC, HLC, Global, HLS
Privacy Mask	4 programmable privacy masks
Noise Reduction	3D DNR/2D DNR
White Balance	Auto/Manual
Interface	
Video Output	1 HD analog output
Event	
Motion Detection	4 programmable motion areas
General	
Material	Metal
Dimension	89.5 mm x 85.6 mm x 237.1 mm (3.52" x 3.37" x 9.33")
	Approx. 1020 g (2.25 lb.)
Operating Condition	-40 degreesC to 60 degreesC (-40 degreesF to 140 degreesF), Humidity: 90% or less (non-condensing)
Communication	HIKVISION-C
Language	English
Power	12 VDC/24 VAC+/-20%/PoC.at, Max: 12.2 W
Approval	

ComX Computers

Product Specification Sheet

Protection	IP68
------------	------

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/DS-2CE19DF8T-AZE-Hikvision-2MP-ColorVU-PoC-motorized-Buy-p-270946.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-09 00:21:00.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.