ComX Computers
Product Specification Sheet

DS-D5024FN10

Hikvision DS-D5024FN10 24" FHD VA Monitor

Product Overview

Hikvision DS-D5024FN10 24" FHD VA Monitor, 23.8" 1080P, HDMI/VGA input, view angle: 178 degrees/178 degrees, plastic casing, VESA, base bracket included, 12V DC



Specifications

Features:

- Ultra-thin device body with ultra-thin border for 3 sides.
- 8 bit LVDS HD (1920 x 1080) display.
- 178 degrees ultra-wide view screen.
- 3D noise reduction.
- Low blue light design for eye care.
- Dual interface of HDMI and VGA.
- Support VESA wall mount.

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	DS-D5024FN10
Display	
Screen Size	23.8 inch
Active Display Area	527.04 mm (H) x 296.46 mm (V)
Resolution	1920 x 1080
Backlight	E-LED
Pixel Pitch	0.2745 (H) mm x 0.2745 (V) mm
Brightness	250 cd/m²

Viewing Angle	178 degrees (H) / 178 degrees (V)
Color Depth	8 bit
Contrast Ratio	4000 :: 1
Response Time	6.5 ms (typ)(G to G)OD 5ms
Refresh Rate	Max. 75Hz, Typ. 60 Hz
Haze	Anti-Glare, 3H(Without Haze)
Reliability	7 x 24 H
Color Gamut	72% NTSC
Interface	
Video & Audio Input	HDMI 1.4 x 1, VGA x 1
Video & Audio Output	None
Data Transmission Interface	None
Control Interface	None
Power	
Power Supply	DC 12V, 2.5 A
Power Consumption	<= 30W
Standby Consumption	<= 0.5 W
Working Environment	
Working Temperature	0 degreesC to 40 degreesC (32 degreesF to 104 degreesF)
Working Humidity	20%~80% RH (Non-Condensing)
Storage Temperature	-20 degreesC to 60 degreesC (-4 degreesF to 140 degreesF)
Storage Humidity	20%~80% RH (Non-Condensing)
General	
Casing Material	Plastic
VESA	100 mm x 100 mm (4-M4 x 10 mm)
Bezel Width	1.8 mm (top/left/right), 21.4 mm (bottom)
Product Dimensions (W x H x D)	538.40 (W) mm x 326.35 (H) mm x 37.50 (D) mm(without stand)
	538.40 (W) mm x 407.10 (H) mm x 186.37 (D) mm(with stand)
Package Dimensions (W x H x D)	600 (W) mm x 408 (H) mm x 94 (D) mm
Net Weight	2.634 +/- 0.5 kg
Gross Weight	3.340 +/- 0.5 kg
Packing List	Monitor x 1, Base component x 1, Power adapter (12 V, 2.5 A) x 1, HDMI cable (1.5 m) x 1, User manual x 1, Multilingual manual x 1
Remarks	If the appearance and parameters in this specification vary from the actual product, the later prevails. You can also consult local sale staff.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/DS-D5024FN10-Hikvision-DS-D5024FN10-24-FHD-VA-Monitor-p-299176.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-14 06:09:07.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.