ComX Computers
Product Specification Sheet

DS-D5032QE

Hikvision DS-D5032QE 31.5" FHD Monitor

Product Overview

Hikvision DS-D5032QE 31.5" FHD Monitor, 1080P, HDMI/VGA input, view angle:178 degrees/178 degrees, 300cd/?, plastic casing, VESA, base bracket included, 7*24h



Specifications

Features:

- LED backlit technology with full HD 1920 x 1080
- 32" LED backlight monitor
- 16.7 million colors display images perfectly
- Multiple interfaces: HDMI, VGA, audio in
- Built-in speaker
- Wide viewing angle: Horizontal 178 degrees, Vertical 178 degrees
- 24/7 operation
- LED backlit technology with full HD 1920x1080
- 16.7 million color, display picture perfectly
- HDMI support up to 1080P
- Multiple inputs: HDMI, VGA
- Build-in speaker, Audio 5W*2
- Auto signal input Detection
- Smart engine for Phase/Image position/Color calibration
- Plastic casing
- Narrow front Bezel

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	DS-D5032QE
General	
Loudspeaker	5W*2
VESA	M4, 100mm*100mm
Dimensions(W*H*D)	727mm*474mm*64mm(with base)/727mm*424mm*64mm(28.62" x 18.66" x 2.52")
Packing Dimensions(W*H*D)	804mm*500mm*136 mm(31.65" x 19.69" x 5.35")
Gross Weight	6.763Kg(14.9 lb.)
Net Weight	5.09Kg(11.2 lb.)
Storage Temperature	-20 degreesC to 60 degreesC
Power Supply	AC100~240V, 50/60Hz
Working Temperature	0 degreesC to 40 degreesC
Working Humidity	20 - 80%RH (No Condensation)
Storage Humidity	10 - 90%RH (No Condensation)
Standby Power Consumption	
Power Consumption	
Color of Casing	Black
Interfaces	
HDMI Input	1
VGA Input	1
Audio Input	1
RJ45(RS232)	1
Accessories	
Power Cord	1
HDMI cable	1
User Manual	1
Remote Control	1
Monitor	
Backlight	LED Backlight
Screen Size	31.5 inch
Pixel Pitch	0.36375mm * 0.36375mm
Max Resolution	1920 * 1080@60Hz
Brightness	300 cd/m2(typ.)
Contrast	1200:1(typ.)
Response Time	8ms
Color	16.7M
Active Area	698.4(H)*392.85 (V) mm
Viewing Angle	178 degrees(H)/178 degrees(V)

Bracket	
Pedestal	1
Wall Mounted	Optional

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/DS-D5032QE-Hikvision-DS-D5032QE-31-5-FHD-Monitor-p-299073.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-14 00:49:21.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.