

DS-PK1-LT-WE

Hikvision DS-PK1-LT-WE Wireless LCD Keypad

Product Overview

Hikvision DS-PK1-LT-WE 868MHz AX PRO Series Wireless LCD Keypad, 868MHz two-way Tri-X wireless technology; Frequency hopping against jamming for reliable transmission; RF Range: 1200m(open space); LCD screen and LED to indicate system status, System configuration through LCD screen, Stay/away arming, disarming, alarm clearing for specified area or all areas; One-Push fire alarm, panic alarm, and medical alarm(Silent/Audible alarm selectable); Output control; Fully remote configurable through APP; Battery Type: 4 * AA batteries (included by default, easy replaceable), Battery Life: more than 2 years (standby time)



Specifications

Features:

- 868MHz two-way wireless communication
- LCD screen and LED to indicate system status
- System configuration through LCD screen
- Multiple operations like stay/away arm, disarm, silent alarm, output control
- One-Push fire alarm, panic alarm, and medical alarm
- Full touch key design with LED backlight
- Fully remote configurable through App

Specifications:

© 2023 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	DS-PK1-LT-WE
Hardware features	
Tag reader built in	Supported
Serial port	3
Tamper-Proof	Supported, front and rear

ComX Computers

Product Specification Sheet

Buzzer	Supported
Power switch	Power on/off
Electrical characteristics	
Battery type	Four CR123 batteries
Operation humidity	10% to 90%
Operation temperature	-10 degreesC to 55 degreesC
Battery life span	Up to 2 years (standby time)
Power consumption	Quiescent current: 80uA
	Max current: 300mA
	Voltage: 3v
Wireless transmission	
RF frequency	868 MHz
RF modulation	2GFSK
RF distance	1200m (open area)
Wireless technology	Tri-X Wireless Technology
Display	
Numeric key	Number key: 0-9
	Function key: *, #, Query, Away arm, Stay arm, Disarm, Output, Project, Right, Left
LED Indicator	Fault(orange), Enrollment/Signal (red/green), Arm(blue), Disarm(green), Alarm (red)
General	
Installation method	Wall-mounting
Dimension(WxHxD)	174.63 mm x 109.62 mm x 25.25 mm
Weight	With batteries: 348 g
	Without batteries: 282 g
Color	White

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/DS-PK1-LT-WE-Hikvision-DS-PK1-LT-WE-Wireless-LCD-Keypad-Buy-p-290578.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-08 11:00:17.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other

ComX Computers

Product Specification Sheet

information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.