

DSPKFE5

Hikvision wireless Remote with panic button

Product Overview

Hikvision wireless Remote with panic button



Specifications

About this product

The Hikvision Wireless Magnetic Contact (DS-PD1-MC-WWS) is a wireless security sensor that detects door or window opening and sends alerts via long range transmission to compatible alarm systems. Buy now from our site for reliable door and window intrusion detection in South Africa.

Overview Summary

The Hikvision Wireless Magnetic Contact (model DS-PD1-MC-WWS) is a compact wireless security sensor designed to monitor access points such as doors and windows. It uses RF 433MHz communication and two way wireless transmission up to 800m in open areas for reliable signal delivery to alarm control panels. The device features a tamper switch and tri color LED indicator for quick status feedback, making it a dependable addition to home or small business security systems. Its low power design provides long battery life from a 3V CR123A cell and supports dual reed detection for accurate opening events. Ideal for enhancing perimeter security, this sensor integrates effortlessly into existing wireless alarm kits.

Performance tier:Security sensor quality tier

Uses:door monitoring, window monitoring, alarm triggering, perimeter security

Description

This wireless magnetic contact switch combines a compact profile with reliable performance to secure entry points in residential and commercial environments. The sensor consists of a main detector with integrated RF module and an aligned magnet element. When a door or window opens beyond the sensor and magnet alignment, the device reliably signals the event to a connected control panel. Two way communication up to 800m in open areas ensures alarm signals are transmitted even in larger spaces. A tamper switch helps protect against unauthorized removal, and the tri colour LED indicator gives instant visual feedback on status and battery condition. The DS-PD1-MC-WWS operates across -10 to +55 degree Celsius and 10% to 90% humidity ranges, offering dependable operation in typical indoor conditions. Its wireless design allows quick installation without wiring, reducing setup complexity while maintaining professional grade alarm performance.

Features

Key features and benefits of the Hikvision Wireless Magnetic Contact sensor include:

- 433MHz RF communication frequency for stable wireless signaling to compatible panels.
- Two way wireless transmission up to 800m in open space for extended range flexibility.
- Dual reed switch design for reliable detection of door and window openings.
- Tri colour LED indicator for easy status and battery feedback.
- Tamper switch supports security against unauthorized removal.
- Long battery life with a single 3V CR123A cell lasting up to 2 years.

What's in the Box

- Wireless Magnetic Contact sensor main unit
- Magnet trigger element
- Battery CR123A installed
- Adhesive mounting strips
- Quick start installation guide

Specifications

- Model: DS-PD1-MC-WWS
- Transmission frequency: 433MHz
- Transmission range: Up to 800m (open area)
- LED indicator: Tri colour
- Tamper switch: Supported
- Battery type: 1 x 3V CR123A
- Battery life: Up to 2 years
- Operating temperature: -10 to +55 degree Celsius
- Operating humidity: 10% to 90%
- Dimensions: 84mm x 25mm x 21mm
- Weight: 37g

FAQ

What is the Hikvision Wireless Magnetic Contact used for?

The sensor is designed to detect door or window opening events and communicate them wirelessly to a compatible alarm system panel for perimeter security monitoring.

How does the magnetic contact sensor communicate?

It uses RF 433MHz two way communication up to 800m in open areas to reliably transmit alarm signals and status updates to a connected control panel.

How long does the battery last?

The device is powered by a 3V CR123A battery that can last up to 2 years under normal use, reducing maintenance requirements.

Can this magnetic contact work with any alarm system?

The sensor is compatible with wireless panels supporting 433MHz devices, but always verify panel compatibility before installation.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/DSPKFE5-Hikvision-wireless-Remote-with-panic-button-Buy-p-335176.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-08 07:17:02.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.