ComX Computers
Product Specification Sheet

EPLQ350

Epson LQ350 24Pin/80Col Dot Matrix Printer

Product Overview

Epson LQ350 24Pin/80Col Dot Matrix Printer [GTIN:8715946521886]



Specifications

Overview:

The highly reliable Epson LQ-350 has a mean time between failure of 10,000 operating hours, and is ideal for front and back office applications needing continuous paper or multi-part stationery.

Features:

- High reliability MTBF of 10,000 operating hours
- Power-efficient 1.3W on standby, 22W powered on
- Economical Ribbon yield of 2.5m characters
- Easy integration Parallel, Serial and USB interfaces
- Compact design Fits neatly onto desks
- A very economical printer to run, the LQ-350 helps save money with its high ribbon yield of 2.5 million characters and its low power consumption. Using just 1.3W in sleep mode and 23W when powered on, the LQ-350 is very energy efficient.
- Easy to integrate, the LQ-350 has Parallel, Serial and USB interfaces as standard, and will fit neatly onto desks thanks to its compact design and cable management system.

Specifications:

© 2023 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	EPLQ350
Technology	
Printing Method	Impact dot matrix

Number of Pins	24 pins
Number of columns	80 columns
Pins	24 Needles
Print	
Printing Speed	HighSpeed-Draft: 10 cpi: 347 chars/s, LQ: 10 cpi: 86 chars/s, Draft: 10 cpi: 260 chars/s
Carbon Copies	3 plus one original
Printing Resolution	360 x 180 DPI
Connectivity	
Interfaces	USB 2.0, RS-232, Bidirectional parallel
Paper / Media Handling	
Document Feed	Single sheet rear, Continuous media rear, Paper output rear
Paper Formats	Sheet Paper (single- and multi-layer), Continuous Paper (single- and multi-layer), Labels (single- and multi-layer), Roll Paper, Envelopes
General	
Power consumption	22 Watt
Supply Voltage	AC 200 V - 240 V
Product dimensions	348 x 275 x 154 mm (Width x Depth x Height)
Product weight	4, 1 kg
Supported Temperature	Operation 5 degrees C - 35 degrees C
Supported Humidity	Operation 10% - 80%
Compatible Operating Systems	Windows 2000, Windows 7, Windows 8, Windows Vista, Windows XP
Included Software	Epson Status Monitor
Mean Time Between Failures	10.000 hours
Print Head Life	400 Million Strokes/Wire
Noise	Operation: 53 dB (A)
Memory	128 kB Included
Ribbon Yield	3000000 characters Black Draft, 2500000 characters Black LQ
What's in the box	Driver and utilities (CD), Main unit, Ribbon, Setup guide, Software (CD), User manual (CD), Warranty document
Other Features	
Emulations	IBM 2390 Plus, ESC/P2

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/EPLQ350-Epson-LQ350-24Pin-80Col-Dot-Matrix-Printer-p-283686.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-18 02:13:39.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.