
ComX Computers
Product Specification Sheet

GLC-GE-100FX=

Cisco 100BASE-FX Small Form Pluggable for GE SFP port

Product Overview

100BASE-FX SFP for GE SFP port on 3750,3560.2970,2960



Specifications

Overview:

Cisco's industry-standard SFP is a hot-swappable input/output device that plugs into a Fast Ethernet port/slot, linking the port with the fiber-optic network. This unit operates in Gigabit Ethernet ports of both switches and routers. The GLC-GE-100FX links the port with the fiber-optic network. SFPs can be used and interchanged on a wide variety of Cisco products and can be intermixed in combinations of IEEE 802.3z- compliant 100BaseSX, 100BaseLX/LH, or 100BaseZX interfaces on a port-by-port basis.

The Cisco GLC-GE-100FX can be used to link a Fast Ethernet port with a fiber network. The GLC-GE-100FX operates at 1310nm through multi-mode fiber over 2km. The GLC-GE-100FX is hot-swappable when in use and is designed to work with most Cisco routers and switches. The GLC-GE-100FX meets the IEEE 100BASE-FX standard.

Features:

- Cisco Original
- Hot-swappable Capability
- Designed for Gigabit Ethernet Ports
- Fiber Type: Multi-Mode Fiber (LC to LC)
- 1310 nm wavelength
- Connection Type: 100BASE-FX

Specifications:

© 2014 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	GLC-GE-100FX=
Transmission Distances	Transmit (dBm): Minimum of -20 and a maximum of -14
	Cable Distance: 2 KM or 6,562 feet
Operating Environment	32 to 158 degrees Fahrenheit, 0 to 70 degrees Celsius
Compatible with the Following Units	Cisco 892F Series
	Cisco 1921 Series
	Cisco 1941 Series
	Cisco 2900 Series Router
	Cisco 3900 Series Router
	Cisco 7200 Series
	Cisco 7600 Series
	Cisco ASR 1000 Series Router
	Cisco ASR 9000 Series Router
	Cisco Shared Port Adapters
	Cisco Catalyst 3750 Metro
	Cisco ME 3400
	Cisco ME 2400
	Cisco Catalyst 4500 Series (Not Every Model)
	Cisco Catalyst 4900 Series
	Cisco Catalyst 3750 Series
	Cisco Catalyst 3750-E Series
	Cisco Catalyst 3750-X Series
	Cisco Catalyst 3560 Series
	Cisco Catalyst 3560-E Series
	Cisco Catalyst 3560-X Series
	Cisco Catalyst 2970 Series (Not Every Model)
	Cisco Catalyst 2960 Series (Not Every Model)
	Cisco Catalyst 2960-S Series (Not Every Model)
	Cisco Catalyst 2960-SF Series
	Cisco Catalyst 2960-C Series
	Cisco Catalyst Express 500 Series
	Cisco Catalyst Express 520 Series

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/GLC-GE-100FX-Cisco-100BASE-FX-Small-Form-Pluggable-for-GE-SFP-port-p-101455.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-09 05:47:16.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.