

# HK-302901663

Hikvision Exit & Emergency Button

## Product Overview

Hikvision Exit & Emergency Button, DS-K7PEB, NO/NC/COM signal Output



## Specifications

### Overview Summary:

The Hikvision DS-K7PEB Exit & Emergency Button is a compact red emergency break glass button designed for exit and emergency doors. With NO/NC/COM signal output, it provides a practical solution for door access and emergency release applications.

Buy now in South Africa for a reliable emergency exit button solution. Shop now to add the Hikvision DS-K7PEB to your door security and access control setup.

**Performance tier:**Professional

**Uses:**emergency door release, exit doors, access control systems, emergency exits, door security

### Overview:

#### Hikvision DS-K7PEB Exit and Emergency Button

The Hikvision DS-K7PEB is an exit and emergency button designed for access control and emergency door release applications. Its red emergency break glass design provides a clear and easily identifiable method for releasing an exit door when required, making it suitable for commercial buildings, offices, industrial sites and other controlled-access environments.

### Description:

The DS-K7PEB provides a reliable emergency exit solution with NO/NC/COM signal output, allowing it to integrate with compatible access control and door release systems. The red housing makes the emergency button easy to locate, while its compact 86 x 86 x 50 mm design allows for practical wall installation. It supports exit door and emergency door applications and is designed to operate across a wide range of environmental conditions.

### Features:

Hikvision DS-K7PEB Emergency Exit Button

This Hikvision emergency exit button is designed for situations where a straightforward physical release mechanism is required. The emergency break glass construction provides a clearly visible access point, while the NO/NC/COM output offers flexible connection options for access control systems.

It supports a maximum power supply of 36 VDC and 3 A, making it suitable for a range of low-voltage door release and access control installations. The DS-K7PEB can also operate in temperatures from -10 C to 55 C and relative humidity levels from 0 to 95 percent.

Key technical points:

- Model: Hikvision DS-K7PEB
- Part Number / SKU: HK-302901663
- Type: Exit and emergency button
- Emergency break glass design
- Colour: Red
- Signal output: NO/NC/COM
- Output contact: NO/NC/COM
- Maximum power supply: 36 VDC, 3 A
- Suitable door types: Exit door and emergency door
- Working temperature: -10 C to 55 C
- Working humidity: 0 to 95 percent relative humidity
- Dimensions: 86 mm x 86 mm x 50 mm
- Weight: 0.2 kg

Access Control and Emergency Door Release

The DS-K7PEB is a practical choice for access control installations requiring a dedicated exit or emergency release button. Its NO/NC/COM contact configuration provides compatibility with systems that use standard relay-based signal connections, helping installers integrate the button into a wider door access setup.

With its compact size, visible red finish and robust operating range, the Hikvision DS-K7PEB can be used in offices, commercial premises, industrial facilities and other locations where dependable emergency door release is required.

Compact Installation Design

Measuring 86 mm x 86 mm x 50 mm and weighing approximately 0.2 kg, the Hikvision DS-K7PEB is compact enough for convenient installation while remaining easy to identify during an emergency. The red colour helps distinguish the emergency exit control from standard access control equipment.

For ordering and product identification, the Hikvision DS-K7PEB is listed under part number / SKU HK-302901663.

Specifications:

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| © 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC ( <a href="http://www.comx.co.za">http://www.comx.co.za</a> ), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered. |                  |
| Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                  |
| Product Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | HK-302901663     |
| General                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                  |
| Power supply                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Max. 36 VDC, 3 A |

## ComX Computers

### Product Specification Sheet

|                            |                                                           |
|----------------------------|-----------------------------------------------------------|
| <b>Working temperature</b> | -10 degreesC to 55 degreesC (14 degreesF to 131 degreesF) |
| <b>Working humidity</b>    | 0 to 95% (relative humidity)                              |
| <b>Dimensions</b>          | 86 mm x 86 mm x 50 mm                                     |
|                            | 0.2 kg (0.44 lb)                                          |
| <b>Door type</b>           | Exit door, emergency,door                                 |
| <b>Signal output</b>       | NO/NC/COM                                                 |
| <b>Exit Button/General</b> |                                                           |
| <b>Output contact</b>      | NO/NC/COM                                                 |
| <b>Suitable door</b>       | Exit door, emergency,door                                 |

## Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

**Product page:** <https://www.comx-computers.co.za/HK-302901663-Hikvision-Exit-Emergency-Button-Buy-p-340495.php>

*Images and specifications are provided for reference and are subject to change without notice. E&OE.*

**Terms of Use:** <https://www.comx-computers.co.za/terms-of-use.php>

**Terms of Sale:** <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-08 03:12:18.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.