

HK-302903596

Hikvision M1 card

Product Overview

Hikvision M1 card, DS-K7M102-M, PVC & AB glue material, 13.56MHz card reading Frequency, Read/write Function, Up to 4cm card reading distance



Specifications

Overview Summary:

The Hikvision DS-K7M102-M M1 card is a compact contactless smart card designed for compatible access control and identification applications. With 13.56MHz card reading and read/write functionality, it provides reliable contactless operation with a reading distance of up to 4cm.

Designed with PVC and AB glue material, this M1 card is a practical choice for access control systems and compatible card readers. Shop now or buy now for a dependable Hikvision contactless smart card solution in South Africa.

Performance tier:Entry-level

Uses:access control, contactless identification, smart card systems, compatible card readers

Overview:

Hikvision DS-K7M102-M M1 Contactless Smart Card

The Hikvision DS-K7M102-M is an M1 contactless smart card designed for compatible access control and card reading systems. Using 13.56 MHz contactless technology, it provides convenient card-based identification with a reading distance of up to 4 cm.

Description:

The DS-K7M102-M M1 card is made from PVC and AB glue material, providing a compact and practical design for everyday access control applications. Its read/write capability allows it to be used with compatible Mifare 1 card systems, while the contactless operation provides quick and convenient card recognition.

With its small 26 mm x 50 mm x 4 mm design, the card is easy to carry and suitable for access control installations where

compact M1 cards are required.

Features:

Key Benefits

- M1 contactless smart card for compatible access control systems
- 13.56 MHz card reading frequency
- Read/write functionality
- Card reading distance of up to 4 cm
- Compact PVC and AB glue construction
- Suitable for convenient contactless identification

Technical Details

- Model: DS-K7M102-M
- Card type: Mifare 1 contactless smart card
- Frequency: 13.56 MHz
- Function: Read/write
- Reading distance: Up to 4 cm
- Material: PVC and AB glue
- Dimensions: 26 mm x 50 mm x 4 mm
- Dimensions in inches: 1.02 x 1.97 x 0.16 inches

Compact M1 Card for Access Control

The Hikvision DS-K7M102-M provides a straightforward contactless card solution for compatible Hikvision access control equipment. Its 13.56 MHz operation and up to 4 cm reading distance make it suitable for quick card presentation, while its compact construction makes it convenient for users to carry and use.

For ordering and product identification, the part number / SKU is HK-302903596.

Specifications:

© 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	HK-302903596
---------------------	--------------

General

Working temperature	-10 degreesC to 50 degreesC (14 degreesF to 122 degreesF)
Dimensions	26 mm x 50 mm x 4 mm (1.02" x 1.97" x 0.16")
Material	PVC, AB glue
Color	White& , Red

Card/General

Card reading frequency	13.56MHz
Function	Read/Write
Card reading distance	<= 4 cm

ComX Computers

Product Specification Sheet

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx-computers.co.za/HK-302903596-Hikvision-M1-card-Buy-p-340491.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-09 11:27:09.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.