ComX Computers
Product Specification Sheet

JC103B

HPE 5800-24G-SFP Manageable Layer 3 Switch

Product Overview

HPE 5800-24G-SFP Manageable Layer 3 Switch - 3 Layer Supported - 1U High - Rack-mountable



Specifications

Specifications:

© 2018 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	JC103B
General Information	
Manufacturer	Hewlett Packard Enterprise
Manufacturer Part Number	JC103B
Brand Name	HPE
Product Series	5800
Product Model	5800-24G-SFP
Product Name	5800-24G-SFP Switch
Product Type	Layer 3 Switch
Interfaces/Ports	
Token Ring Port	No
LRE Port	No
Uplink Port	No
Bypass	No
Modular	No

Management Port	Yes
Port/Expansion Slot Details	24 x Gigabit Ethernet Expansion Slot
Port/Expansion Slot Details	5 x 10 Gigabit Ethernet Expansion Slot
Media & Performance	
Ethernet Technology	Gigabit Ethernet
Ethernet Technology	10 Gigabit Ethernet
Network Technology	10GBase-X
Network Technology	1000Base-X
I/O Expansions	
Number of Total Expansion Slots	29
Expansion Slot Type	SFP+
Shared SFP Slot	No
Number of SFP+ Slots	28
Network & Communication	
Layer Supported	3
Management & Protocols	
Manageable	Yes
Management	IMC - Intelligent Management Center
	Command-line Interface
	Web Browser
	SNMP v1, v2c, and v3
	Telnet
	RMON1
	FTP
	QoS
	DHCP
	VLan
Memory	
Standard Memory	2 GB
Memory Technology	SDRAM
Flash Memory	512 MB
Power Description	
PoE (RJ-45) Port	No
Input Voltage	120 V AC
Input Voltage	230 V AC
Power Source	Power Supply

Redundant Power Supply Supported	Yes
Physical Characteristics	
Compatible Rack Unit	1U
Form Factor	Rack-mountable
Height	43.7 mm
Width	439.9 mm
Depth	427 mm
Weight (Approximate)	8.50 kg
Miscellaneous	
Certifications & Standards	Safety:
	UL 60950-1
	EN 60825-1
	EN 60825-2
	IEC 60950-1
	CAN/CSA-C22.2 No. 60950-1
	Anatel
	ULAR
	GOST
	EN 60950-1/A11
	FDA 21 CFR
	Subchapter J
	NOM
	Emissions:
	VCCI Class A
	EN 55022 Class A
	ICES-003 Class A
	ANSI C63.4 2003
	AS/NZS CISPR22 Class A
	EN 61000-3-2:2006
	EN 61000-3-3:1995 +A1:2001+A2:2005
	EMC Directive 2004/108/EC
	FCC (CFR 47, Part 15) Class A
	Immunity:
	ETSI EN 300 386 V1.3.3
	EN 55024:1998+ A1:2001 + A2:2003
	EN 61000-4-2

	IEC 61000-4-2
	EN 61000-4-3
	IEC 61000-4-3
	EN 61000-4-4
	IEC 61000-4-4
	EN 61000-4-5
	IEC 61000-4-5
	EN 61000-4-6
	IEC 61000-4-6
	IEC 61000-4-8
	EN 61000-4-8
	EN 61000-4-11
	IEC 61000-4-11
	EN 61000-3-2
	IEC 61000-3-2
	EN 61000-3-3
	IEC 61000-3-3
	IEEE Standards:
	802.3
	802.3u
	802.3ab
	802.1ag
	802.1D
	802.1p
	802.1Q
	802.1s
	802.1v
	802.1w
	802.1X
	802.3ad
	802.3ae
Environmentally Friendly	Yes

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/JC103B-HPE-5800-24G-SFP-Manageable-Layer-3-Switch-p-206164.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-12 03:32:51.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.