
ComX Computers
Product Specification Sheet

K7X27AS

HP Prodisplay P202 20" Anti-glare WXGA HD+ (1600x900 resolution) Led backlit Monitor, VGA, DP

Product Overview

HP Prodisplay P202 20" Anti-glare WXGA HD+ (1600x900 resolution) Led backlit Monitor black, 16:9 saspect ratio, 250 cd/m2 brightness, 1000:1 static contrast ratio, 5 ms Response time, Tilt, 1x VGA, 1x Display Port



Specifications

Overview:

Pair your HP Pro PC with the HP ProDisplay P202 Monitor, a sleek display that delivers essential presentation features and advanced connectivity for your everyday business productivity at a highly affordable price point.

High-speed connection for HD imagery.
Experience stunning HD picture quality, ultra-fast graphics refresh, and vivid colors from the DisplayPort connection, which also supports multiple monitor connections from a single PC. Get legacy device compatibility from the VGA connector.

Create an efficient, easy-to-use workspace.
Attach your HP Desktop Mini, HP Chromebox, or select HP Thin Client directly behind the display. Keep things tidy with an integrated power supply and cable management features.

Be energy smart.
Reduce power consumption and help lower your costs with an intelligent, energy-efficient, low halogen design that is ENERGY STAR and TCO certified and EPEAT Gold registered.

Features:

HD image presentation.

- Enjoy crisp, clear HD color for all of your content on the 50,8 cm (20") diagonal screen with 1600 x900 resolution, 5 ms response time, and 1000:1 contrast ratio.

Plan ahead.

- Get a stable product lifecycle and minimum one-year lifespan. This Global Series display is also available around the world, so you can deploy across your business.

Place it where you need it.

- Free up valuable desk space-the integrated 100-mm VESA pattern supports wall or HP Single Monitor Arm5 mounting.

Complete the picture.

- Customize a total solution with options5 designed for your display.

Your monitor's new best friend.

- Design the screen for how you work with HP Display Assistant software.

Specifications:

Display size (diagonal)	50, 8 cm (20")
Panel active area	442.8 x 249.1 mm
Aspect ratio	16:9
Native resolution	1600 x 900
Resolutions supported	1600 X 900
	1440 X 900
	1280 X 1024
	1280 x 800
	1280 X 720
	1024 X 768
	800 X 600
	640 X 480
Pixel pitch	0.276 mm
Brightness	250 cd/m²
Contrast ratio	1000:1 static
	5000000:1 dynamic
View angle	170degrees horizontal
	160degrees vertical
Response time	5 ms on/off
Product color	Black
Tilt and swivel angle	Tilt: -5 to +22degrees
Display features	Anti-glare
	Language selection
	LED Backlights
	On-screen controls
	Plug and Play
	User programmable
Physical security	Security lock-ready (lock is sold separately)
Input connector	1 VGA
	1 DisplayPort 1.2
Weight	3.5 kg

Product dimensions without stand (W x D x H)	48.2 x 4.75 x 35.92 cm
Product dimensions with stand (W x D x H)	48.2 x 18.66 x 35.92 cm
Power supply	Input voltage: 100 to 240 VAC
Power consumption	17.8 W (maximum)
	16.5 W (typical)
	0.5 W (standby)
Operating temperature range	5 to 35degreesC
Operating humidity range	20 to 80% RH
Energy efficiency	ENERGY STAR certified
Environmental	Arsenic-free display glass
	Mercury-free display backlights
	Low halogen
Display size (diagonal)	50, 8 cm (20")
Resolution (native)	1600 x 900

Certifications and compliances	TCO Certified
	CEL Grade 1
	Microsoft WHQL Certification (Windows 8.1 and Windows 7)
	CE
	CB
	KC
	KCC
	NOM
	PSB
	ICE
	TUV-S
	ISO 9241-307
	EAC
	UL
	CSA
	ISC
	CCC
	CEL
	CECP
	SEPA
	VCCI
	FCC
	BSMI
	Vietnam MEPS
	Australian-New Zealand MEPS
	WEEE

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/K7X27AS-HP-Prodisplay-P202-20-Anti-glare-WXGA-HD-1600x900-resolution-Led-backlit-p-170523.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-14 22:21:57.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken

to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.