

LBP6780X

Canon i-SENSYS LBP6780x Mono A4 Laser Printer

Product Overview

Canon i-SENSYS LBP6780x Mono A4 Laser Printer, 40ppm, 500 Sheet paper tray, 1200x1200dpi, Duplex, Network ready, Optional 500 sheets x2, 768MB, PCL5e/PCL6, FPOT 8.6sec, 5.4W Sleep mode, Ships with CRG 724



Specifications

Overview:

Canon's flagship mono A4 laser printer offers fast 40ppm output. Network ready, MEAP-enabled and with a robust design, it integrates seamlessly into busy offices and workgroups.

Features:

More versatile and easier to integrate

MEAP, our Java-based platform for developing applications, is built-in so the LBP6780x can be incorporated into solutions - such as uniFLOW, which simplifies print output management while reducing cost.

Consistently superb results

Professional print quality is delivered every time. With a print resolution of up to 1200 x 1200 dpi, the printer has 768MB of memory as standard to support complex, network printing. Built-in Gigabit Ethernet connectivity provides seamless network integration, making it easy to share printing resources and handle demanding workloads. The LBP6780x also supports industry standard PCL5e/6 and Adobe® PostScript printing.

Extensive paper supply

Equipped with a 500-sheet cassette and 100-sheet tray as standard, the LBP6780x can be configured for a total paper supply of 1600 sheets.

Automatic double-sided printing

For professional-looking documents, the LBP6780x automatically prints on both sides of a document - saving paper and cutting overheads.

Energy-saving design

The LBP6780x reduces environmental impact with class leading Typical Energy Consumption (TEC), helping support your environmental and sustainability objectives as well as reducing running costs.

Complete workgroup print solution

Offering a rapid 40ppm, Canon's flagship mono laser device is ideal for busy corporate offices and workgroups that need a productive, high performance robust printer.

Enhance your productivity

The LBP6780x provides a rapid First Print Out time of just 8.6 seconds and a quick recovery from sleep mode so there is no long wait for your documents.

Easy to use

The 5-line LCD and time-saving feature for printing files from USB storage, make this printer easy to work with. Canon's All-in-One cartridge - containing toner and all essential parts - can be replaced in seconds and an optional high yield toner cartridge prints over double the usual amount of pages, for continuous output.

Keeping you protected

Secure your information with the same advanced features available on our imageRUNNER ADVANCE multifunctional printers. These include IPsec and LAN IEEE 802.1x compliance. Optional secure mailbox printing makes sure no confidential material gets into the wrong hands.

Specifications:

© 2015 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	LBP6780X
PRINTER ENGINE	
Print Speed	40 ppm mono (A4)
Printing Method	Monochrome laser beam printing
Print Quality	Up to 1200 x 1200 dpi
Print Resolution	Up to 600 x 600 dpi
Warm-up Time	28 sec or less
First Page Out Time	8.6 sec
Duty Cycle	Max. 100, 000 pages per month
Print Margins	5mm top, bottom, left and right (envelope : 10mm)
MEDIA HANDLING	
Paper Input (Standard)	500-sheet cassette
	100-sheet multi-purpose tray
Paper Input (Option)	500-sheet cassette x 2
Paper Output	250-sheet face down, 50-sheet face up.
Media Types	Plain paper, Heavy Paper, Transparency
	Label, Index card, Envelope

ComX Computers

Product Specification Sheet

Media Sizes	Cassette (Standard and optional): A4, B5, A5, A5 landscape, A6, LGL, LTR, Executive, 16K
	Custom sizes: Width 105.0~215.9mm x Length 148.0~355.6mm
	Multi-purpose tray: A4, B5, A5, A5 landscape, A6, LGL, LTR, Executive, 16K
	Custom sizes: Width 76.2~215.9mm x Length 127.0~355.6mm
Media Weights	Cassette (Standard and optional): 60 to 120 g/m ²
	Multi-purpose tray: 60 to 199 g/m ²
Double Sided Printing	Automatic
GENERAL FEATURES	
Power Requirements	220-240V (+/-10%) 50/60Hz (+/-2Hz)
Power Consumption	Maximum: Approx 1, 400 W or less
	Active: Approx 660 W
	Standby: Approx 15 W
	Sleep modes:
	Approx 5.4 W (Sleep Mode 1)
	Approx 1 W (Sleep Mode 2)
	Typical Electricity Consumption (TEC): 1.9 kWh/Week
Noise Level	Sound power:
	Active: 7.3 B or less
	Standby: Inaudible
	Sound pressure:
	Active: 54.5 dB(A) or less
	Standby: Inaudible
Dimensions (W x D x H)	454mm x 424mm x 345mm
Weight	approx.16.6kg
Operating Environment	Temperature:10 to 30°C (50 to 86°F).
	Humidity:20 to 80%RH(no condensation)
Control Panel	5 line LCD display
	9 LED indicators
	12 Operation keys
CONTROLLER	
Processor Speed	528MHz+264MHz
Memory	768 MB
Printer Languages	UFR II (Ultra Fast Rendering), PCL5e, PCL6, Adobe PostScript Level 3
Fonts	93 PCL fonts, 136 PS fonts
Interface and Connectivity	USB Host, USB 2.0 High-Speed, 10BASE-T/100 BASE-TX/1000BASE-T

ComX Computers

Product Specification Sheet

Software and Printer Management	Remote User Interface (RUI), Secure Print
	with optional SD Card-B1, Canon Mobile
	Printing app for iPad and iPhone
Operating Systems Compatibility	Windows XP(32bit/64bit)/ Vista (32bit/64bit)/ 7 (32bit/64bit)/ 8 (32bit/64bit)/ Server 2003 (32bit/64bit) / Server 2008(32bit/64bit) / Server 2008 R2 (64bit)/
	Mac OS 10.5.x - and up
	Linux
	Citrix

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/LBP6780X-Canon-i-SENSYS-LBP6780x-Mono-A4-Laser-Printer-p-116023.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-28 16:30:58.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.