ComX Computers
Product Specification Sheet

LG-M4224F

LG M4224F 42" Wide Large Format Display Monitor











Specifications

Overview:

M4224F provides shine-out feature with its over 700nit high brightness reflecting away the sunlight for best image quality. Perfect fit for window display.

Features:

- Shine-Out
Perfect fit for window display by reflecting away the sunlight for best image visibility and clearer display under direct sunlight than conventional panel

- Exclusive PD Panel
The portrait display mode is the exclusive area of the PD module. The PD module has relatively uniform pressure distribution comparing to TV panel, which in consequence has a far better stability.
LG Commercial MNT adopts the exclusive public display module whose reliability is far better than that of a normal TV module. The public display module is a perfect fit for severe operation conditions.
Another strength of the LG PD module is that it can operate 24 hours a day.

- Super IPS Panel
Even under direct sunlight exposure, LG commercial monitors that adopted LGD V5 panel remain free of blackening defects and provides superior quality for outdoor usage. IPS panel has an extremely low standard of deviation for response time. Also, IPS panel is not susceptible to image distortion upon external pressure.

- Narrow Bezel
Size: 16.9mm

- Screen Size : 42"

- Resolution : 1, 920 x 1, 080 (FHD)

- Surface Reflectance : 0.5~1.5%

- Contrast Ratio : 400:1 (4K Lux)

Specifications:

© 2013 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Product Code	LG-M4224F
Specifications	
PANEL	
Screen Size	42"
Panel Technology	IPS
Aspect Ratio	16:9
Native Resolution	1920 x 1080 (FHD)
Brightness	700 cd/m2
Contrast Ratio	1, 200 :1 (Typ)
Dynamic CR	3, 000:1
Viewing Angle(H x V)	178 x 178
Response Time	9 ms(G to G)
Connectivity_Input (Rear)	
Digital	HDMI/DVI with HDCP
Analog	Component(BNC), Composite(BNC), RGB, S-Video
Audio	RGB/DVI Audio, Component Audio(RCA), Composite Audio(RCA)
External Control	Rs232C, RJ45, Wired IR
Connectivity_Output (Rear)	

Analog	RGB, Composite(BNC)
Audio	Composite Audio(RCA), External speaker
External Control	RS232C
Physical Specification	
Bezel Width	16.9 mm
Monitor Dimension(W x H x D)	96.7cm (38.1") X 55.98cm(22.0") X 12.37cm (4.9")
Weight(head)	18.64kg (41.1lb)
Packed Weight	21.87kg (48.21 lb) (head only) 24.80kg (54.67 lb) (full package)
VESATM Standard Mount Interface	600 x 400
SPECIAL FEATURES	
Additional	Shine Out
Environment Conditions	
Operation Temperature	0 degreesC ~ 40 degreesC
Operation Humidity	10% ~ 80%
Power	
Power Supply	100-240V~, 50/60Hz
Power Consumption	
Max / Normal / Power saving on	- / 220W(Typ) / -
DPMS	1.0W(RGB), 2.0W(HDMI)
Power Off	0.5W
STANDARD(CERTIFICATION)	
Safety	CB scheme / TUV
EMC	FCC Class "B" / KCC
ErP / Energy Star	Yes / Yes (Energy Star 5.0)
Media Player Compatibility	
External Media player Attatchable	Yes
Software Compatibility	
Supersign Compatibility	Elite-s
Accessory	
Included	Remocon, Power cable, RGB Cable, Manual(CD+Book)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/LG-M4224F-LG-M4224F-42-Wide-Large-Format-Display-Monitor-p-64140.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-11 21:06:16.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.