ComX Computers
Product Specification Sheet

LG 20M38A

LG 20M38A 20" LED Display

Product Overview

LG 20M38A 20" LED Display, 1600x900; brightness - 200cd/m2; contrast ratio - 200:1/ 5000000:1, response time - 5ms - d-sub, glossy black with hairline finish, built-in cable management - 75x75mm vesa wall-mountable



Specifications

Features:

Protect Your Eyes and View in Comfort
Flicker Safe and Reader Mode help maximize visual comfort by protecting your eyes from harmful blue light and reducing the flicker level to almost zero.

Preset Customized Options with just a Click
OnScreen Control and My Display Presets allow you to easily customize monitor settings with a few clicks of a mouse.

Customize Your Workspace for Multitasking
Screen Split divides the display for different tasks by resizing the windows on the screen. With PIP Mode you can work while watching a video in a window floating on the screen.

Offers Improved Color Vision to Color Weakness
Color revision algorithms are used to help those with color weakness who have difficulty distinguishing certain ranges of colors can view all the important content.

Specifications:

© 2016 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	LG 20M38A
General	
Size (Inch / cm)	19.5" / 49.4cm

Panel Type	TN
Color Gamut (CIE1976)	0.72
Color Depth(Number of Colors)	16.7M colors
Pixel Pitch(mm)	0.271X0.262
Aspect Ratio	16:9
Resolution	1600 x 900
Brightness(Typ.)	200cd/m2
Contrast Ration (DFC)	5M:1
Response Time_Typ.(on/off)	5ms
Viewing Angle(CR>=10)	90/65
Surface Treatment	Anti glare, 3H
Signal Input	
D-Sub	Yes
[Jack Location]	Back
Power	
Input/Output (Type)	Adapter
Input	100-240Vac, 50/60Hz
Normal On(typ.)	20W
Sleep Mode(Max)	0.3W
DC Off(Max)	0.3W
Frequency	
D-sub(H-Frequency)	30~83kHz
D-sub(V-Frequency)	56~75Hz
Resolution	
PC(D-sub)	1600 x 900
Control Key	
Key Number (Power Key Included)	6
Key Type	Tact Type
LED Color(On mode)	White
LED Color(Power save mode)	White Blinking
[Key Location]	Bottom
OSD	
Languange(Country)	English, Germanic, French, Spanish, Italian, Swedish, Finnish, Portuguese, Polish, Russian, Greek, Chinese, Japanese, Korean, Ukrainian, Portuguese(Brazil), Hindi
Number of Language	17
Picture	
Picture Mode	Yes

Reader Mode	Yes
Original Ratio	Yes
General Function	
DDC/CI	Yes
Intelligent Auto (Auto Adjustment)	Yes
Key Lock	Yes
Plug & Play	Yes
Special Features	
Color weakness	Yes
Flicker safe	Yes
Smart Energy saving	Yes
4 screen split	Yes
On Screen Control	Yes
Color	
Front	Black Hairline
B/Cover	Black Texture
Stand	Black high glossy
Base	Black Hairline
Stand	
Base detachable	Yes
Tilt(Angle)	Yes / -5º ~ 20º
Dimensions - WxDxH (mm)	
Set (with Stand)	463.0x167.8x358.8
Set (without Stand)	463.0x57.4x286.5
Box	542x360x118
Wall Mount size (mm)	75 x75
Weight (Kg)	
Set (with Stand)	2.2
Set (without Stand)	2
Box	3
Stuffing	
Pallet(20ft/40ft/40ft HC)	1080/2376/2640
Wrap	
Packing Material	EPS
Stacking Type	Face Down
Box Printing Type	Flexo
Handle	Hand Hole

Standard	
UL (cUL)	Yes
TUV-Type	Yes
FCC-B, CE	Yes
Windows	Yes(win 10)
Accessory	
Power Cord	Option
D-Sub	Yes

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx-computers.co.za/LG-20M38A-LG-20M38A-20-LED-Display-p-149890.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-11 17:53:50.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.