**ComX Computers**
Product Specification Sheet

# LGE20M35A

LG 20M35A 19.5" LED Display

## Product Overview

LG 20M35A 19.5" LED Display, with dual smart solution (as 2 screens with 2 task bars), 1600x900; brightness - 200cd/m2; contrast ratio - 600:1/ 5000000:1, response time - 5ms - d-sub, glossy black with hairline finish, built-in cable management, - 75x75mm vesa wall-mountable















## Specifications

**Features:**

**LED Monitor**
Brilliant LED Backlighting display delivers crystal-clear images, true blacks and the most vivid, life-like colors on a slim screen.

**Fast Response Time**
Fast response time of 5ms allows the smooth viewing of action scenes, sports and video games with greater clarity and vivid quality. The consistent response time also allows you to watch videos or play games for a longer time while minimizing eye strain.

**Reader Mode**
Reducing blue light to protect your eyes, Reader Mode provides optimal condition for reading. With just a touch of a button, you can comfortably read on the monitor for long.

**SUPER Energy Saving**
LG SUPER Energy Saving technology has been upgraded so that the additional energy saved besides the effect of the LED backlight, has improved from 25% to 30%

**Flicker-Safe**
New dimming technology is applied to minimize the flicker level causing eye fatigue. With almost-zero flicker technology, you'll be able to watch longer, comfortably.

**Dual Smart Solution**
This solution allows simple set up of Dual Monitor, Dual Taskbar and Dual Web.

**Specifications:**

© 2014 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

| | |
|---|---|
| **Specifications** | |
| **Product Code** | LGE20M35A |
| **Accessory** | |
| **D-Sub** | Yes |
| **Power Cord** | Option |
| **Control Key** | |
| **Key Location** | Bottom |
| **Key Number (Power Key Included)** | 6 |
| **Key Type** | Tact |
| **LED Color(On mode)** | White |
| **LED Color(Power save mode)** | White |
| **Color** | |
| **Base** | Black Texture |
| **B / Cover** | Black Texture |

| | |
|---|---|
| **Front** | Black Texture |
| **Others** | Black Texture |
| **Stand** | Black Texture |
| **Features** | |
| **Aspect Ratio** | 16:9 |
| **Brightness (Typical)** | 200 cd / m2 |
| **Color Depth(Number of Colors)** | 16.7M colors |
| **Color Gamut (CIE1976)** | 0.72 |
| **Contrast Ratio(Original)** | 600:1 |
| **Inverter(with / Without)** | Without |
| **Lamp Q'ty** | 2 |
| **Panel Type** | TN |
| **Pixel Pitch(mm)** | 0.271X0.262 |
| **Resolution** | 1600 x 900 |
| **Size (Inch)** | 19.5" |
| **Response Time (on / off)** | 5ms |
| **Surface Treatment(Glare / Non Glare)** | AG, 3H |
| **Viewing Angle (CR>=10)** | 90 / 65 |
| **Frequency** | |
| **Analog / H-Frequency** | 30~83kHz |
| **Analog / V-Frequency** | 56~75Hz |
| **Jack Input / Output Jack** | |
| **Signal Input / D-Sub** | Yes |
| **Signal Input / Jack Location** | Back |
| **OSD** | |
| **Language / Country** | English, Germanic, French, Spanish, Italian, Swedish, Finnish, Portuguese, Polish, Russian, Greek, Chinese, Japanese, Korean, Ukrainian, Portuguese(brazil), Hindi |
| **Number of Language** | 17 |
| **Power** | |
| **Consumption / DC Off(Max)** | 0.3W |
| **Consumption / Normal On(EPA6.0)** | 16W |
| **Consumption Power Save / Sleep Mode(Max)** | 0.3W |
| **Input** | 100-240Vac, 50 / 60Hz |
| **Input / Output / Type** | Adapter |
| **Resolution** | |
| **PC / Analogue** | 1600 x 900 |

| | |
|---|---|
| **Size / Weight** | |
| **Dimension(W*D*H)(mm) / Set (with Stand)** | 463*178*388 |
| **Dimension(W*D*H)(mm) / Set (without Stand)** | 463*60*287 |
| **Dimension(W*D*H)(mm) / Box** | 538*357*143 |
| **Dimension(W*D*H)(mm) / Wall Mount** | VESA Compatible (75mm x 75mm) |
| **Stuffing / Pallet(20ft / 40ft / 40ft HC)** | 840 / 1848 / 2112 (W / W) |
| **Weight(Kg) / Set (with Stand)** | 2.2 Kg |
| **Weight(Kg) / Set (without Stand)** | 1.9 Kg |
| **Weight(Kg) / Box** | 3.2 Kg |
| **Special Feature** | |
| **Dual Smart Solution (Dual web, Dual Display, Smart Resolution )** | Yes |
| **Flicker safe** | Yes |
| **General Function / DDC / CI** | Yes |
| **General Function / Intelligent Auto (Auto Resolution)** | Yes |
| **General Function / Key Lock** | Yes |
| **General Function / Plug & Play** | Yes |
| **Original Ratio** | Yes |
| **Picture Mode** | Yes |
| **Reader Mode** | Yes |
| **Super Energy Saving** | Yes |
| **Stand** | |
| **Base Detchable** | Yes |
| **Tilt (Angle)** | -3º (front) ~ 20º(rear) |
| **Standard** | |
| **EPA 6.0** | Yes |
| **EPEAT** | Yes (Gold) |
| **FCC-B, CE** | Yes |
| **TUV-TYPE** | Yes |
| **UL (cUL)** | Yes |
| **Windows** | Yes (win8) |
| **Wrap** | |
| **Box Printing Type** | Flexo |
| **Handle** | handle hole |

| | |
|---|---|
| **Packing Material** | EPS |
| **Stacking Type** | Face down |

## Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

**Product page: https://www.comx-computers.co.za/LGE20M35A-LG-20M35A-19-5-LED-Display-p-94026.php**

*Images and specifications are provided for reference and are subject to change without notice. E&OE.*

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-11 18:08:40.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.