ComX Computers
Product Specification Sheet

LS-JTSA301

J5-Create JTSA301 Ergonomic Monitor Mount with Dock

Product Overview

J5-Create JTSA301 Ergonomic Monitor Mount with Dock



Specifications

Overview:

The JTSA301 is a gas spring monitor mount. Equipped a 6-in-1 dock with 4K60Hz HDMI™, 2 x USB™ Type-A 10Gbps, 2 x USB-C® 10Gbps, and up to 100W PD pass through charging. The arm can hold max a 32" screen weighting up to 8kg/17.6 lbps. Easily adjust your screen to any height. The gas spring allows the screen to swivel 180 degrees, tilt -45 degrees to +90 degreesand rotate 360 degrees. Conveniently set your monitor at an optimal angle. This monitor mount gives you the ability to create a more efficient workspace, whether you need extra space or a standing desk setup.

Features:

- Fully adjustable gas spring monitor mount with multi-function dock
- Easily adjusts monitor to any height and allows the screen to swivel 180 degrees, tilt -45 degrees to +90 degrees and rotate 360 degrees Conveniently set your monitor at an optimal angle
- Equipped a 6-in-1 dock with 4K60Hz HDMI™, 2 x USB™ Type-A 10Gbps, 2 x USB-C® 10Gbps, and up to 100W PD pass through charging

Built-in 4 Ultra-High Speed USB™ 10Gbps Ports
Connecting Various Peripherals and Transferring Large Files in Seconds.

Supports PD Pass-Through Fast Charging
Charge Your Laptop and Power Your Connected Devices with Convenience

System Requirements:

- DisplayPort™ 1.4 required on graphics card or video source to support 4K@60Hz
- Supports 17" to 32" monitors weighing up to 8 kg/17.6 lbs
- Windows® and macOS® compatible

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	LS-JTSA301
Hardware	
Additional Storage	No
Adjustable Angle	Screen Tilt: -45 degrees To +90 degrees Arm Swivel: -180 degrees To +180 degrees Screen Swivel: -90 degrees To +90 Screen Rotation: 360 degrees
Assembly Required	Yes
Audio Supported	Yes
C-clamp Base	Yes (10~50mm)
Docking Station Included	Yes
Grommet Mounting Base	Yes (10~50mm)
Host Connector	1 - Usb-c Female
Maximum Weight Capacity	17.6 Lbs. (8 Kg)
Network Interface	No
Ports	1 - 4k60 Hdmi
	2 - Usb-c 10gbps (data Transfer)
	2 - Usb Type-a 10gbps
	1 - 100w Pd Pass Through Charging
Power Source	Bus-powered Or Self-powered
Vesa Pattern	75x75mm/100x100mm
Video Output	1 - Hdmi Female
Performance	
Audio Channel	2.1 Via Hdmi
Displays Supported	1
Max Display Refresh Rate	4k @ 60 Hz
Max Display Resolution	3840 X 2160
Wide Screen Supported	Yes
Power	
Input Current	Up To 5a
Input Voltage	Up To 20v
Output Current	Up To 4.25a
Output Voltage	Up To 20v
Power Consumption	= 900 Ma
Power Delivery	Up To 100w

Physical Specifications	
Color	Black
Operating Humidity	< 85% Non-condensing
Operating Temperature	30 To 116 degreesf (0 To 30 degreesc)
Product Depth	465 Mm / 18.3 In
Product Height	320 Mm / 12.6 In
Product Weight	˜ 4.2 Lbs. (1.9 Kg)
Product Width	130 Mm / 5.11 In
Stand Material	Aluminum/steel/plastic
Storage Humidity	< 85% Non-condensing
Storage Temperature	0 To 155 degreesf (-10 To 65 degreesc)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:
https://www.comx-computers.co.za/LS-JTSA301-J5-Create-JTSA301-Ergonomic-Monitor-Mount-with-Dock-p-295385.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx-computers.co.za/terms-of-use.php
Terms of Sale: https://www.comx-computers.co.za/terms-of-sale.php

PDF generated: 2026-11-13 01:20:06.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.