

M0P35A

HP LaserJet Managed E60065dn Mono Laser Printer

Product Overview

HP LaserJet Managed E60065dn Black (A4, normal): Up to 61 ppm; Black (A4, duplex): Up to 50 ppm Up to 420,000 pages (A4); Recommended monthly page volume: 5,000 to 40,000 Duplex: Automatic (standard) 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host



Specifications

Specifications:

© 2019 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	M0P35A
General	
Status	N1
Printer Type	Workgroup printer - laser - monochrome
Printer	
Print Speed	Up to 61 ppm - black normal - A4 (210 x 297 mm) Up to 100 ppm - black landscape - A5 (148 x 210 mm) Up to 50 ppm - B/W duplex - A4 (210 x 297 mm)
Built-in Devices	2.7 inch QVGA LCD display
Preview Screen Size	2.7"
Connectivity Technology	Wired
Interface	B 2.0, Gigabit LAN, B 2.0 host
Max Resolution (B&W)	1200 x 1200 dpi
Image Enhancement Technology	HP FastRes 1200
Automatic Duplexing	Yes

ComX Computers

Product Specification Sheet

PostScript Support	Standard
First Print Out Time B/W	5.4 sec
Language Simulation	PCL 5E, PostScript 3, PCL 6, PDF 1.7
Fonts Included	105 x TrueType 92 x PostScript 3
Printer Features	Hardware integration pocket, print from mobile device, Instant-on Technology
Media Handling	100-sheet multipurpose tray, 550-sheet input tray
Processor	
Processor	1.2 GHz
RAM	
RAM Installed (Max)	512 MB / 1.5 GB (max)
Media Handling	
Media Type	Envelopes, transparencies, labels, plain paper, bond paper, recycled paper, card stock, light-weight paper, punched paper, preprinted paper
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Min Media Size (Custom)	76 mm x 127 mm
Max Media Size (Custom)	216 mm x 356 mm
Media Sizes	Legal (216 x 356 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), 100 x 150 mm, JIS B5 (182 x 257 mm), 76 x 127 mm, JIS B6 (128 x 182 mm), RA4 (215 x 305 mm)
Envelope Sizes	DL (110 x 220 mm), C6 (114 x 162 mm), C5 (162 x 229 mm), B5 (176 x 250 mm)
Media Weight	60 g/m ² - 120 g/m ²
Total Media Capacity	650 sheets
Media Feeders	1 x automatic - 100 sheets - Legal (216 x 356 mm) weight: 60 g/m ² - 200 g/m ² 2 x automatic - 500 sheets - Legal (216 x 356 mm) weight: 60 g/m ² - 120 g/m ²
Max Media Capacity	4400 sheets
Output Trays Capacity	500 sheets
Duty Cycle	
Monthly Duty Cycle (max)	420000 pages
Recommended Monthly Volume	5000 - 40000 pages
Networking	
Networking	Print server
Remote Management Protocol	SNMP 1, Telnet, SNMP 3, IPP, SNMP 2c, HTTP, NDPS, NDS, HTTPS, TFTP, SLP
Security Protocols & Features	Kerberos, LDAP, SSL, Apple Bonjour, TLS, IPsec, 802.1x, EAP-TLS, PEAP
Expansion / Connectivity	
Connections	1 x Gigabit LAN - RJ-45 2 x B 2.0 host - 4 pin B Type A 1 x B 2.0 - 4 pin B Type B
Miscellaneous	
Consumables Included	1 x toner cartridge (black)

ComX Computers

Product Specification Sheet

Compliant Standards	GS, EMC, CECP, EN 61000-3-3:2008, EN 61000-3-2:2006+A1:2009+A2:2009, EN 62479:2010, EMC 2004/108/EC, LVD 2006/95/EC, 21 CFR 1040.10, 21 CFR 1040.11, EN 55024:2010, EN 55022:2010 Class A, CISPR 22:2008, IEC 60950-1:2005 + A1:2009 + A2:2013, EN 60825-1:2007, EN60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013, CE/EMC
Power	
Power Device	Power supply - internal
Voltage Required	AC 230V
Frequency Required	50/60 Hz
Software / System Requirements	
Software Included	Drivers & Utilities
OS Required	UNIX, Linux, Android, Microsoft Windows Vista (32/64 bits), Ubuntu 10.04, Microsoft Windows 7 (32/64 bits), Apple MacOS X 10.7 Lion, Apple iOS, Ubuntu 11.10, Ubuntu 12.04, Windows 8 (32/64 bits), Apple MacOS X 10.8, Red Hat Fedora 17, Ubuntu 12.10, Windows 8.1 (32/64 bits), Apple MacOS X 10.9, Red Hat Fedora 18, Linux Mint 13, Ubuntu 13.04, Ubuntu 13.10, Ubuntu 14.04, Red Hat Fedora 19, Linux Mint 14, Linux Mint 15, Apple MacOS X 10.10, Windows 10 (32/64 bits), Red Hat Fedora 20, Linux Mint 16, Linux Mint 17, BOSS GNU/Linux 3.0, BOSS GNU/Linux 5.0, Ubuntu 14.10, Debian Linux 6.0.x, Debian Linux 7.x
System Requirements Details	Windows Vista/7/8/10 - HD 200 MB Linux - HD 200 MB MacOS X 10.7/10.8/10.9/10.10 - HD 1 GB
Environmental Standards	
Min Operating Temperature	15 degreesC
Max Operating Temperature	32.5 degreesC
Humidity Range Operating	10 - 80%
Sound Emission (Operating)	55 dBA
Dimensions & Weight	
Width	43.1 cm
Depth	46.6 cm
Height	38 cm
Weight	21.6 kg
Dimensions & Weight (Shipping)	
Width (Shipping)	59.7 cm
Depth (Shipping)	49.7 cm
Height (Shipping)	53.9 cm
Weight (Shipping)	27.2 kg

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page:

<https://www.comx-computers.co.za/M0P35A-HP-LaserJet-Managed-E60065dn-Mono-Laser-Printer-p-217813.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx-computers.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx-computers.co.za/terms-of-sale.php>

PDF generated: 2026-10-28 15:16:41.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.